





Radiator valves and fittings

Heating and plumbing system products

- Architect
- Plumber
- Designer



THERMOSTATIC HEADS		PONY, TRENDY, CLASSIC, VENUS	6
		TUCAN, PICCO, PRESTIGE	12
		CONTACT, DISTANT	18
RADIATOR VALVES	Thermostatic	SFP/SFK, EFP/EFK, ARCUS, MASTER, AXI, FP20	20
	Regulating	SWING II	22
	Shut-off	FP/FK	23
	Connection	UNO, V TYPE	23
ECONOMY SETS	Thermostatic	ECON, ECON+, ARCUS, AXI ECONOMIC	24
	Regulating	SWING II, SIMPLE	26
STANDARD SETS	Thermostatic	STANDARD, MASTER, MASTER PEX, VERSO	26
	Connection	UNO, V TYPE	29
ELEGANT SETS	Thermostatic	V TYPE ELEGANT, ELEGANT, MASTER, AXI ELEGANT	32
EXCLUSIVE SETS	Thermostatic	TWINS, UNICO, PREMIUM EXCLUSIVE, ROYAL, VISION, INTEGRA, INTEGRA DUO, HEATEGRA, HEATEGRA DUO, LUX I, LUX II, QUATTRO	38 52
	Shut-off	TWINS	62
	Regulating	TWINS, UNICO, SWING, VISION, INTEGRA, INTEGRA DUO, OLD STAR, OLD STAR II, BALL, QUATTRO, LUX III	63 76
	Glamour series	TWINS, UNICO, VISION, INTEGRA	86
	V-SMART	TWINS, UNICO, VISION, INTEGRA, QUATTRO	87
UNDERFLOOR HEATING (RTL)	Standard sets	LIMIT BOX, STANDARD RTL, PRESTIGE RTL	90
	Exclusive sets	TWINS RTL, UNICO RTL, VISION RTL, LUX II RTL	92
PRODUCTS FOR HEATING AND WATER INSTALLATIONS	Filters, valves		100
	Chemicals for installation		102
	Safety groups		108
ACCESSORIES	Masking rosettes, masking sets		110
	Connectors		114
	Extensions, sleeves, nipples, screw connections		116
	Electric heating elements, tees, air vents, dryers		118
Color table			122

1988

First thermostatic head with a fluid sensor.



1999

Thermostatic head: CLASSIC.



2004

Thermostatic heads: PLUS, TRENDY, VENUS, PRESTIGE, PRESTIGE RTL.



2013

Installation valves: PREMIUM, TWINS, VISION, SFP/SFK, FP/FK AXI, SWING.



2017

Thermostatic heads: DISTANT, CONTACT, PICCO; ALL IN ONE sets, System VRC.




2021

Thermostatic heads: TUCAN, PONY. ALL IN ONE GLAMOUR.



2022

Varioprotect safety group.



2023

Thermostatic valves: TWINS straight, INTEGRA DUO. Varioprotect safety group.



2025

V-SMART sets with electronic head



2026

Sets: HEATEGRA, HEATEGRA DUO.



Vario Term is one of the first companies in Poland and Europe to produce thermostatic valves. Initial concepts for liquid sensors emerged in the 1980s, based on flexible bellows originally designed for pneumatic control systems at Mera-Pnefal.

Under the Vario Term brand, we meticulously design and manufacture thermostatic heads, thermostatic valves, and various radiator accessories, upholding a legacy of tradition, stringent quality standards, and advanced technology.

The contemporary design of our thermostatic heads, coupled with the elegant finish of Vario Term valves, makes them a perfect match for radiators from diverse manufacturers. Vario Term thermostatic heads and valves effectively regulate radiator performance, thereby reducing energy consumption, enhancing room temperature comfort, and adding a touch of elegance to any radiator.



VARIO TERM OFFERS a comprehensive range of products, including thermostatic heads, thermostatic valves, and various radiator equipment items. We take pride in being one of the few domestic manufacturers and exporters specializing in these solutions, particularly in exclusive fittings.

Our product lineup is categorized into four main groups. Within these categories, you'll find a range of options, from exclusive offerings to more budget-friendly choices, all featuring intriguing designs.

The most economical options, lacking color variations, fall under the „Economy class“, which includes basic thermostatic and regulatory sets.

Stepping up a level, we have the „Standard class“ sets, which include thermostatic valves with presetting and more affordable heads, albeit without color options.

For discerning users who value color coordination with their radiators, we present the „Elegant sets“. These sets often feature valves with preset points.

Our highest-tier products belong to the „Exclusive sets“ category. These sets offer a full spectrum of colors and can be coated with special finishes. We even accept custom orders for unique colors, such as gold, pink, and green, making them the ideal choice for the most luxurious decorative radiators on the market.

The Vario Term product range encompasses both individual heads and thermostatic valves, as well as comprehensive sets. Additionally, we offer a selection of installation accessories, including couplings, extensions, rosettes, and other components meticulously painted to match the color of the radiator or valve. These accessories serve the purpose of concealing unsightly elements like pipes and wall penetrations when connecting the radiator.

Apart from the necessity for radiator accessories to boast appealing designs and provide precise temperature control, safety is of paramount importance. Therefore, when considering a particular product, it's advisable to verify whether it holds the necessary safety certificates and conformity declarations. This aspect is of utmost significance to us, which is why we have garnered a favorable assessment from the WSP Lab in Stuttgart, underscoring our commitment to product quality and safety.

The positive outcomes of our laboratory tests pave the way for the approval of the European Technical Assessment certificate by the Building Research Institute in Warsaw. Moreover, our fundamental thermostatic products and sets have undergone testing at the Institute of Power Engineering in Radom. It's worth noting that the designs of Vario Term thermostatic heads have been registered with the Office for Harmonization in the Internal Market of OHIM as community designs, affording them legal protection.

Vario Term headquarters, Warsaw, Poland.




THERMOSTATIC HEADS

PONY

The thermostatic head meets the requirements of the PN-EN 215 standard.

TECHNICAL DATA	
Temperature range	6°C - 32°C (6°C-16°C, 16°C - 32°C)*
Max ambient temperature	50°C
Closing time	14 min.
The influence of pressure difference	< 1K
Hysteresis	0,3K
Influence of heating medium temperature	1,23K



APPLICATION

PONY thermostatic heads are modernized classic radiator temperature regulators.

Using the PONY series thermostatic head guarantees significant savings in energy consumption, thus reducing household expenses. It is also a crucial device for improving the comfort of everyday life – it adjusts the ambient temperature to the user's needs and preferences.

PONY heads are designed to work with most available thermostatic valves used in older cast iron radiators or modern C-type (compact) panel radiators, as well as with V-type radiators (equipped with a valve insert).

PROPERTIES

- Built-in reliable liquid sensor;
- Adjustment knob with digital setting markings;
- Anti-freeze protection function (6°C on the „*” setting);
- Plinth made of high-quality plastic, adapted to work at elevated temperatures;
- The external elements of the head are made of ABS plastic with the addition of UV stabilizer;
- Easier to keep the PONY thermostatic head clean;
- Setting the temperature is intuitive;
- The head design is helpful for people with different sensory abilities due to the characteristic „click” on specific settings;
- The head does not change height when adjusting the temperature.

RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „6”.

* On request, limiting the temperature control range, both maximum and minimum: the temperature adjustment range can be limited at the factory in the ranges from 6°C to 16°C and from 16°C to 32°C.

Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
6°C	12°C	16°C	20°C	24°C	28°C	32°C

PONY



Mounting thread: M30x1,5

The PONY thermostatic head is designed for thermostatic valves and valve inserts with an M30x1,5 mounting thread. Type: GS.10. Compatible with Vario Term, Heimeier, and other valve inserts.

No	Color	Thread	Catalog number
06	White	M30x1,5	000M665A001

PONY thermostatic head equipped with additional protection.



No	Color	Thread	Blockages	Catalog number
06	White	M30x1,5	Anti-theft lock	000M665A001BA
06	White	M30x1,5	Temperature lock (from 16°C)	000M665A001B
06	White	M30x1,5	Temperature lock (from 16°C) + anti-theft	000M665A001BBA


The management system operating at Vario Term complies with ISO 9001:2015 and is confirmed by the SGS certificate.




THERMOSTATIC HEADS

TRENDY


The thermostatic head meets the requirements of the PN-EN 215 standard.




Mounting thread:
M30x1,5




Mounting thread:
RTD standard



Mounting thread:
Click standard



Mounting thread:
Vario standard



Mounting thread:
M28x1,5

TECHNICAL DATA

Temperature range	8°C - 30°C (16°C - 30°C)*
Max ambient temperature	50°C
Closing time	16 min.
The influence of pressure difference	< 1K
Hysteresis	0,3K
Influence of heating medium temperature	1,23K



APPLICATION

The TRENDY thermostatic head is a radiator temperature regulator with an economical design. It allows you to maintain the desired thermal comfort in the room while taking into account heat gains from other sources, e.g. heat gain from people, lighting, sunlight. Due to its construction, it guarantees ease of cleaning.

PROPERTIES

- Built-in reliable liquid sensor;
- Adjustment knob with digital setting markings;
- Anti-freeze protection function (8°C on the „*” setting);
- Plinth made of high-quality plastic, adapted to work at elevated temperatures;
- Highly aesthetic body and knob made of ABS plastic with added UV stabilizer.

RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „6”.

* On request, limiting the temperature control range, both maximum and minimum: The temperature control range can be factory limited from 16°C to 30°C.

Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
8°C	12°C	16°C	20°C	24°C	28°C	30°C

TRENDY



Mounting thread: M30x1,5

TRENDY thermostatic head designed for thermostatic valves and valve inserts with M30x1,5 mounting thread. Type GS.05. Suitable for Vario Term, Heimeier and other valve inserts. The thermostatic head can be equipped with additional protection.

No	Color	Thread	Nut	Catalog number
06	White	M30x1,5	ABS plastic nut	000M651A101
06	White	M30x1,5	Metal nut	100M651A101
No	Color	Thread	Blockages	Catalog number
06	White	M30x1,5	Anti-theft lock	000M651A101BA
06	White	M30x1,5	Temperature lock (from 16°C)	000M651A101B
06	White	M30x1,5	Temperature and anti-theft lock	000M651A101BBA

Mounting thread: RTD Standard

TRENDY thermostatic head designed for thermostatic valves and valve inserts with RTD Standard mounting thread. Type GS.06. Adapted to Danfoss valve inserts. The thermostatic head can be equipped with additional protection.

No	Color	Thread	Blockages	Catalog number
06	White	RTD standard	-	000M652A101
06	White	RTD standard	Anti-theft lock	000M652A101BA
06	White	RTD standard	Temperature lock (from 16°C)	000M652A101B
06	White	RTD standard	Temperature and anti-theft lock	000M652A101BBA

Mounting thread: Click Standard

TRENDY thermostatic head designed for thermostatic valves and valve inserts with Click (Ra-N) mounting thread. Type GS.07. Adapted to Danfoss valve inserts, Oventrop, Brugman, Perfexim. The thermostatic head can be equipped with additional protection.

No	Color	Thread	Blockages	Catalog number
06	White	Click, RA-N standard	-	000M653A301
06	White	Click, RA-N standard	Anti-theft lock	000M653A301BA
06	White	Click, RA-N standard	Temperature lock (from 16°C)	000M653A301B
06	White	Click, RA-N standard	Temperature and anti-theft lock	000M653A301BBA

Mounting thread: Vario Standard

TRENDY thermostatic head designed for thermostatic valves and valve inserts with Vario Standard mounting thread. Type GS.08. Suitable for Vario Term VFP/VFK, Mera-Pnefal, Jafar, Valvex, Jan-K valve inserts. The thermostatic head can be equipped with additional protection.

No	Color	Thread	Blockages	Catalog number
06	White	Vario standard	-	000M654A101
06	White	Vario standard	Anti-theft lock	000M654A101BA
06	White	Vario standard	Temperature lock (from 16°C)	000M654A101B
06	White	Vario standard	Temperature and anti-theft lock	000M654A101BBA

Mounting thread: M28x1,5

TRENDY thermostatic head designed for thermostatic valves and valve inserts with M28x1,5 mounting thread. Type GHe.02. Suitable for Herz valve inserts. The thermostatic head can be equipped with additional protection.

No	Color	Thread	Blockages	Catalog number
06	White	M28x1,5	-	000M655A101
06	White	M28x1,5	Anti-theft lock	000M655A101BA
06	White	M28x1,5	Temperature lock (from 16°C)	000M655A101B
06	White	M28x1,5	Temperature and anti-theft lock	000M655A101BBA

THERMOSTATIC HEADS

CLASSIC

NEW




Mounting thread: M30x1,5

CLASSIC thermostatic head designed for thermostatic valves and valve inserts with M30x1,5 mounting thread. Type GH.03. Suitable for Vario Term, Heimeier and other valve inserts. The thermostatic head can be equipped with additional protection.

No	Color	Thread	Blockages	Catalog number
06	White	M30x1,5	-	000M631A004
06	White	M30x1,5	Temperature lock (from 16°C)	000M631A014

The thermostatic head meets the requirements of the PN-EN 215 standard.

TECHNICAL DATA	
Temperature range	6°C - 32°C (6°C-16°C, 16°C - 32°C)*
Max ambient temperature	50°C
Closing time	18 min.
The influence of pressure difference	< 0,4K
Hysteresis	0,3K
Influence of heating medium temperature	<1,0K



APPLICATION

The CLASSIC thermostatic head is a radiator temperature regulator with an economical design. It allows you to maintain the desired thermal comfort in the room while taking into account heat gains from other sources, e.g. heat gain from people, lighting, sunlight.

PROPERTIES

- Built-in reliable liquid sensor;
- Adjustment knob with digital setting markings;
- Anti-freeze protection function (6°C on the „*” setting);
- Plinth made of high-quality plastic, adapted to work at elevated temperatures;
- Highly aesthetic body and knob made of ABS plastic with added UV stabilizer.

RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „6”.

* On request, limiting the temperature control range, both maximum and minimum: the temperature adjustment range can be limited at the factory in the ranges from 6°C to 16°C and from 16°C to 32°C.

Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
6°C	12°C	16°C	20°C	24°C	28°C	32°C

VENUS II




Mounting thread: M30x1,5

The VENUS II thermostatic valve head is designed for thermostatic valves and valve inserts with an M30x1,5 mounting thread. Type: GS.09. Compatible with Vario Term, Heimeier, and other valve inserts.

No	Color	Thread	Catalog number
01	White - Chrome	M30x1,5	000M642A101
02	Chrome	M30x1,5	000M642A102
06	White	M30x1,5	000M642A106

The thermostatic head meets the requirements of the PN-EN 215 standard.

TECHNICAL DATA	
Temperature range	8°C - 30°C (factory)*
Max ambient temperature	50°C
Closing time	16 min.
The influence of pressure difference	< 1K
Hysteresis	0,3K
Influence of heating medium temperature	1,23K



APPLICATION

The VENUS thermostatic head is a radiator temperature controller with a modern, ergonomic design. It allows you to maintain the desired thermal comfort in a room while taking into account heat gains from other sources, such as heat gain from people, lighting, and sunlight. Due to its construction, it guarantees ease of cleaning.

PROPERTIES

- Reliable liquid sensor;
- Adjustment knob with digital marking;
- Anti-freeze protection function (8°C on the „*” setting);
- Body made of high-quality ABS plastic with added UV stabilizer and aluminum.

RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „6”.

* On request, limiting the temperature control range, both maximum and minimum: The temperature control range can be factory limited from 16°C to 30°C.


Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
8°C	12°C	16°C	20°C	24°C	28°C	30°C

TUCAN

The thermostatic head meets the requirements of the PN-EN 215 standard.

TECHNICAL DATA	
Temperature range	6°C - 32°C (6°C-16°C, 16°C - 32°C)*
Max ambient temperature	50°C
Closing time	14 min.
The influence of pressure difference	< 1K
Hysteresis	0,3K
Influence of heating medium temperature	1,23K



APPLICATION

The TUCAN thermostatic head is a radiator temperature regulator with a modern, ergonomic shape. It allows you to maintain the desired thermal comfort in the room while taking into account heat gains from other sources, e.g. heat gain from people, lighting, sunlight. Due to its construction, it guarantees ease of cleaning.

PROPERTIES

- Reliable liquid sensor;
- Adjustment knob with digital marking;
- Anti-freeze protection function (6°C on the „*” setting);
- Body made of high-quality ABS plastic with added UV stabilizer;
- Easier to keep the TUCAN thermostatic head clean;
- Setting the temperature setting is intuitive;
- The head design is helpful for people with different sensory abilities due to the characteristic „click” on specific settings;
- The head does not change height when adjusting the temperature.

RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „6”.

* On request, limiting the temperature control range, both maximum and minimum: the temperature adjustment range can be limited at the factory in the ranges from 6°C to 16°C and from 16°C to 32°C.

Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
6°C	12°C	16°C	20°C	24°C	28°C	32°C

TUCAN



The TUCAN thermostatic head is designed for thermostatic valves and valve inserts with an M30x1,5 thread. Type: GS.10. Compatible with Vario Term, Heimeier, and other valve inserts.

Colors with 1-7 days delivery time

No	Color	Catalog number
02	Chrome	000M665A102
05	Structural graphite	000M665A105
06	White	000M665A106
07	Anthracite/Glossy graphite	000M665A107
09	Quartz 1	000M665A109
10	Quartz 2	000M665A110
12	Metallic graphite	000M665A112
13	Glossy black	000M665A113
14	Structural black	000M665A114
15	Dark structural graphite	000M665A115
19	Structural white	000M665A119
21	Matt white	000M665A121
24	Matt black	000M665A124
26	Deep matt black	000M665A126
30	Glossy gold	000M665A130

Colors with 4-6 weeks delivery time


No	Color	Catalog number
03	Satin	000M665A103
08	Nickel-grinded	000M665A108
11	Antique brass	000M665A111
29	Matt brass	000M665A129

A thermostatic heads can be equipped with anti-theft protection.

THERMOSTATIC HEADS

PICCO

The thermostatic head meets the requirements of the PN-EN 215 standard.



RANGE	8°C – 30°C* (16°C – 30°C)
Max ambient temperature	50°C
Closing time	16 min.
The influence of pressure difference	< 1K
Hysteresis	0,3K
Influence of heating medium temperature	1,23K



APPLICATION

The PICCO thermostatic head is a radiator temperature controller with a modern, ergonomic design. It is one of the smallest thermostatic heads on the market. It allows you to maintain the desired thermal comfort in the room while taking into account heat gains from other sources, e.g. heat gain from people, lighting, sunlight. Due to its construction, it guarantees ease of cleaning.

PROPERTIES

- Reliable liquid sensor;
- Adjustment knob with digital marking;
- Anti-freeze protection function (8°C on the „*” setting);
- Body made of high-quality plastic with added UV stabilizer and aluminum.

RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „6”.

* Upon request, the temperature control range can be factory-limited between 8°C and 12°C and 16°C and 30°C.

Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
8°C	12°C	16°C	20°C	24°C	28°C	30°C

PICCO



Mounting thread:
M30x1,5



Mounting thread:
RTD



Mounting thread:
CLICK, RA-N

PICCO thermostatic head designed for thermostatic valves and valve inserts:

- with M30x1,5 mounting thread, type GS.02 (Vario Term, Heimeier and others);
- with RTD Standard mounting thread, type GS.03 (Danfoss);
- with Click, RA-N mounting thread, type GS.04 (Danfoss, Oventrop, Brugman, Perfexim).

Colors with 1-7 days delivery time

No	Color	M30x1,5	RTD	Click, RA-N
01	White - Chrome	000M660A101	000M661A101	000M662A101
02	Chrome	000M660A102	000M661A102	000M662A102
05	Structural graphite	000M660A105	000M661A105	000M662A105
06	White	000M660A106	000M661A106	000M662A106
07	Anthracite/Glossy graphite	000M660A107	000M661A107	000M662A107
09	Quartz 1	000M660A109	000M661A109	000M662A109
10	Quartz 2	000M660A110	000M661A110	000M662A110
12	Metallic graphite	000M660A112	000M661A112	000M662A112
13	Glossy black	000M660A113	000M661A113	000M662A113
14	Structural black	000M660A114	000M661A114	000M662A114
15	Dark structural graphite	000M660A115	000M661A115	000M662A115
19	Structural white	000M660A119	000M661A119	000M662A119
21	Matt white	000M660A121	000M661A121	000M662A121
24	Matt black	000M660A124	000M661A124	000M662A124
26	Deep matt black	000M660A126	000M661A126	000M662A126
30	Glossy gold	000M660A130	000M661A130	000M662A130

Colors with 4-6 weeks delivery time


No	Color	M30x1,5	RTD	Click, RA-N
03	Satin	000M660A103	000M661A103	000M662A103
08	Nickel-grinded	000M660A108	000M661A108	000M662A108
11	Antique brass	000M660A111	000M661A111	000M662A111
29	Matt brass	000M660A129	000M661A129	000M662A129

A thermostatic heads can be equipped with anti-theft protection.


THERMOSTATIC HEADS

PRESTIGE


The thermostatic head meets the requirements of the PN-EN 215 standard.




Mounting thread:
M30x1,5



Mounting thread: M28x1,5



Mounting thread:
RTD standard



Mounting thread:
Click, RA-N standard

RANGE	8°C - 30°C* (16°C - 30°C)
Max ambient temperature	50°C
Closing time	16 min.
The influence of pressure difference	< 1K
Hysteresis	0,3K
Influence of heating medium temperature	1,23K



APPLICATION

The PRESTIGE thermostatic head is a radiator temperature controller with a modern, ergonomic design. It allows you to maintain the desired thermal comfort in the room while taking into account heat gains from other sources, such as heat gain from people, lighting, and sunlight. Due to its design, it guarantees easy cleaning.

PROPERTIES

- Reliable liquid sensor;
- Adjustment knob with digital marking;
- Anti-freeze protection function (8°C on the „*“ setting);
- Body made of high-quality plastic with added UV stabilizer and aluminum.

* Upon request, the temperature control range can be factory-limited between 8°C and 12°C and 16°C and 30°C.

Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
8°C	12°C	16°C	20°C	24°C	28°C	30°C

RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „6“.

ANTI-THEFT LOCK

Before installing the thermostatic head, use an Allen key to unscrew the set screw so that it doesn't interfere with screwing the head nut onto the valve body. After installing the thermostatic head, tighten the Blockages set screw with a wrench until resistance is felt.



PRESTIGE



Mounting thread: M30x1,5

Mounting thread:
M28x1,5Mounting thread:
RTDMounting thread:
CLICK, RA-N

PRESTIGE thermostatic head designed for thermostatic valves and valve inserts:

- with M30x1,5 mounting thread, type GS.02 (Vario Term, Heimeier and others);
- with M28x1,5 mounting thread, type GHe.01 (Herz);
- with RTD Standard mounting thread, type GS.03 (Danfoss);
- with Click, RA-N mounting thread, type GS04 (Danfoss, Oventrop, Brugman, Perfexim).

Colors with 1-7 days delivery time

No	Color	M30x1,5	M28x1,5	RTD	Click, RA-N
01	White - Chrome	000M636A001	000M641A001	000M637A001	000M638A101
02	Chrome	000M636A002	000M641A002	000M637A002	000M638A102
05	Structural graphite	000M636A005	000M641A005	000M637A005	000M638A105
06	White	000M636A006	000M641A006	000M637A006	000M638A106
07	Anthracite/Glossy graphite	000M636A007	000M641A007	000M637A007	000M638A107
09	Quartz 1	000M636A009	000M641A009	000M637A009	000M638A109
10	Quartz 2	000M636A010	000M641A010	000M637A007	000M638A110
12	Metallic graphite	000M636A012	000M641A012	000M637A012	000M638A112
13	Glossy black	000M636A013	000M641A013	000M637A013	000M638A113
14	Structural black	000M636A014	000M641A014	000M637A014	000M638A114
15	Dark structural graphite	000M636A015	000M641A015	000M637A015	000M638A115
19	Structural white	000M636A019	000M641A019	000M637A019	000M638A119
21	Matt white	000M636A021	000M641A021	000M637A021	000M638A121
24	Matt black	000M636A024	000M641A024	000M637A024	000M638A124
26	Deep matt black	000M636A026	000M641A026	000M637A026	000M638A126
30	Glossy gold	000M636A030	000M641A030	000M637A030	000M638A130

Colors with 4-6 weeks delivery time

No	Color	M30x1,5	M28x1,5	RTD	Click, RA-N
03	Satin	000M636A003	000M641A003	000M637A003	000M638A103
08	Nickel-grinded	000M636A008	000M641A008	000M637A008	000M638A108
11	Antique brass	000M636A011	000M641A011	000M637A011	000M638A111
29	Matt brass	000M636A029	000M641A029	000M637A029	000M638A129


PRESTIGE thermostatic head equipped with additional protection.



No	Color	Blockages	M30x1,5	M28x1,5	RTD	Click, RA-N
01	White - Chrome	Anti-theft lock	000M636A001BA	000M641A001BA	000M637A001BA	000M638A101BA
01	White - Chrome	Temperature lock (from 16°C)	000M636A001B	000M641A001B	000M637A001B	000M638A101B
01	White - Chrome	Temperature lock (from 16°C) + anti-theft	000M636A001BBA	000M641A001BBA	000M637A001BBA	000M638A101BBA
02	Chrome	Anti-theft lock	000M636A002BA	000M641A002BA	000M637A002BA	000M638A102BA
02	Chrome	Temperature lock (from 16°C)	000M636A002B	000M641A002B	000M637A002B	000M638A102B
02	Chrome	Temperature lock (from 16°C) + anti-theft	000M636A002BBA	000M641A002BBA	000M637A002BBA	000M638A102BBA
06	White	Anti-theft lock	000M636A006BA	000M641A006BA	000M637A006BA	000M638A106BA
06	White	Temperature lock (from 16°C)	000M636A006B	000M641A006B	000M637A006B	000M638A106B
06	White	Temperature lock (from 16°C) + anti-theft	000M636A006BBA	000M641A006BBA	000M637A006BBA	000M638A106BBA

CONTACT

RANGE	25°C – 70°C
Closing time	16 min.
The influence of pressure difference	< 1K
Capillary length	2 meters



No	Color	Catalog number
06	White	000M657A006

The CONTACT thermostatic head is designed to work with radiator valves and valve inserts with an M30x1,5 connection (Vario Term, Heimeier, etc.). The temperature measurement element (sensor) is located outside the control section, and the connection is made via a special capillary. It is used for underfloor heating.

APPLICATION

The CONTACT thermostatic head is a radiator temperature controller used to regulate domestic hot water temperature, constant supply temperature control in integrated underfloor heating systems, and as an air temperature controller in forced-air heating systems. When using the CONTACT head in integrated underfloor heating systems, the size of the heated surface depends on the thermostatic valve and its flow rate.

The temperature measuring element (sensor) is located outside the control part and their connection is made via a special capillary.

The CONTACT thermostatic head is designed to work with radiator valves and valve inserts with an M30x1,5 connection.

INSTALLATION

To ensure proper operation, the temperature measurement element (sensor) of the head should be mounted with a high-conductivity housing to the pipes using clamps to ensure proper heat flow. All installation operations should be performed with the head set to the „70” setting.


RECOMMENDATIONS

After the heating season, it is recommended to set the thermostatic head to setting „70”.

A thermostatic heads can be equipped with anti-theft protection.

DISTANT

RANGE	8°C – 30°C
Max ambient temperature	50°C
Closing time	16 min.
The influence of pressure difference	< 1K
Capillary length	2 meters



No	Color	Catalog number
06	White	000M658A006

The DISTANT thermostatic head is designed to work with radiator valves and valve inserts with M30x1,5 connections (Vario Term, Heimeier, etc.). The temperature measurement element (sensor) is located outside the control section, and the connection is made via a special capillary.

APPLICATION

The DISTANT thermostatic head is a radiator temperature controller used to regulate the temperature in rooms equipped with trench radiators or when the heating device is built-in or covered. The temperature measurement element (sensor) is located outside the control unit, and the connection is made via a special capillary.

The DISTANT thermostatic head is designed to work with radiator valves and valve inserts with an M30x1,5 connection.

INSTALLATION

To ensure proper operation, the temperature measurement element (sensor) of the head should be mounted on an interior wall of the room, allowing free airflow around the sensor. The head should be mounted vertically, and all installation steps should be performed with the head set to the „6” setting.

RECOMMENDATIONS


After the heating season, it is recommended to set the thermostatic head to setting „6”.

Assignment of setpoint values to the marks on the control knob:

*	1	2	3	4	5	6
8°C	12°C	16°C	20°C	24°C	28°C	30°C

SFP15 / SFK15, 1/2" x 1/2"

with pre-setting




SFP15 / SFK15 thermostatic valve, straight or angular version, F 1/2" x M 1/2". Thermostatic head mounting thread M30x1,5. Pre-setting. KN-01 setting key included.

No	Color	Straight version	Angular version
01	Nickel	000M751A001	000M752A001

SFP / SFK (PEX or Cu), 1/2" x 3/4"

with pre-setting




SFP / SFK thermostatic valve, straight or angular version, M 1/2" x M 3/4". Thermostatic head mounting thread: M30x1,5. It has an outlet for PEX / Cu adapters (fittings not included). It has pre-setting. A KN-01 setting key is included.

No	Color	Straight version	Angular version
01	Nickel	000M755A001	000M756A001

SFP10, 3/8" x 3/8"

with pre-setting




SFP10 thermostatic valve, straight version, F 3/8" x M 3/8". Thermostatic head mounting thread: M30x1,5. Economy version. Pre-setting. KN-01 setting key included.

No	Color	Version	Catalog number
01	Nickel	Straight version	000M749A001

EFK / EFK, ½" x ½"


with pre-setting



EFK / EFK thermostatic valve, straight or angular version, F ½" x M ½". Thermostatic head mounting thread: M30x1,5. Pre-setting is possible using a flat wrench (setting values are printed on the valve insert). Economical version.

No	Color	Straight version	Angular version
01	Nickel	000M753A001	000M754A001


FP20, ¾" x ¾"



Thermostatic valve FP20, F ¾" x M ¾", straight version. Thermostatic head mounting thread: M30x1,5. Without pre-setting.

No	Color	Version	Catalog number
01	Nickel	Straight version	000M621A002


AXI, ½" x ½"



AXI thermostatic valve, axial version, F ½" x M ½". Designed for side-supplied radiators. Allows the head to be positioned parallel to the radiator. Thermostatic head mounting thread M30x1,5. Without pre-setting.

No	Color	Version	Catalog number
01	Nickel	Axial version	02.13.01


ARCUS, 1/2" x 1/2"



ARCUS thermostatic valve, axial, left or right version. F 1/2" x M 1/2". Thermostatic head mounting thread M30x1,5. Economy version. Without pre-setting.

No	Color	Left version	Right version
01	Nickel	000M772A101	000M773A101

MASTER, 1/2" x 1/2"
with pre-setting




MASTER thermostatic valve, axial, left or right version. F 1/2" x M 1/2". Thermostatic head mounting thread M30x1,5. Economy version. Pre-setting. KN-01 setting key included. PEX version has a short PEX connector (16x2).

No	Color	Left version	Right version	Left version, for PEX	Right version, for PEX
01	Nickel	000M772A001	000M773A001	000M772A001(PEX)	000M773A001(PEX)




SWING II, 1/2" x 1/2"



SWING II control valve, straight or angular version. F 1/2" x M 1/2". Large flow diameter. Control knob protected by a plastic cover.

No	Color	Straight version	Angular version
01	Nickel	2801	2804


FP / FK, 1/2" x 1/2"



FP / FK control valve, straight or angular version. F 1/2" x M 1/2".

No	Color	Straight version	Angular version
01	Nickel	000M869A001	000M870A001


V TYPE, 3/4" x 3/4"



V TYPE double-pipe connection valve, F 3/4" x M 3/4". Straight or angular version. Connection spacing 50 mm.

No	Color	Without nipples		With nipples	
		Straight version	Angular version	Straight version	Angular version
01	Nickel	000M856A001	000M855A001	000M856A001(NY)	000M855A001(NY)

UNO, 1/2" / 3/4" x 3/4"



UNO connection, right version, with immersion tube. M 1/2" x M 3/4". Connection spacing for 50 mm installation. Thermostatic head mounting thread M30x1,5. Economy version. The setting is regulated by a return valve.

No	Color	Version	Catalog number
01	Nickel	Right version	000M858A001



EVERY SET COMES
WITH FREE MASKING ROSETTES!

Economy sets

ECON



ECON thermostatic set. Straight or angular version, F ½" x M ½".

- The set includes:**
- 1 x thermostatic valve EFK or EFP,
 - 1 x FK or FP shut-off valve,
 - 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
 - 2 x masking rosettes Ø25 mm.

The valve is equipped with an economical pre-setting.

Type of head	Head color	Straight version	Angular version
Trendy	White	EGS05106C/FP	EGS05106C/FK
Trendy	White, with metal cap	MNEGS05106C/FP	MNEGS05106C/FK
Pony	White	EGS1006C/FP	EGS1006C/FK
Venus II	White	EGS09106C/FP	EGS09106C/FK
Prestige	White	EGS0206C/FP	EGS0206C/FK
Prestige	White - Chrome	EGS0201C/FP	EGS0201C/FK

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Straight version	Angular version
Trendy	White	Temperature lock (from 16°)	BEGS05106C/FP	BEGS05106C/FK

ECON+



ECON+ thermostatic set. Straight or angular version, F ½" x M ½". The set includes screws with seals.

- The set includes:**
- 1 x thermostatic valve EFK or EFP,
 - 1 x FK or FP shut-off valve,
 - 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
 - 2 x connectors,
 - 2 x masking rosettes Ø25 mm.

The valve is equipped with an economical pre-setting.

Type of head	Head color	Straight version	Angular version
Trendy	White	EGS05106C/FP+	EGS05106C/FK+
Trendy	White, with metal cap	MNEGS05106C/FP+	MNEGS05106C/FK+
Pony	White	EGS1006C/FP+	EGS1006C/FK+
Venus II	White	EGS09106C/FP+	EGS09106C/FK+
Prestige	White	EGS0206C/FP+	EGS0206C/FK+
Prestige	White - Chrome	EGS0201C/FK+	EGS0201C/FK+

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Straight version	Angular version
Trendy	White	Temperature lock (from 16°)	BEGS05106C/FP+	BEGS05106C/FK+



EVERY SET COMES
WITH FREE MASKING ROSETTES!

ARCUS

TRENDY, M30x1.5



PONY, M30x1.5



VENUS, M30x1.5



PRESTIGE, M30x1.5



PRESTIGE, M30x1.5



ARCUS thermostatic set, axial. Left or right version, F ½" x M ½".

The set includes:

- 1 x thermostatic valve ARCUS,
- 1 x FK shut-off valve,
- 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
- 2 x masking rosettes Ø25 mm.

Type of head	Head color	Left version	Right version
Trendy	White	ARGS05106C/L	ARGS05106C/P
Trendy	White, with metal cap	MNARGS05106C/L	MNARGS05106C/P
Pony	White	ARGS1006C/L	ARGS1006C/L
Venus II	White	ARGS09106C/L	ARGS09106C/P
Prestige	White	ARGS0206C/L	ARGS0206C/P
Prestige	White - Chrome	ARGS0201C/L	ARGS0201C/P

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Left version	Right version
Trendy	White	Temperature lock (from 16°)	BARGS05106C/L	BARGS05106C/P

AXI ECONOMIC

TRENDY, M30x1.5



PONY, M30x1.5



VENUS, M30x1.5



PRESTIGE, M30x1.5



PRESTIGE, M30x1.5



AXI ECONOMIC thermostatic set. Axial version, F ½" x M ½".

The set includes:

- 1 x AXI thermostatic valve,
- 1 x FK shut-off valve,
- 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
- 2 x masking rosettes Ø25 mm.

Type of head	Head color	Axial version
Trendy	White	AXIGS05106C
Trendy	White, with metal cap	MNAXIGS05106C
Pony	White	AXIGS1006C
Venus II	White	AXIGS09106C
Prestige	White	AXIGS0206C
Prestige	White - Chrome	AXIGS0201C

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Axial version
Trendy	White	Temperature lock (from 16°)	BAXIGS05106C



EVERY SET COMES
WITH FREE MASKING ROSETTES!

Standard sets

SWING II



SWING II regulation set. Straight or angular version, F ½" x M ½".

The set includes:
1 x control valve SWING II,
1 x FK or FP shut-off valve,
2 x masking rosettes Ø25 mm.

Color	Angular version	Straight version
Nickel	ZI00/RFK	ZI00/RFP

SIMPLE



SIMPLE regulation set, straight or angular version. F ½" x M ½". The set includes a knob for manual adjustment of the thermostatic valve. If necessary, the knob can be unscrewed and one of the thermostatic heads with an M30x1,5 thread screwed in instead.

The set includes:
1 x thermostatic valve EFK or EFP,
1 x FK or FP shut-off valve,
2 x masking rosettes Ø25 mm.



Color	Angular version	Straight version
Nickel	SI00/EFK	SI00/EFP

UNO



UNO connection set. Right version, M ½" x M ¾". Installation connection spacing 50 mm.

The set includes:
1 x UNO connection,
1 x immersion tube,
1 x TRENDY or PONY or PRESTIGE thermostatic head,
1 x masking rosette Ø16 mm.

Type of head	Head color	Right version
Trendy	White	UNGS05106CFK/P
Trendy	White, with metal cap	MNUNGS05106CFK/P
Pony	White	UNGS1006CFK/P
Prestige	White	UNGS0206CFK/P

UNO sets offer the option of matching PEX fittings to the valves. When ordering, please add (PEX) to the end of the catalog number.
Example: UNGS1006CFK/P(PEX).





EVERY SET COMES
WITH FREE MASKING ROSETTES!

STANDARD



STANDARD thermostatic set. Straight or angular version, F ½" x M ½".

The set includes:

- 1 x thermostatic valve SFK15 or SFP15,
- 1 x FK or FP shut-off valve,
- 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
- 2 x masking rosettes Ø25 mm,
- 1 x pre-setting key.

The valve is equipped with a pre-setting.



Preset key.

Type of head	Head color	Straight version	Angular version
Trendy	White	STGS05106C/FP	STGS05106C/FK
Trendy	White, with metal cap	MNSTGS05106C/FP	MNSTGS05106C/FK
Pony	White	STGS1006C/FP	STGS1006C/FK
Venus II	White	STGS09106C/FP	STGS09106C/FK
Prestige	White	STGS0206C/FP	STGS0206C/FK
Prestige	White - Chrome	STGS0201C/FP	STGS0201C/FK

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Straight version	Angular version
Trendy	White	Temperature lock (from 16°)	BSTGS05106C/FP	BSTGS05106C/FK

STANDARD sets offer the option of matching PEX fittings to the valves. When ordering, please add (PEX) to the end of the catalog number.

Example: STGS09106C/FK(PEX).



VERSO*



VERSO thermostatic set for connection to PEX systems. Axial, left or right version, F ½" x M ½".

The set includes:

- 1 x thermostatic valve, PEX,
- 1 x shut-off valve, PEX,
- 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
- 2 x ½" PEX fittings,
- 2 x masking rosettes Ø25 mm,
- 1 x pre-setting key.

The valve is equipped with a pre-setting.



Preset key.

Type of head	Head color	Left version	Right version
Trendy	White	VEGS05106CFK/L(PEX)	VEGS05106CFK/P(PEX)
Trendy	White, with metal cap	MNVEGS05106CFK/L(PEX)	MNVEGS05106CFK/P(PEX)
Pony	White	VEGS1006CFK/L(PEX)	VEGS1006CFK/P(PEX)
Venus II	White	VEGS09106CFK/L(PEX)	VEGS09106CFK/P(PEX)
Prestige	White	VEGS0206CFK/L(PEX)	VEGS0206CFK/P(PEX)
Prestige	White - Chrome	VEGS0201CFK/L(PEX)	VEGS0201CFK/P(PEX)

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Left version	Right version
Trendy	White	Temperature lock (from 16°)	BVEGS05106CFK/L(PEX)	BVEGS05106CFK/P(PEX)

* While supplies last.

MASTER



EVERY SET COMES
WITH FREE MASKING ROSETTES!

MASTER thermostatic set. Axial, left or right version, F ½" x M ½".

The set includes:

- 1 x thermostatic valve MASTER,
- 1 x FK shut-off valve,
- 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
- 2 x masking rosettes Ø25 mm,
- 1 x pre-setting key.

The valve is equipped with a pre-setting.



Preset key.

Type of head	Head color	Left version	Right version
Trendy	White	MAGS05106C/L	MAGS05106C/P
Trendy	White, with metal cap	MNMAGS05106C/L	MNMAGS05106C/P
Pony	White	MAGS1006C/L	MAGS1006C/P
Venus II	White	MAGS09106C/L	MAGS09106C/P
Prestige	White	MAGS0206C/L	MAGS0206C/P
Prestige	White - Chrome	MAGS0201C/L	MAGS0201C/P

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Left version	Right version
Trendy	White	Temperature lock (from 16°)	BMAGS05106C/L	BMAGS05106C/P

MASTER (PEX)



MASTER thermostatic set with built-in PEX connectors (16x2). Axial, left or right version, F ½" x M ½".

The set includes:

- 1 x thermostatic valve MASTER,
- 1 x FK shut-off valve,
- 2 x short connector for PEX (16x2),
- 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
- 2 x masking rosettes Ø25 mm,
- 1 x pre-setting key.

The valve is equipped with a pre-setting.



Preset key.

Type of head	Head color	Left version	Right version
Trendy	White	MAGS05106C/L(PEX)	MAGS05106C/P(PEX)
Trendy	White, with metal cap	MNMAGS05106C/L(PEX)	MNMAGS05106C/P(PEX)
Pony	White	MAGS1006C/L(PEX)	MAGS1006C/P(PEX)
Venus II	White	MAGS09106C/L(PEX)	MAGS09106C/P(PEX)
Prestige	White	MAGS0206C/L(PEX)	MAGS0206C/P(PEX)
Prestige	White - Chrome	MAGS0201C/L(PEX)	MAGS0201C/P(PEX)

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Left version	Right version
Trendy	White	Temperature lock (from 16°)	BMAGS05106C/L(PEX)	BMAGS05106C/P(PEX)

V TYPE



EVERY SET COMES
WITH FREE MASKING ROSETTES!

V TYPE thermostatic set. Angular or straight version, M 3/4" x F 3/4". Installation connection spacing 50 mm. The valves are compatible with V TYPE bottom-fed radiators.

The set includes:

- 1 x two-pipe connection valve,
- 1 x TRENDY or PONY or VENUS II or PRESTIGE thermostatic head,
- 2 x 1/2"x3/4" reducing nipples (in selected sets),
- 2 x masking rosettes Ø16 mm.

Sets without reducing nipples M 3/4" x M 1/2"

Type of head	Head color	Thread	Straight version	Angular version
Trendy	White	M30x1,5	PRGS05106C/FP	PRGS05106C/FK
Trendy	White, with metal cap	M30x1,5	MNPRGS05106C/FP	MNPRGS05106C/FK
Trendy	White	Click	PRGS07306C/FP	PRGS07306C/FK

Type of head	Head color	Thread	Straight version	Angular version
Pony	White	M30x1,5	PRGS1006C/FP	PRGS1006C/FK

Type of head	Head color	Thread	Straight version	Angular version
Venus II	White	M30x1,5	PRGS09106C/FP	PRGS09106C/FK

Type of head	Head color	Thread	Straight version	Angular version
Prestige	White	M30x1,5	PRGS0206C/FP	PRGS0206C/FK
Prestige	White - Chrome	M30x1,5	PRGS0201C/FP	PRGS0201C/FK
Prestige	White	Click	PRGS04106C/FP	PRGS04106C/FK
Prestige	White - Chrome	Click	PRGS04101C/FP	PRGS04101C/FK

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Straight version	Angular version
Trendy	White	Temperature lock (from 16°)	BPRGS05106C/FP	BPRGS05106C/FK

Sets with reducing nipples M 3/4" x M 1/2"



Type of head	Head color	Thread	Straight version	Angular version
Trendy	White	M30x1,5	PRNYGS05106C/FP	PRNYGS05106C/FK
Trendy	White, with metal cap	M30x1,5	MNPRNYGS05106C/FP	MNPRNYGS05106C/FK
Trendy	White	Click	PRNYGS07306C/FP	PRNYGS07306C/FK

Type of head	Head color	Thread	Straight version	Angular version
Pony	White	M30x1,5	PRNYGS1006C/FP	PRNYGS1006C/FK

Type of head	Head color	Thread	Straight version	Angular version
Venus II	White	M30x1,5	PRNYGS09106C/FP	PRNYGS09106C/FK


Type of head	Head color	Thread	Straight version	Angular version
Prestige	White	M30x1,5	PRNYGS0206C/FP	PRNYGS0206C/FK
Prestige	White - Chrome	M30x1,5	PRNYGS0201C/FP	PRNYGS0201C/FK
Prestige	White	Click	PRNYGS04106C/FP	PRNYGS04106C/FK
Prestige	White - Chrome	Click	PRNYGS04101C/FP	PRNYGS04101C/FK

Set with a thermostatic head equipped with additional protection.

Type of head	Head color	Blockages	Straight version	Angular version
Trendy	White	Temperature lock (from 16°)	BPRNYGS05106C/FP	BPRNYGS05106C/FK


For V-TYPE sets, PEX fittings can be selected for valves with threads adapted to them. When ordering, add (PEX) at the end of the catalog number. Example: PRNYGS07306C/FP(PEX).

ELEGANT SETS





V TYPE ELEGANT



The photo shows the valve in the angle version

V TYPE ELEGANT thermostatic set. Angular or straight version, F ¾" x M ¾".

The set includes: 1 x connection valve, 1 x PRESTIGE or PICCO thermostatic head, 2 x ½"x¾" reducing nipples.

No	Color	With PRESTIGE thermostatic head		With PICCO thermostatic head	
		Angular version	Straight version	Angular version	Straight version
05	Structural graphite	EPRNYGS0205C/FK	EPRNYGS0205C/FP	EPRNYGS02105P/FK	EPRNYGS02105P/FP
06	White	EPRNYGS0206C/FK	EPRNYGS0206C/FP	EPRNYGS02106P/FK	EPRNYGS02106P/FP
24	Matt black	EPRNYGS0224C/FK	EPRNYGS0224C/FP	EPRNYGS02124P/FK	EPRNYGS02124P/FP

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: EPRNYGS0221C/FK(Cu).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

V TYPE ELEGANT ALL IN ONE



V TYPE ELEGANT thermostatic set. Angular or straight version, F ¾" x M ¾".

The set includes: 1 x connection valve, 1 x PRESTIGE or PICCO thermostatic head, 2 x ½"x¾" reducing nipples, 1 x double masking rosette, 2 x masking sleeves, 2 x connectors for PEX (16x2) or Cu (15x1).

No	Color	With PRESTIGE thermostatic head		With PICCO thermostatic head	
		Angular version	Straight version	Angular version	Straight version
05	Structural graphite	AEPRNYGS0205C/FK	AEPRNYGS0205C/FP	AEPRNYGS02105P/FK	AEPRNYGS02105P/FP
06	White	AEPRNYGS0206C/FK	AEPRNYGS0206C/FP	AEPRNYGS02106P/FK	AEPRNYGS02106P/FP
24	Matt black	AEPRNYGS0224C/FK	AEPRNYGS0224C/FP	AEPRNYGS02124P/FK	AEPRNYGS02124P/FP

When ordering, please add (PEX) or (Cu) at the end of the catalog number, for example: AEPRNYGS0206C/FK(Cu).

Painting in other colors for orders larger than 10 sets.

The photo shows the left-hand version of the valve.


MASTER

with pre-setting



MASTER thermostatic set, axial. Left or right version, F 1/2" x M 1/2".

The set includes: 1 x axial thermostatic valve, 1 x angular shut-off valve, 1 x PRESTIGE or PICCO thermostatic head, 1 x pre-setting key.



No	Color	With PRESTIGE thermostatic head		With PICCO thermostatic head	
		Left version	Right version	Left version	Right version
05	Structural graphite	EMAGS0205CFK/L	EMAGS0205CFK/P	EMAGS02105PFK/L	EMAGS02105PFK/P
06	White	EMAGS0206CFK/L	EMAGS0206CFK/P	EMAGS02106PFK/L	EMAGS02106PFK/P
24	Matt black	EMAGS0224CFK/L	EMAGS0224CFK/P	EMAGS02124PFK/L	EMAGS02124PFK/P

Additionally, it is possible to order sets with connectors for connection to the installation.

When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: EMAGS10211CFK/L(PEX).

Type of connectors	M 1/2" x PEX (16x2)	M 1/2" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

MASTER ALL IN ONE

with pre-setting



MASTER thermostatic set, axial. Left or right version, F 1/2" x M 1/2".

The set includes: 1 x axial thermostatic valve, 1 x angular shut-off valve, 1 x PRESTIGE or PICCO thermostatic head, 2 x single masking rosettes, 2 x masking sleeves, 2 x connectors for PEX (16x2) or Cu (15x1), 1 x pre-setting key.


No	Color	With PRESTIGE thermostatic head		With PICCO thermostatic head	
		Left version	Right version	Left version	Right version
05	Structural graphite	AEMAGS0205CFK/L	AEMAGS0205CFK/P	AEMAGS02105PFK/L	AEMAGS02105PFK/P
06	White	AEMAGS0206CFK/L	AEMAGS0206CFK/P	AEMAGS02106PFK/L	AEMAGS02106PFK/P
24	Matt black	AEMAGS0224CFK/L	AEMAGS0224CFK/P	AEMAGS02124PFK/L	AEMAGS02124PFK/P

When ordering, please add (PEX) or (Cu) at the end of the catalog number, for example: AEMAGS02124CFK/P(Cu).

Painting in other colors for orders larger than 10 sets.

ELEGANT

with pre-setting



ELEGANT thermostatic set. Angular or straight version, F 1/2" x M 1/2".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or PICCO thermostatic head.

No	Color	With PRESTIGE thermostatic head		With PICCO thermostatic head	
		Angular version	Straight version	Angular version	Straight version
05	Structural graphite	ELGS0205C/FK	ELGS0205C/FP	ELGS02105P/FK	ELGS02105P/FP
06	White	ELGS0206C/FK	ELGS0206C/FP	ELGS02106P/FK	ELGS02106P/FP
24	Matt black	ELGS0224C/FK	ELGS0224C/FP	ELGS02124P/FK	ELGS02124P/FP

Additionally, it is possible to order sets with connectors for connection to the installation.

When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: ELGS0207C/FK(PEX).

Type of connectors	M 1/2" x PEX (16x2)	M 1/2" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

ELEGANT ALL IN ONE

with pre-setting



ELEGANT thermostatic set. Angular or straight version, F 1/2" x M 1/2".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or PICCO thermostatic head, 2 x single masking rosettes, 2 x masking sleeves, 2 x connectors for PEX (16x2) or Cu (15x1).


No	Color	With PRESTIGE thermostatic head		With PICCO thermostatic head	
		Angular version	Straight version	Angular version	Straight version
05	Structural graphite	AELGS0205C/FK	AELGS0205C/FP	AELGS02105P/FK	AELGS02105P/FP
06	White	AELGS0206C/FK	AELGS0206C/FP	AELGS02106P/FK	AELGS02106P/FP
24	Matt black	AELGS0224C/FK	AELGS0224C/FP	AELGS02124P/FK	AELGS02124P/FP

When ordering, please add (PEX) or (Cu) at the end of the catalog number, for example: AELGS0205C/FK(PEX).

Painting in other colors for orders larger than 10 sets.

The photo shows the valve in the angle version

AXI ELEGANT



AXI ELEGANT thermostatic set. Axial version, F ½" x M ½".

The set includes: 1 x axial thermostatic valve, 1 x angular shut-off valve, 1 x PRESTIGE or PICCO thermostatic head.

No	Color	With PRESTIGE thermostatic head	With PICCO thermostatic head
		Axial version	Axial version
05	Structural graphite	EAXIGS0205C	EAXIGS02105P
06	White	EAXIGS0206C	EAXIGS02106P
24	Matt black	EAXIGS0224C	EAXIGS02124P

Additionally, it is possible to order sets with connectors for connection to the installation.

When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: EAXIGS02106P(Cu).

Type of connectors	M ½" x PEX (16x2)	M ½" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

AXI ELEGANT ALL IN ONE



AXI ELEGANT thermostatic set. Axial version, F ½" x M ½".


The set includes: 1 x axial thermostatic valve, 1 x angular shut-off valve, 1 x PRESTIGE or PICCO thermostatic head, 2 x single masking rosettes, 2 x masking sleeves, 2 x connectors for PEX (16x2) or Cu (15x1).

No	Color	With PRESTIGE thermostatic head	With PICCO thermostatic head
		Axial version	Axial version
05	Structural graphite	AEAXIGS0205C	AEAXIGS02105P
06	White	AEAXIGS0206C	AEAXIGS02106P
24	Matt black	AEAXIGS0224C	AEAXIGS02124P

When ordering, please add (PEX) or (Cu) at the end of the catalog number, for example: AEAXIGS0205C(PEX).

Painting in other colors for orders larger than 10 sets.

EXCLUSIVE SETS



The photo shows the TWINS ALL IN ONE set, left version, in a Matt brass.

ALL IN ONE

WE WILL CUSTOMIZE THE SET FOR EVERY RADIATOR AND INSTALLATION!



The set should be configured according to your preferences: select the type of thermostatic head (in thermostatic sets), cover rosettes, and installation connectors. There are separate catalog numbers for thermostatic heads and cover rosettes. Then, select the appropriate type of installation connectors.

HOW TO CHOOSE CONNECTORS?


When ordering, please add (PEX), (Cu), (GZ), (GW) at the end of the catalog number. Example: AEMAGS0201CFK/L(PEX), ALUX2GS0202CFK(Cu), APREGS0224C/FK(GZ).

We attach appropriate connectors to each valve according to the marked ending of the catalog number.

THE ALL IN ONE SET INCLUDES:

- valves of various types and purposes from the Elegant or Exclusive segment;
- PRESTIGE, PICCO or TUCAN thermostatic heads;
- masking accessories: single or double rosettes, masking sleeves, adapters/connectors for PEX, copper or steel (connectors for steel fit selected sets).

TWINS ANGULAR



The photo shows the left-hand version of the valve.

TWINS thermostatic set. Angular, right or left version, M ¾" x F ¾", connection spacing 50 mm.

The set includes: 1 x thermostatic valve, 1 x PRESTIGE or TUCAN thermostatic head, 2 x ¾"x½" reducing nipples.

Correct installation of TWINS valves: the return is on the thermostatic head side.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
02	Chrome	TSGS0202CFK/L	TSGS0202CFK/P	TSGS10102CFK/L	TSGS10102CFK/P
05	Structural graphite	TSGS0205CFK/L	TSGS0205CFK/P	TSGS10105CFK/L	TSGS10105CFK/P
06	White	TSGS0206CFK/L	TSGS0206CFK/P	TSGS10106CFK/L	TSGS10106CFK/P
07	Anthracite/Glossy graphite	TSGS0207CFK/L	TSGS0207CFK/P	TSGS10107CFK/L	TSGS10107CFK/P
09	Quartz 1	TSGS0209CFK/L	TSGS0209CFK/P	TSGS10109CFK/L	TSGS10109CFK/P
10	Quartz 2	TSGS0210CFK/L	TSGS0210CFK/P	TSGS10110CFK/L	TSGS10110CFK/P
12	Metallic graphite	TSGS0212CFK/L	TSGS0212CFK/P	TSGS10112CFK/L	TSGS10112CFK/P
13	Glossy black	TSGS0213CFK/L	TSGS0213CFK/P	TSGS10113CFK/L	TSGS10113CFK/P
14	Structural black	TSGS0214CFK/L	TSGS0214CFK/P	TSGS10114CFK/L	TSGS10114CFK/P
15	Dark structural graphite	TSGS0215CFK/L	TSGS0215CFK/P	TSGS10115CFK/L	TSGS10115CFK/P
19	Structural white	TSGS0219CFK/L	TSGS0219CFK/P	TSGS10119CFK/L	TSGS10119CFK/P
21	Matt white	TSGS0221CFK/L	TSGS0221CFK/P	TSGS10121CFK/L	TSGS10121CFK/P
24	Matt black	TSGS0224CFK/L	TSGS0224CFK/P	TSGS10124CFK/L	TSGS10124CFK/P
26	Deep matt black	TSGS0226CFK/L	TSGS0226CFK/P	TSGS10126CFK/L	TSGS10126CFK/P
30	Glossy gold	TSGS0230CFK/L	TSGS0230CFK/P	TSGS10130CFK/L	TSGS10130CFK/P
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
03	Satin	TSGS0203CFK/L	TSGS0203CFK/P	TSGS10103CFK/L	TSGS10103CFK/P
08	Nickel-grinded	TSGS0208CFK/L	TSGS0208CFK/P	TSGS10108CFK/L	TSGS10108CFK/P
11	Antique brass	TSGS0211CFK/L	TSGS0211CFK/P	TSGS10111CFK/L	TSGS10111CFK/P
29	Matt brass	TSGS0229CFK/L	TSGS0229CFK/P	TSGS10129CFK/L	TSGS10129CFK/P


Additionally, it is possible to order sets with connectors for connection to the installation.

When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number.

Example: TSGS10111CFK/L(GZ).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

TWINS ANGULAR ALL IN ONE



TWINS thermostatic set. Angular, right or left version, M ¾" / F ¾", connection spacing 50 mm.

The set includes: 1 x thermostatic connection, 1 x PRESTIGE or TUCAN thermostatic head, 1 x double oval or rectangular masking rosette, 2 x masking sleeve, 2 x ½"x¾" reducing nipples, 2 x adapter/connector for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. APTSGS0212CFK/P(PEX).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
02	Chrome	ATSGS0202CFK/L	ATSGS0202CFK/P	ATSGS10102CFK/L	ATSGS10102CFK/P
05	Structural graphite	ATSGS0205CFK/L	ATSGS0205CFK/P	ATSGS10105CFK/L	ATSGS10105CFK/P
06	White	ATSGS0206CFK/L	ATSGS0206CFK/P	ATSGS10106CFK/L	ATSGS10106CFK/P
07	Anthracite/Glossy graphite	ATSGS0207CFK/L	ATSGS0207CFK/P	ATSGS10107CFK/L	ATSGS10107CFK/P
09	Quartz 1	ATSGS0209CFK/L	ATSGS0209CFK/P	ATSGS10109CFK/L	ATSGS10109CFK/P
10	Quartz 2	ATSGS0210CFK/L	ATSGS0210CFK/P	ATSGS10110CFK/L	ATSGS10110CFK/P
12	Metallic graphite	ATSGS0212CFK/L	ATSGS0212CFK/P	ATSGS10112CFK/L	ATSGS10112CFK/P
13	Glossy black	ATSGS0213CFK/L	ATSGS0213CFK/P	ATSGS10113CFK/L	ATSGS10113CFK/P
14	Structural black	ATSGS0214CFK/L	ATSGS0214CFK/P	ATSGS10114CFK/L	ATSGS10114CFK/P
15	Dark structural graphite	ATSGS0215CFK/L	ATSGS0215CFK/P	ATSGS10115CFK/L	ATSGS10115CFK/P
19	Structural white	ATSGS0219CFK/L	ATSGS0219CFK/P	ATSGS10119CFK/L	ATSGS10119CFK/P
21	Matt white	ATSGS0221CFK/L	ATSGS0221CFK/P	ATSGS10121CFK/L	ATSGS10121CFK/P
24	Matt black	ATSGS0224CFK/L	ATSGS0224CFK/P	ATSGS10124CFK/L	ATSGS10124CFK/P
26	Deep matt black	ATSGS0226CFK/L	ATSGS0226CFK/P	ATSGS10126CFK/L	ATSGS10126CFK/P
30	Glossy gold	ATSGS0230CFK/L	ATSGS0230CFK/P	ATSGS10130CFK/L	ATSGS10130CFK/P

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
03	Satin	ATSGS0203CFK/L	ATSGS0203CFK/P	ATSGS10103CFK/L	ATSGS10103CFK/P
08	Nickel-grinded	ATSGS0208CFK/L	ATSGS0208CFK/P	ATSGS10108CFK/L	ATSGS10108CFK/P
11	Antique brass	ATSGS0211CFK/L	ATSGS0211CFK/P	ATSGS10111CFK/L	ATSGS10111CFK/P
29	Matt brass	ATSGS0229CFK/L	ATSGS0229CFK/P	ATSGS10129CFK/L	ATSGS10129CFK/P

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
02	Chrome	APTS GS0202CFK/L	APTS GS0202CFK/P	APTS GS10102CFK/L	APTS GS10102CFK/P
05	Structural graphite	APTS GS0205CFK/L	APTS GS0205CFK/P	APTS GS10105CFK/L	APTS GS10105CFK/P
06	White	APTS GS0206CFK/L	APTS GS0206CFK/P	APTS GS10106CFK/L	APTS GS10106CFK/P
07	Anthracite/Glossy graphite	APTS GS0207CFK/L	APTS GS0207CFK/P	APTS GS10107CFK/L	APTS GS10107CFK/P
09	Quartz 1	APTS GS0209CFK/L	APTS GS0209CFK/P	APTS GS10109CFK/L	APTS GS10109CFK/P
10	Quartz 2	APTS GS0210CFK/L	APTS GS0210CFK/P	APTS GS10110CFK/L	APTS GS10110CFK/P
12	Metallic graphite	APTS GS0212CFK/L	APTS GS0212CFK/P	APTS GS10112CFK/L	APTS GS10112CFK/P
13	Glossy black	APTS GS0213CFK/L	APTS GS0213CFK/P	APTS GS10113CFK/L	APTS GS10113CFK/P
14	Structural black	APTS GS0214CFK/L	APTS GS0214CFK/P	APTS GS10114CFK/L	APTS GS10114CFK/P
15	Dark structural graphite	APTS GS0215CFK/L	APTS GS0215CFK/P	APTS GS10115CFK/L	APTS GS10115CFK/P
19	Structural white	APTS GS0219CFK/L	APTS GS0219CFK/P	APTS GS10119CFK/L	APTS GS10119CFK/P
21	Matt white	APTS GS0221CFK/L	APTS GS0221CFK/P	APTS GS10121CFK/L	APTS GS10121CFK/P
24	Matt black	APTS GS0224CFK/L	APTS GS0224CFK/P	APTS GS10124CFK/L	APTS GS10124CFK/P
26	Deep matt black	APTS GS0226CFK/L	APTS GS0226CFK/P	APTS GS10126CFK/L	APTS GS10126CFK/P
30	Glossy gold	APTS GS0230CFK/L	APTS GS0230CFK/P	APTS GS10130CFK/L	APTS GS10130CFK/P

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
03	Satin	APTS GS0203CFK/L	APTS GS0203CFK/P	APTS GS10103CFK/L	APTS GS10103CFK/P
08	Nickel-grinded	APTS GS0208CFK/L	APTS GS0208CFK/P	APTS GS10108CFK/L	APTS GS10108CFK/P
11	Antique brass	APTS GS0211CFK/L	APTS GS0211CFK/P	APTS GS10111CFK/L	APTS GS10111CFK/P
29	Matt brass	APTS GS0229CFK/L	APTS GS0229CFK/P	APTS GS10129CFK/L	APTS GS10129CFK/P

TWINS STRAIGHT VERSION




TWINS thermostatic set. Straight version, M ¾" x F ¾", connection spacing 50 mm.
The set includes: 1 x thermostatic valve, 1 x PRESTIGE or TUCAN thermostatic head, 2 x ¾" x ½" reducing nipples.
Correct installation of TWINS valves: the return is on the thermostatic head side.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head	With TUCAN thermostatic head
No	Color	Straight version	Straight version
02	Chrome	TSGS0202CFP	TSGS10102CFP
05	Structural graphite	TSGS0205CFP	TSGS10105CFP
06	White	TSGS0206CFP	TSGS10106CFP
07	Anthracite/Glossy graphite	TSGS0207CFP	TSGS10107CFP
09	Quartz 1	TSGS0209CFP	TSGS10109CFP
10	Quartz 2	TSGS0210CFP	TSGS10110CFP
12	Metallic graphite	TSGS0212CFP	TSGS10112CFP
13	Glossy black	TSGS0213CFP	TSGS10113CFP
14	Structural black	TSGS0214CFP	TSGS10114CFP
15	Dark structural graphite	TSGS0215CFP	TSGS10115CFP
19	Structural white	TSGS0219CFP	TSGS10119CFP
21	Matt white	TSGS0221CFP	TSGS10121CFP
24	Matt black	TSGS0224CFP	TSGS10124CFP
26	Deep matt black	TSGS0226CFP	TSGS10126CFP
30	Glossy gold	TSGS0230CFP	TSGS10130CFP
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head	With TUCAN thermostatic head
No	Color	Straight version	Straight version
03	Satin	TSGS0203CFP	TSGS10103CFP
08	Nickel-grinded	TSGS0208CFP	TSGS10108CFP
11	Antique brass	TSGS0211CFP	TSGS10111CFP
29	Matt brass	TSGS0229CFP	TSGS10129CFP

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number.
Example: TSGS10111CFK/L(GZ).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

TWINS STRAIGHT VERSION ALL IN ONE



TWINS thermostatic set. Straight, left or right version, M 3/4" / F 3/4", connection spacing 50 mm.

The set includes: 1 x thermostatic connection, 1 x PRESTIGE or TUCAN thermostatic head, 1 x double oval or rectangular masking rosette, 2 x masking sleeve, 2 x 1/2"x3/4" reducing nipples, 2 x adapter/connector for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. APTSGS10119CFP(Cu).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
		Straight version	Straight version
02	Chrome	ATSGS0202CFP	ATSGS10102CFP
05	Structural graphite	ATSGS0205CFP	ATSGS10105CFP
06	White	ATSGS0206CFP	ATSGS10106CFP
07	Anthracite/Glossy graphite	ATSGS0207CFP	ATSGS10107CFP
09	Quartz 1	ATSGS0209CFP	ATSGS10109CFP
10	Quartz 2	ATSGS0210CFP	ATSGS10110CFP
12	Metallic graphite	ATSGS0212CFP	ATSGS10112CFP
13	Glossy black	ATSGS0213CFP	ATSGS10113CFP
14	Structural black	ATSGS0214CFP	ATSGS10114CFP
15	Dark structural graphite	ATSGS0215CFP	ATSGS10115CFP
19	Structural white	ATSGS0219CFP	ATSGS10119CFP
21	Matt white	ATSGS0221CFP	ATSGS10121CFP
24	Matt black	ATSGS0224CFP	ATSGS10124CFP
26	Deep matt black	ATSGS0226CFP	ATSGS10126CFP
30	Glossy gold	ATSGS0230CFP	ATSGS10130CFP

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
		Straight version	Straight version
03	Satin	ATSGS0203CFP	ATSGS10103CFP
08	Nickel-grinded	ATSGS0208CFP	ATSGS10108CFP
11	Antique brass	ATSGS0211CFP	ATSGS10111CFP
29	Matt brass	ATSGS0229CFP	ATSGS10129CFP

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
		Straight version	Straight version
02	Chrome	APTS GS0202CFP	APTS GS10102CFP
05	Structural graphite	APTS GS0205CFP	APTS GS10105CFP
06	White	APTS GS0206CFP	APTS GS10106CFP
07	Anthracite/Glossy graphite	APTS GS0207CFP	APTS GS10107CFP
09	Quartz 1	APTS GS0209CFP	APTS GS10109CFP
10	Quartz 2	APTS GS0210CFP	APTS GS10110CFP
12	Metallic graphite	APTS GS0212CFP	APTS GS10112CFP
13	Glossy black	APTS GS0213CFP	APTS GS10113CFP
14	Structural black	APTS GS0214CFP	APTS GS10114CFP
15	Dark structural graphite	APTS GS0215CFP	APTS GS10115CFP
19	Structural white	APTS GS0219CFP	APTS GS10119CFP
21	Matt white	APTS GS0221CFP	APTS GS10121CFP
24	Matt black	APTS GS0224CFP	APTS GS10124CFP
26	Deep matt black	APTS GS0226CFP	APTS GS10126CFP
30	Glossy gold	APTS GS0230CFP	APTS GS10130CFP

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
		Straight version	Straight version
03	Satin	APTS GS0203CFP	APTS GS10103CFP
08	Nickel-grinded	APTS GS0208CFP	APTS GS10108CFP
11	Antique brass	APTS GS0211CFP	APTS GS10111CFP
29	Matt brass	APTS GS0229CFP	APTS GS10129CFP

UNICO



The photo shows the right-hand version of the valve.

UNICO thermostatic set. Left or right version, M ½" / M ¾" x M ¾", connection spacing 50 mm. It is possible to connect an electric heating element in the second riser of the radiator.


The set includes: 1 x thermostatic connection, 1 x immersion tube, 1 x mounting connector, 1 x PRESTIGE or TUCAN thermostatic head. Correct installation of UNICO valves: the return is on the side of the thermostatic head.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
02	Chrome	UGS0202CFK/L	UGS0202CFK/P	UGS10102CFK/L	UGS10102CFK/P
05	Structural graphite	UGS0205CFK/L	UGS0205CFK/P	UGS10105CFK/L	UGS10105CFK/P
06	White	UGS0206CFK/L	UGS0206CFK/P	UGS10106CFK/L	UGS10106CFK/P
07	Anthracite/Glossy graphite	UGS0207CFK/L	UGS0207CFK/P	UGS10107CFK/L	UGS10107CFK/P
09	Quartz 1	UGS0209CFK/L	UGS0209CFK/P	UGS10109CFK/L	UGS10109CFK/P
10	Quartz 2	UGS0210CFK/L	UGS0210CFK/P	UGS10110CFK/L	UGS10110CFK/P
12	Metallic graphite	UGS0212CFK/L	UGS0212CFK/P	UGS10112CFK/L	UGS10112CFK/P
13	Glossy black	UGS0213CFK/L	UGS0213CFK/P	UGS10113CFK/L	UGS10113CFK/P
14	Structural black	UGS0214CFK/L	UGS0214CFK/P	UGS10114CFK/L	UGS10114CFK/P
15	Dark structural graphite	UGS0215CFK/L	UGS0215CFK/P	UGS10115CFK/L	UGS10115CFK/P
19	Structural white	UGS0219CFK/L	UGS0219CFK/P	UGS10119CFK/L	UGS10119CFK/P
21	Matt white	UGS0221CFK/L	UGS0221CFK/P	UGS10121CFK/L	UGS10121CFK/P
24	Matt black	UGS0224CFK/L	UGS0224CFK/P	UGS10124CFK/L	UGS10124CFK/P
26	Deep matt black	UGS0226CFK/L	UGS0226CFK/P	UGS10126CFK/L	UGS10126CFK/P
30	Glossy gold	UGS0230CFK/L	UGS0230CFK/P	UGS10130CFK/L	UGS10130CFK/P
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
03	Satin	UGS0203CFK/L	UGS0203CFK/P	UGS10103CFK/L	UGS10103CFK/P
08	Nickel-grinded	UGS0208CFK/L	UGS0208CFK/P	UGS10108CFK/L	UGS10108CFK/P
11	Antique brass	UGS0211CFK/L	UGS0211CFK/P	UGS10111CFK/L	UGS10111CFK/P
29	Matt brass	UGS0229CFK/L	UGS0229CFK/P	UGS10129CFK/L	UGS10129CFK/P

Additionally, it is possible to order sets with connectors for connection to the installation. When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number. Example: UGS0202CFK/L(Cu).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

UNICO ALL IN ONE



UNICO thermostatic set. Left or right version, M ½" / M ¾" x M ¾", connection spacing 50 mm.

The set includes: 1 x thermostatic connection, 1 x PRESTIGE or TUCAN thermostatic head, 1 x immersion tube, 1 x mounting connector, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AUGS0221CFK/P(PEX).


Set with an oval rosette

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
02	Chrome	AUGS0202CFK/L	AUGS0202CFK/P	AUGS10102CFK/L	AUGS10102CFK/P
05	Structural graphite	AUGS0205CFK/L	AUGS0205CFK/P	AUGS10105CFK/L	AUGS10105CFK/P
06	White	AUGS0206CFK/L	AUGS0206CFK/P	AUGS10106CFK/L	AUGS10106CFK/P
07	Anthracite/Glossy graphite	AUGS0207CFK/L	AUGS0207CFK/P	AUGS10107CFK/L	AUGS10107CFK/P
09	Quartz 1	AUGS0209CFK/L	AUGS0209CFK/P	AUGS10109CFK/L	AUGS10109CFK/P
10	Quartz 2	AUGS0210CFK/L	AUGS0210CFK/P	AUGS10110CFK/L	AUGS10110CFK/P
12	Metallic graphite	AUGS0212CFK/L	AUGS0212CFK/P	AUGS10112CFK/L	AUGS10112CFK/P
13	Glossy black	AUGS0213CFK/L	AUGS0213CFK/P	AUGS10113CFK/L	AUGS10113CFK/P
14	Structural black	AUGS0214CFK/L	AUGS0214CFK/P	AUGS10114CFK/L	AUGS10114CFK/P
15	Dark structural graphite	AUGS0215CFK/L	AUGS0215CFK/P	AUGS10115CFK/L	AUGS10115CFK/P
19	Structural white	AUGS0219CFK/L	AUGS0219CFK/P	AUGS10119CFK/L	AUGS10119CFK/P
21	Matt white	AUGS0221CFK/L	AUGS0221CFK/P	AUGS10121CFK/L	AUGS10121CFK/P
24	Matt black	AUGS0224CFK/L	AUGS0224CFK/P	AUGS10124CFK/L	AUGS10124CFK/P
26	Deep matt black	AUGS0226CFK/L	AUGS0226CFK/P	AUGS10126CFK/L	AUGS10126CFK/P
30	Glossy gold	AUGS0230CFK/L	AUGS0230CFK/P	AUGS10130CFK/L	AUGS10130CFK/P
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
03	Satin	AUGS0203CFK/L	AUGS0203CFK/P	AUGS10103CFK/L	AUGS10103CFK/P
08	Nickel-grinded	AUGS0208CFK/L	AUGS0208CFK/P	AUGS10108CFK/L	AUGS10108CFK/P
11	Antique brass	AUGS0211CFK/L	AUGS0211CFK/P	AUGS10111CFK/L	AUGS10111CFK/P
29	Matt brass	AUGS0229CFK/L	AUGS0229CFK/P	AUGS10129CFK/L	AUGS10129CFK/P

Set with a rectangular rosette

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
02	Chrome	APUGS0202CFK/L	APUGS0202CFK/P	APUGS10102CFK/L	APUGS10102CFK/P
05	Structural graphite	APUGS0205CFK/L	APUGS0205CFK/P	APUGS10105CFK/L	APUGS10105CFK/P
06	White	APUGS0206CFK/L	APUGS0206CFK/P	APUGS10106CFK/L	APUGS10106CFK/P
07	Anthracite/Glossy graphite	APUGS0207CFK/L	APUGS0207CFK/P	APUGS10107CFK/L	APUGS10107CFK/P
09	Quartz 1	APUGS0209CFK/L	APUGS0209CFK/P	APUGS10109CFK/L	APUGS10109CFK/P
10	Quartz 2	APUGS0210CFK/L	APUGS0210CFK/P	APUGS10110CFK/L	APUGS10110CFK/P
12	Metallic graphite	APUGS0212CFK/L	APUGS0212CFK/P	APUGS10112CFK/L	APUGS10112CFK/P
13	Glossy black	APUGS0213CFK/L	APUGS0213CFK/P	APUGS10113CFK/L	APUGS10113CFK/P
14	Structural black	APUGS0214CFK/L	APUGS0214CFK/P	APUGS10114CFK/L	APUGS10114CFK/P
15	Dark structural graphite	APUGS0215CFK/L	APUGS0215CFK/P	APUGS10115CFK/L	APUGS10115CFK/P
19	Structural white	APUGS0219CFK/L	APUGS0219CFK/P	APUGS10119CFK/L	APUGS10119CFK/P
21	Matt white	APUGS0221CFK/L	APUGS0221CFK/P	APUGS10121CFK/L	APUGS10121CFK/P
24	Matt black	APUGS0224CFK/L	APUGS0224CFK/P	APUGS10124CFK/L	APUGS10124CFK/P
26	Deep matt black	APUGS0226CFK/L	APUGS0226CFK/P	APUGS10126CFK/L	APUGS10126CFK/P
30	Glossy gold	APUGS0230CFK/L	APUGS0230CFK/P	APUGS10130CFK/L	APUGS10130CFK/P
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
03	Satin	APUGS0203CFK/L	APUGS0203CFK/P	APUGS10103CFK/L	APUGS10103CFK/P
08	Nickel-grinded	APUGS0208CFK/L	APUGS0208CFK/P	APUGS10108CFK/L	APUGS10108CFK/P
11	Antique brass	APUGS0211CFK/L	APUGS0211CFK/P	APUGS10111CFK/L	APUGS10111CFK/P
29	Matt brass	APUGS0229CFK/L	APUGS0229CFK/P	APUGS10129CFK/L	APUGS10129CFK/P

PREMIUM EXCLUSIVE



PREMIUM EXCLUSIVE thermostatic set. Angular or straight version, F 3/4" x M22x1,5 M.

The set includes: 1 x connection valve, 1 x PRESTIGE or TUCAN thermostatic head.

PEX (16x2) or Cu (15x1) connectors are an integral part of the valves.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Angular version	Straight version	Angular version	Straight version
02	Chrome	PREGS0202C/FK	PREGS0202C/FP	PREGS10102C/FK	PREGS10102C/FP
05	Structural graphite	PREGS0205C/FK	PREGS0205C/FP	PREGS10105C/FK	PREGS10105C/FP
06	White	PREGS0206C/FK	PREGS0206C/FP	PREGS10106C/FK	PREGS10106C/FP
07	Anthracite/Glossy graphite	PREGS0207C/FK	PREGS0207C/FP	PREGS10107C/FK	PREGS10107C/FP
09	Quartz 1	PREGS0207C/FK	PREGS0207C/FP	PREGS10107C/FK	PREGS10107C/FP
10	Quartz 2	PREGS0207C/FK	PREGS0207C/FP	PREGS10107C/FK	PREGS10107C/FP
12	Metallic graphite	PREGS0212C/FK	PREGS0212C/FP	PREGS10112C/FK	PREGS10112C/FP
13	Glossy black	PREGS0213C/FK	PREGS0213C/FP	PREGS10113C/FK	PREGS10113C/FP
14	Structural black	PREGS0214C/FK	PREGS0214C/FP	PREGS10114C/FK	PREGS10114C/FP
15	Dark structural graphite	PREGS0215C/FK	PREGS0215C/FP	PREGS10115C/FK	PREGS10115C/FP
19	Structural white	PREGS0219C/FK	PREGS0219C/FP	PREGS10119C/FK	PREGS10119C/FP
21	Matt white	PREGS0221C/FK	PREGS0221C/FP	PREGS10121C/FK	PREGS10121C/FP
24	Matt black	PREGS0224C/FK	PREGS0224C/FP	PREGS10124C/FK	PREGS10124C/FP
26	Deep matt black	PREGS0226C/FK	PREGS0226C/FP	PREGS10126C/FK	PREGS10126C/FP
30	Glossy gold	PREGS0230C/FK	PREGS0230C/FP	PREGS10130C/FK	PREGS10130C/FP
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Angular version	Straight version	Angular version	Straight version
03	Satin	PREGS0203C/FK	PREGS0203C/FP	PREGS10103C/FK	PREGS10103C/FP
08	Nickel-grinded	PREGS0208C/FK	PREGS0208C/FP	PREGS10108C/FK	PREGS10108C/FP
11	Antique brass	PREGS0211C/FK	PREGS0211C/FP	PREGS10111C/FK	PREGS10111C/FP
29	Matt brass	PREGS0229C/FK	PREGS0229C/FP	PREGS10129C/FK	PREGS10129C/FP


When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number.

Example: PREGS10103C/FK(GW) for a set with F 1/2" connectors.

Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M 1/2"	M22x1,5 x F 1/2"
End of catalog number	(PEX)	(Cu)	(GZ)	(GW)

Additionally, it is possible to order sets with 3/4" x 1/2" reducing nipples. Example: PREN^YGS0214C/FK(Cu).

PREMIUM EXCLUSIVE ALL IN ONE



PREMIUM EXCLUSIVE thermostatic set. Angular or straight version, F ¾" / M M22x1,5.

The set includes: 1 x connection valve, 1 x PRESTIGE or TUCAN thermostatic head, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. APPREGS10110C/FK(PEX).

Additionally, it is possible to order sets with ¾" x ½" reducing nipples. Example: APPRENGS0214C/FK(Cu).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
02	Chrome	APREGS0202C/FK	APREGS0202C/FP	APREGS10102C/FK	APREGS10102C/FP
05	Structural graphite	APREGS0205C/FK	APREGS0205C/FP	APREGS10105C/FK	APREGS10105C/FP
06	White	APREGS0206C/FK	APREGS0206C/FP	APREGS10106C/FK	APREGS10106C/FP
07	Anthracite/Glossy graphite	APREGS0207C/FK	APREGS0207C/FP	APREGS10107C/FK	APREGS10107C/FP
09	Quartz 1	APREGS0209C/FK	APREGS0209C/FP	APREGS10109C/FK	APREGS10109C/FP
10	Quartz 2	APREGS0210C/FK	APREGS0210C/FP	APREGS10110C/FK	APREGS10110C/FP
12	Metallic graphite	APREGS0212C/FK	APREGS0212C/FP	APREGS10112C/FK	APREGS10112C/FP
13	Glossy black	APREGS0213C/FK	APREGS0213C/FP	APREGS10113C/FK	APREGS10113C/FP
14	Structural black	APREGS0214C/FK	APREGS0214C/FP	APREGS10114C/FK	APREGS10114C/FP
15	Dark structural graphite	APREGS0215C/FK	APREGS0215C/FP	APREGS10115C/FK	APREGS10115C/FP
19	Structural white	APREGS0219C/FK	APREGS0219C/FP	APREGS10119C/FK	APREGS10119C/FP
21	Matt white	APREGS0221C/FK	APREGS0221C/FP	APREGS10121C/FK	APREGS10121C/FP
24	Matt black	APREGS0224C/FK	APREGS0224C/FP	APREGS10124C/FK	APREGS10124C/FP
26	Deep matt black	APREGS0226C/FK	APREGS0226C/FP	APREGS10126C/FK	APREGS10126C/FP
30	Glossy gold	APREGS0230C/FK	APREGS0230C/FP	APREGS10130C/FK	APREGS10130C/FP

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
03	Satin	APREGS0203C/FK	APREGS0203C/FP	APREGS10103C/FK	APREGS10103C/FP
08	Nickel-grinded	APREGS0208C/FK	APREGS0208C/FP	APREGS10108C/FK	APREGS10108C/FP
11	Antique brass	APREGS0211C/FK	APREGS0211C/FP	APREGS10111C/FK	APREGS10111C/FP
29	Matt brass	APREGS0229C/FK	APREGS0229C/FP	APREGS10129C/FK	APREGS10129C/FP

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
02	Chrome	APPREGS0202C/FK	APPREGS0202C/FP	APPREGS10102C/FK	APPREGS10102C/FP
05	Structural graphite	APPREGS0205C/FK	APPREGS0205C/FP	APPREGS10105C/FK	APPREGS10105C/FP
06	White	APPREGS0206C/FK	APPREGS0206C/FP	APPREGS10106C/FK	APPREGS10106C/FP
07	Anthracite/Glossy graphite	APPREGS0207C/FK	APPREGS0207C/FP	APPREGS10107C/FK	APPREGS10107C/FP
09	Quartz 1	APPREGS0209C/FK	APPREGS0209C/FP	APPREGS10109C/FK	APPREGS10109C/FP
10	Quartz 2	APPREGS0210C/FK	APPREGS0210C/FP	APPREGS10110C/FK	APPREGS10110C/FP
12	Metallic graphite	APPREGS0212C/FK	APPREGS0212C/FP	APPREGS10112C/FK	APPREGS10112C/FP
13	Glossy black	APPREGS0213C/FK	APPREGS0213C/FP	APPREGS10113C/FK	APPREGS10113C/FP
14	Structural black	APPREGS0214C/FK	APPREGS0214C/FP	APPREGS10114C/FK	APPREGS10114C/FP
15	Dark structural graphite	APPREGS0215C/FK	APPREGS0215C/FP	APPREGS10115C/FK	APPREGS10115C/FP
19	Structural white	APPREGS0219C/FK	APPREGS0219C/FP	APPREGS10119C/FK	APPREGS10119C/FP
21	Matt white	APPREGS0221C/FK	APPREGS0221C/FP	APPREGS10121C/FK	APPREGS10121C/FP
24	Matt black	APPREGS0224C/FK	APPREGS0224C/FP	APPREGS10124C/FK	APPREGS10124C/FP
26	Deep matt black	APPREGS0226C/FK	APPREGS0226C/FP	APPREGS10126C/FK	APPREGS10126C/FP
30	Glossy gold	APPREGS0230C/FK	APPREGS0230C/FP	APPREGS10130C/FK	APPREGS10130C/FP

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
03	Satin	APPREGS0203C/FK	APPREGS0203C/FP	APPREGS10103C/FK	APPREGS10103C/FP
08	Nickel-grinded	APPREGS0208C/FK	APPREGS0208C/FP	APPREGS10108C/FK	APPREGS10108C/FP
11	Antique brass	APPREGS0211C/FK	APPREGS0211C/FP	APPREGS10111C/FK	APPREGS10111C/FP
29	Matt brass	APPREGS0229C/FK	APPREGS0229C/FP	APPREGS10129C/FK	APPREGS10129C/FP

ROYAL



The photo shows the valve in the straight version.


ROYAL thermostatic set. Angular or straight version, F ½" x M ½".
The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Angular version	Straight version	Angular version	Straight version
02	Chrome	ROGS0202CFK	ROGS0202CFP	ROGS10102CFK	ROGS10102CFP
05	Structural graphite	ROGS0205CFK	ROGS0205CFP	ROGS10105CFK	ROGS10105CFP
06	White	ROGS0206CFK	ROGS0206CFP	ROGS10106CFK	ROGS10106CFP
07	Anthracite/Glossy graphite	ROGS0207CFK	ROGS0207CFP	ROGS10107CFK	ROGS10107CFP
09	Quartz 1	ROGS0209CFK	ROGS0209CFP	ROGS10109CFK	ROGS10109CFP
10	Quartz 2	ROGS0210CFK	ROGS0210CFP	ROGS10110CFK	ROGS10110CFP
12	Metallic graphite	ROGS0212CFK	ROGS0212CFP	ROGS10112CFK	ROGS10112CFP
13	Glossy black	ROGS0213CFK	ROGS0213CFP	ROGS10113CFK	ROGS10113CFP
14	Structural black	ROGS0214CFK	ROGS0214CFP	ROGS10114CFK	ROGS10114CFP
15	Dark structural graphite	ROGS0215CFK	ROGS0215CFP	ROGS10115CFK	ROGS10115CFP
19	Structural white	ROGS0219CFK	ROGS0219CFP	ROGS10119CFK	ROGS10119CFP
21	Matt white	ROGS0221CFK	ROGS0221CFP	ROGS10121CFK	ROGS10121CFP
24	Matt black	ROGS0224CFK	ROGS0224CFP	ROGS10124CFK	ROGS10124CFP
26	Deep matt black	ROGS0226CFK	ROGS0226CFP	ROGS10126CFK	ROGS10126CFP
30	Glossy gold	ROGS0230CFK	ROGS0230CFP	ROGS10130CFK	ROGS10130CFP
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Angular version	Straight version	Angular version	Straight version
03	Satin	ROGS0203CFK	ROGS0203CFP	ROGS10103CFK	ROGS10103CFP
08	Nickel-grinded	ROGS0208CFK	ROGS0208CFP	ROGS10108CFK	ROGS10108CFP
11	Antique brass	ROGS0211CFK	ROGS0211CFP	ROGS10111CFK	ROGS10111CFP
29	Matt brass	ROGS0229CFK	ROGS0229CFP	ROGS10129CFK	ROGS10129CFP

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) at the end of the catalog number.
Example: ROGS10214PFK(PEX).

Type of connectors	M ½" x PEX (16x2)	M ½" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

ROYAL ALL IN ONE



ROYAL thermostatic set. Angular or straight version, F ½" / M ½".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AROGS10129CFP(PEX).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
02	Chrome	AROGS0202CFK	AROGS0202CFP	AROGS10102CFK	AROGS10102CFP
05	Structural graphite	AROGS0205CFK	AROGS0205CFP	AROGS10105CFK	AROGS10105CFP
06	White	AROGS0206CFK	AROGS0206CFP	AROGS10106CFK	AROGS10106CFP
07	Anthracite/Glossy graphite	AROGS0207CFK	AROGS0207CFP	AROGS10107CFK	AROGS10107CFP
09	Quartz 1	AROGS0209CFK	AROGS0209CFP	AROGS10109CFK	AROGS10109CFP
10	Quartz 2	AROGS0210CFK	AROGS0210CFP	AROGS10110CFK	AROGS10110CFP
12	Metallic graphite	AROGS0212CFK	AROGS0212CFP	AROGS10112CFK	AROGS10112CFP
13	Glossy black	AROGS0213CFK	AROGS0213CFP	AROGS10113CFK	AROGS10113CFP
14	Structural black	AROGS0214CFK	AROGS0214CFP	AROGS10114CFK	AROGS10114CFP
15	Dark structural graphite	AROGS0215CFK	AROGS0215CFP	AROGS10115CFK	AROGS10115CFP
19	Structural white	AROGS0219CFK	AROGS0219CFP	AROGS10119CFK	AROGS10119CFP
21	Matt white	AROGS0221CFK	AROGS0221CFP	AROGS10121CFK	AROGS10121CFP
24	Matt black	AROGS0224CFK	AROGS0224CFP	AROGS10124CFK	AROGS10124CFP
26	Deep matt black	AROGS0226CFK	AROGS0226CFP	AROGS10126CFK	AROGS10126CFP
30	Glossy gold	AROGS0230CFK	AROGS0230CFP	AROGS10130CFK	AROGS10130CFP

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
03	Satin	AROGS0203CFK	AROGS0203CFP	AROGS10103CFK	AROGS10103CFP
08	Nickel-grinded	AROGS0208CFK	AROGS0208CFP	AROGS10108CFK	AROGS10108CFP
11	Antique brass	AROGS0211CFK	AROGS0211CFP	AROGS10111CFK	AROGS10111CFP
29	Matt brass	AROGS0229CFK	AROGS0229CFP	AROGS10129CFK	AROGS10129CFP

Set with square rosettes

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
02	Chrome	AKROGS0202CFK	AKROGS0202CFP	AKROGS10102CFK	AKROGS10102CFP
05	Structural graphite	AKROGS0205CFK	AKROGS0205CFP	AKROGS10105CFK	AKROGS10105CFP
06	White	AKROGS0206CFK	AKROGS0206CFP	AKROGS10106CFK	AKROGS10106CFP
07	Anthracite/Glossy graphite	AKROGS0207CFK	AKROGS0207CFP	AKROGS10107CFK	AKROGS10107CFP
09	Quartz 1	AKROGS0209CFK	AKROGS0209CFP	AKROGS10109CFK	AKROGS10109CFP
10	Quartz 2	AKROGS0210CFK	AKROGS0210CFP	AKROGS10110CFK	AKROGS10110CFP
12	Metallic graphite	AKROGS0212CFK	AKROGS0212CFP	AKROGS10112CFK	AKROGS10112CFP
13	Glossy black	AKROGS0213CFK	AKROGS0213CFP	AKROGS10113CFK	AKROGS10113CFP
14	Structural black	AKROGS0214CFK	AKROGS0214CFP	AKROGS10114CFK	AKROGS10114CFP
15	Dark structural graphite	AKROGS0215CFK	AKROGS0215CFP	AKROGS10115CFK	AKROGS10115CFP
19	Structural white	AKROGS0219CFK	AKROGS0219CFP	AKROGS10119CFK	AKROGS10119CFP
21	Matt white	AKROGS0221CFK	AKROGS0221CFP	AKROGS10121CFK	AKROGS10121CFP
24	Matt black	AKROGS0224CFK	AKROGS0224CFP	AKROGS10124CFK	AKROGS10124CFP
26	Deep matt black	AKROGS0226CFK	AKROGS0226CFP	AKROGS10126CFK	AKROGS10126CFP
30	Glossy gold	AKROGS0230CFK	AKROGS0230CFP	AKROGS10130CFK	AKROGS10130CFP

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Angular version	Straight version	Angular version	Straight version
03	Satin	AKROGS0203CFK	AKROGS0203CFP	AKROGS10103CFK	AKROGS10103CFP
08	Nickel-grinded	AKROGS0208CFK	AKROGS0208CFP	AKROGS10108CFK	AKROGS10108CFP
11	Antique brass	AKROGS0211CFK	AKROGS0211CFP	AKROGS10111CFK	AKROGS10111CFP
29	Matt brass	AKROGS0229CFK	AKROGS0229CFP	AKROGS10129CFK	AKROGS10129CFP

VISION



The photo shows the left-hand version of the valve.

VISION thermostatic set. Axial, left or right version, M ½" / M22x1,5 M.


The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	VIGS0202CFK/P	VIGS0202CFK/L	VIGS10102CFK/P	VIGS10102CFK/L
05	Structural graphite	VIGS0205CFK/P	VIGS0205CFK/L	VIGS10105CFK/P	VIGS10105CFK/L
06	White	VIGS0206CFK/P	VIGS0206CFK/L	VIGS10106CFK/P	VIGS10106CFK/L
07	Anthracite/Glossy graphite	VIGS0207CFK/P	VIGS0207CFK/L	VIGS10107CFK/P	VIGS10107CFK/L
09	Quartz 1	VIGS0209CFK/P	VIGS0209CFK/L	VIGS10109CFK/P	VIGS10109CFK/L
10	Quartz 2	VIGS0210CFK/P	VIGS0210CFK/L	VIGS10110CFK/P	VIGS10110CFK/L
12	Metallic graphite	VIGS0212CFK/P	VIGS0212CFK/L	VIGS10112CFK/P	VIGS10112CFK/L
13	Glossy black	VIGS0213CFK/P	VIGS0213CFK/L	VIGS10113CFK/P	VIGS10113CFK/L
14	Structural black	VIGS0214CFK/P	VIGS0214CFK/L	VIGS10114CFK/P	VIGS10114CFK/L
15	Dark structural graphite	VIGS0215CFK/P	VIGS0215CFK/L	VIGS10115CFK/P	VIGS10115CFK/L
19	Structural white	VIGS0219CFK/P	VIGS0219CFK/L	VIGS10119CFK/P	VIGS10119CFK/L
21	Matt white	VIGS0221CFK/P	VIGS0221CFK/L	VIGS10121CFK/P	VIGS10121CFK/L
24	Matt black	VIGS0224CFK/P	VIGS0224CFK/L	VIGS10124CFK/P	VIGS10124CFK/L
26	Deep matt black	VIGS0226CFK/P	VIGS0226CFK/L	VIGS10126CFK/P	VIGS10126CFK/L
30	Glossy gold	VIGS0230CFK/P	VIGS0230CFK/L	VIGS10130CFK/P	VIGS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	VIGS0203CFK/P	VIGS0203CFK/L	VIGS10103CFK/P	VIGS10103CFK/L
08	Nickel-grinded	VIGS0208CFK/P	VIGS0208CFK/L	VIGS10108CFK/P	VIGS10108CFK/L
11	Antique brass	VIGS0211CFK/P	VIGS0211CFK/L	VIGS10111CFK/P	VIGS10111CFK/L
29	Matt brass	VIGS0229CFK/P	VIGS0229CFK/L	VIGS10129CFK/P	VIGS10129CFK/L

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number.
Example: VIGS0205CFK/L(PEX).

Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M ½"	M22x1,5 x F ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 	(GW) 

VISION ALL IN ONE



VISION thermostatic set. Axial, left or right version, M ½" / M22x1,5 M.

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AVIGS0205CFK/P(PEX).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Right version	Left version	Right version	Left version
02	Chrome	AVIGS0202CFK/P	AVIGS0202CFK/L	AVIGS10102CFK/P	AVIGS10102CFK/L
05	Structural graphite	AVIGS0205CFK/P	AVIGS0205CFK/L	AVIGS10105CFK/P	AVIGS10105CFK/L
06	White	AVIGS0206CFK/P	AVIGS0206CFK/L	AVIGS10106CFK/P	AVIGS10106CFK/L
07	Anthracite/Glossy graphite	AVIGS0207CFK/P	AVIGS0207CFK/L	AVIGS10107CFK/P	AVIGS10107CFK/L
09	Quartz 1	AVIGS0209CFK/P	AVIGS0209CFK/L	AVIGS10109CFK/P	AVIGS10109CFK/L
10	Quartz 2	AVIGS0210CFK/P	AVIGS0210CFK/L	AVIGS10110CFK/P	AVIGS10110CFK/L
12	Metallic graphite	AVIGS0212CFK/P	AVIGS0212CFK/L	AVIGS10112CFK/P	AVIGS10112CFK/L
13	Glossy black	AVIGS0213CFK/P	AVIGS0213CFK/L	AVIGS10113CFK/P	AVIGS10113CFK/L
14	Structural black	AVIGS0214CFK/P	AVIGS0214CFK/L	AVIGS10114CFK/P	AVIGS10114CFK/L
15	Dark structural graphite	AVIGS0215CFK/P	AVIGS0215CFK/L	AVIGS10115CFK/P	AVIGS10115CFK/L
19	Structural white	AVIGS0219CFK/P	AVIGS0219CFK/L	AVIGS10119CFK/P	AVIGS10119CFK/L
21	Matt white	AVIGS0221CFK/P	AVIGS0221CFK/L	AVIGS10121CFK/P	AVIGS10121CFK/L
24	Matt black	AVIGS0224CFK/P	AVIGS0224CFK/L	AVIGS10124CFK/P	AVIGS10124CFK/L
26	Deep matt black	AVIGS0226CFK/P	AVIGS0226CFK/L	AVIGS10126CFK/P	AVIGS10126CFK/L
30	Glossy gold	AVIGS0230CFK/P	AVIGS0230CFK/L	AVIGS10130CFK/P	AVIGS10130CFK/L

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Right version	Left version	Right version	Left version
03	Satin	AVIGS0203CFK/P	AVIGS0203CFK/L	AVIGS10103CFK/P	AVIGS10103CFK/L
08	Nickel-grinded	AVIGS0208CFK/P	AVIGS0208CFK/L	AVIGS10108CFK/P	AVIGS10108CFK/L
11	Antique brass	AVIGS0211CFK/P	AVIGS0211CFK/L	AVIGS10111CFK/P	AVIGS10111CFK/L
29	Matt brass	AVIGS0229CFK/P	AVIGS0229CFK/L	AVIGS10129CFK/P	AVIGS10129CFK/L

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Right version	Left version	Right version	Left version
02	Chrome	AKVIGS0202CFK/P	AKVIGS0202CFK/L	AKVIGS10102CFK/P	AKVIGS10102CFK/L
05	Structural graphite	AKVIGS0205CFK/P	AKVIGS0205CFK/L	AKVIGS10105CFK/P	AKVIGS10105CFK/L
06	White	AKVIGS0206CFK/P	AKVIGS0206CFK/L	AKVIGS10106CFK/P	AKVIGS10106CFK/L
07	Anthracite/Glossy graphite	AKVIGS0207CFK/P	AKVIGS0207CFK/L	AKVIGS10107CFK/P	AKVIGS10107CFK/L
09	Quartz 1	AKVIGS0209CFK/P	AKVIGS0209CFK/L	AKVIGS10109CFK/P	AKVIGS10109CFK/L
10	Quartz 2	AKVIGS0210CFK/P	AKVIGS0210CFK/L	AKVIGS10110CFK/P	AKVIGS10110CFK/L
12	Metallic graphite	AKVIGS0212CFK/P	AKVIGS0212CFK/L	AKVIGS10112CFK/P	AKVIGS10112CFK/L
13	Glossy black	AKVIGS0213CFK/P	AKVIGS0213CFK/L	AKVIGS10113CFK/P	AKVIGS10113CFK/L
14	Structural black	AKVIGS0214CFK/P	AKVIGS0214CFK/L	AKVIGS10114CFK/P	AKVIGS10114CFK/L
15	Dark structural graphite	AKVIGS0215CFK/P	AKVIGS0215CFK/L	AKVIGS10115CFK/P	AKVIGS10115CFK/L
19	Structural white	AKVIGS0219CFK/P	AKVIGS0219CFK/L	AKVIGS10119CFK/P	AKVIGS10119CFK/L
21	Matt white	AKVIGS0221CFK/P	AKVIGS0221CFK/L	AKVIGS10121CFK/P	AKVIGS10121CFK/L
24	Matt black	AKVIGS0224CFK/P	AKVIGS0224CFK/L	AKVIGS10124CFK/P	AKVIGS10124CFK/L
26	Deep matt black	AKVIGS0226CFK/P	AKVIGS0226CFK/L	AKVIGS10126CFK/P	AKVIGS10126CFK/L
30	Glossy gold	AKVIGS0230CFK/P	AKVIGS0230CFK/L	AKVIGS10130CFK/P	AKVIGS10130CFK/L

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Right version	Left version	Right version	Left version
03	Satin	AKVIGS0203CFK/P	AKVIGS0203CFK/L	AKVIGS10103CFK/P	AKVIGS10103CFK/L
08	Nickel-grinded	AKVIGS0208CFK/P	AKVIGS0208CFK/L	AKVIGS10108CFK/P	AKVIGS10108CFK/L
11	Antique brass	AKVIGS0211CFK/P	AKVIGS0211CFK/L	AKVIGS10111CFK/P	AKVIGS10111CFK/L
29	Matt brass	AKVIGS0229CFK/P	AKVIGS0229CFK/L	AKVIGS10129CFK/P	AKVIGS10129CFK/L

INTEGRA



The photo shows the right-hand version of the valve.

INTEGRA thermostatic set. Axial, left or right version, M 1/2" / M22x1,5 M.

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x reducing cap for the shut-off valve for connecting an electric heating element, 1 x PRESTIGE or TUCAN thermostatic head.

It is possible to connect an electric heater via a shut-off valve.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
02	Chrome	IGS0202CFK/L	IGS0202CFK/P	IGS10102CFK/L	IGS10102CFK/P
05	Structural graphite	IGS0205CFK/L	IGS0205CFK/P	IGS10105CFK/L	IGS10105CFK/P
06	White	IGS0206CFK/L	IGS0206CFK/P	IGS10106CFK/L	IGS10106CFK/P
07	Anthracite/Glossy graphite	IGS0207CFK/L	IGS0207CFK/P	IGS10107CFK/L	IGS10107CFK/P
09	Quartz 1	IGS0209CFK/L	IGS0209CFK/P	IGS10109CFK/L	IGS10109CFK/P
10	Quartz 2	IGS0210CFK/L	IGS0210CFK/P	IGS10110CFK/L	IGS10110CFK/P
12	Metallic graphite	IGS0212CFK/L	IGS0212CFK/P	IGS10112CFK/L	IGS10112CFK/P
13	Glossy black	IGS0213CFK/L	IGS0213CFK/P	IGS10113CFK/L	IGS10113CFK/P
14	Structural black	IGS0214CFK/L	IGS0214CFK/P	IGS10114CFK/L	IGS10114CFK/P
15	Dark structural graphite	IGS0215CFK/L	IGS0215CFK/P	IGS10115CFK/L	IGS10115CFK/P
19	Structural white	IGS0219CFK/L	IGS0219CFK/P	IGS10119CFK/L	IGS10119CFK/P
21	Matt white	IGS0221CFK/L	IGS0221CFK/P	IGS10121CFK/L	IGS10121CFK/P
24	Matt black	IGS0224CFK/L	IGS0224CFK/P	IGS10124CFK/L	IGS10124CFK/P
26	Deep matt black	IGS0226CFK/L	IGS0226CFK/P	IGS10126CFK/L	IGS10126CFK/P
30	Glossy gold	IGS0230CFK/L	IGS0230CFK/P	IGS10130CFK/L	IGS10130CFK/P
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
03	Satin	IGS0203CFK/L	IGS0203CFK/P	IGS10103CFK/L	IGS10103CFK/P
08	Nickel-grinded	IGS0208CFK/L	IGS0208CFK/P	IGS10108CFK/L	IGS10108CFK/P
11	Antique brass	IGS0211CFK/L	IGS0211CFK/P	IGS10111CFK/L	IGS10111CFK/P
29	Matt brass	IGS0229CFK/L	IGS0229CFK/P	IGS10129CFK/L	IGS10129CFK/P

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number.
Example: IGS10103CFK/L(PEX).


Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M 1/2"	M22x1,5 x F 1/2"
End of catalog number	(PEX) 	(Cu) 	(GZ) 	(GW) 

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	KI15/70
----	--------	-----------	---------



INTEGRA ALL IN ONE



INTEGRA thermostatic set. Axial, left or right version, M ½" / M M22x1,5. The set allows you to connect an electric heating element.

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x reducing cap for the shut-off valve for connecting an electric heating element, 1 x PRESTIGE or TUCAN thermostatic head, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AKIGS0213CFK/P(PEX).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
02	Chrome	AIGS0202CFK/L	AIGS0202CFK/P	AIGS10102CFK/L	AIGS10102CFK/P
05	Structural graphite	AIGS0205CFK/L	AIGS0205CFK/P	AIGS10105CFK/L	AIGS10105CFK/P
06	White	AIGS0206CFK/L	AIGS0206CFK/P	AIGS10106CFK/L	AIGS10106CFK/P
07	Anthracite/Glossy graphite	AIGS0207CFK/L	AIGS0207CFK/P	AIGS10107CFK/L	AIGS10107CFK/P
09	Quartz 1	AIGS0209CFK/L	AIGS0209CFK/P	AIGS10109CFK/L	AIGS10109CFK/P
10	Quartz 2	AIGS0210CFK/L	AIGS0210CFK/P	AIGS10110CFK/L	AIGS10110CFK/P
12	Metallic graphite	AIGS0212CFK/L	AIGS0212CFK/P	AIGS10112CFK/L	AIGS10112CFK/P
13	Glossy black	AIGS0213CFK/L	AIGS0213CFK/P	AIGS10113CFK/L	AIGS10113CFK/P
14	Structural black	AIGS0214CFK/L	AIGS0214CFK/P	AIGS10114CFK/L	AIGS10114CFK/P
15	Dark structural graphite	AIGS0215CFK/L	AIGS0215CFK/P	AIGS10115CFK/L	AIGS10115CFK/P
19	Structural white	AIGS0219CFK/L	AIGS0219CFK/P	AIGS10119CFK/L	AIGS10119CFK/P
21	Matt white	AIGS0221CFK/L	AIGS0221CFK/P	AIGS10121CFK/L	AIGS10121CFK/P
24	Matt black	AIGS0224CFK/L	AIGS0224CFK/P	AIGS10124CFK/L	AIGS10124CFK/P
26	Deep matt black	AIGS0226CFK/L	AIGS0226CFK/P	AIGS10126CFK/L	AIGS10126CFK/P
30	Glossy gold	AIGS0230CFK/L	AIGS0230CFK/P	AIGS10130CFK/L	AIGS10130CFK/P

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
03	Satin	AIGS0203CFK/L	AIGS0203CFK/P	AIGS10103CFK/L	AIGS10103CFK/P
08	Nickel-grinded	AIGS0208CFK/L	AIGS0208CFK/P	AIGS10108CFK/L	AIGS10108CFK/P
11	Antique brass	AIGS0211CFK/L	AIGS0211CFK/P	AIGS10111CFK/L	AIGS10111CFK/P
29	Matt brass	AIGS0229CFK/L	AIGS0229CFK/P	AIGS10129CFK/L	AIGS10129CFK/P

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
02	Chrome	AKIGS0202CFK/L	AKIGS0202CFK/P	AKIGS10102CFK/L	AKIGS10102CFK/P
05	Structural graphite	AKIGS0205CFK/L	AKIGS0205CFK/P	AKIGS10105CFK/L	AKIGS10105CFK/P
06	White	AKIGS0206CFK/L	AKIGS0206CFK/P	AKIGS10106CFK/L	AKIGS10106CFK/P
07	Anthracite/Glossy graphite	AKIGS0207CFK/L	AKIGS0207CFK/P	AKIGS10107CFK/L	AKIGS10107CFK/P
09	Quartz 1	AKIGS0209CFK/L	AKIGS0209CFK/P	AKIGS10109CFK/L	AKIGS10109CFK/P
10	Quartz 2	AKIGS0210CFK/L	AKIGS0210CFK/P	AKIGS10110CFK/L	AKIGS10110CFK/P
12	Metallic graphite	AKIGS0212CFK/L	AKIGS0212CFK/P	AKIGS10112CFK/L	AKIGS10112CFK/P
13	Glossy black	AKIGS0213CFK/L	AKIGS0213CFK/P	AKIGS10113CFK/L	AKIGS10113CFK/P
14	Structural black	AKIGS0214CFK/L	AKIGS0214CFK/P	AKIGS10114CFK/L	AKIGS10114CFK/P
15	Dark structural graphite	AKIGS0215CFK/L	AKIGS0215CFK/P	AKIGS10115CFK/L	AKIGS10115CFK/P
19	Structural white	AKIGS0219CFK/L	AKIGS0219CFK/P	AKIGS10119CFK/L	AKIGS10119CFK/P
21	Matt white	AKIGS0221CFK/L	AKIGS0221CFK/P	AKIGS10121CFK/L	AKIGS10121CFK/P
24	Matt black	AKIGS0224CFK/L	AKIGS0224CFK/P	AKIGS10124CFK/L	AKIGS10124CFK/P
26	Deep matt black	AKIGS0226CFK/L	AKIGS0226CFK/P	AKIGS10126CFK/L	AKIGS10126CFK/P
30	Glossy gold	AKIGS0230CFK/L	AKIGS0230CFK/P	AKIGS10130CFK/L	AKIGS10130CFK/P

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head		With TUCAN thermostatic head	
		Left version	Right version	Left version	Right version
03	Satin	AKIGS0203CFK/L	AKIGS0203CFK/P	AKIGS10103CFK/L	AKIGS10103CFK/P
08	Nickel-grinded	AKIGS0208CFK/L	AKIGS0208CFK/P	AKIGS10108CFK/L	AKIGS10108CFK/P
11	Antique brass	AKIGS0211CFK/L	AKIGS0211CFK/P	AKIGS10111CFK/L	AKIGS10111CFK/P
29	Matt brass	AKIGS0229CFK/L	AKIGS0229CFK/P	AKIGS10129CFK/L	AKIGS10129CFK/P

INTEGRA DUO



INTEGRA DUO thermostatic set. Left or right version, M ½" / M22x1,5 M.

The set includes: 1 x thermostatic connection, 1 x reducing cap on the shut-off side for connecting an electric heating element, 1 x PRESTIGE or TUCAN thermostatic head.

The valve body integrated with the T-piece allows the connection of an electric heater to the radiator.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	IDGS0202CFK/P	IDGS0202CFK/L	IDGS10102CFK/P	IDGS10102CFK/L
05	Structural graphite	IDGS0205CFK/P	IDGS0205CFK/L	IDGS10105CFK/P	IDGS10105CFK/L
06	White	IDGS0206CFK/P	IDGS0206CFK/L	IDGS10106CFK/P	IDGS10106CFK/L
07	Anthracite/Glossy graphite	IDGS0207CFK/P	IDGS0207CFK/L	IDGS10107CFK/P	IDGS10107CFK/L
09	Quartz 1	IDGS0209CFK/P	IDGS0209CFK/L	IDGS10109CFK/P	IDGS10109CFK/L
10	Quartz 2	IDGS0210CFK/P	IDGS0210CFK/L	IDGS10110CFK/P	IDGS10110CFK/L
12	Metallic graphite	IDGS0212CFK/P	IDGS0212CFK/L	IDGS10112CFK/P	IDGS10112CFK/L
13	Glossy black	IDGS0213CFK/P	IDGS0213CFK/L	IDGS10113CFK/P	IDGS10113CFK/L
14	Structural black	IDGS0214CFK/P	IDGS0214CFK/L	IDGS10114CFK/P	IDGS10114CFK/L
15	Dark structural graphite	IDGS0215CFK/P	IDGS0215CFK/L	IDGS10115CFK/P	IDGS10115CFK/L
19	Structural white	IDGS0219CFK/P	IDGS0219CFK/L	IDGS10119CFK/P	IDGS10119CFK/L
21	Matt white	IDGS0221CFK/P	IDGS0221CFK/L	IDGS10121CFK/P	IDGS10121CFK/L
24	Matt black	IDGS0224CFK/P	IDGS0224CFK/L	IDGS10124CFK/P	IDGS10124CFK/L
26	Deep matt black	IDGS0226CFK/P	IDGS0226CFK/L	IDGS10126CFK/P	IDGS10126CFK/L
30	Glossy gold	IDGS0230CFK/P	IDGS0230CFK/L	IDGS10130CFK/P	IDGS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	IDGS0203CFK/P	IDGS0203CFK/L	IDGS10103CFK/P	IDGS10103CFK/L
08	Nickel-grinded	IDGS0208CFK/P	IDGS0208CFK/L	IDGS10108CFK/P	IDGS10108CFK/L
11	Antique brass	IDGS0211CFK/P	IDGS0211CFK/L	IDGS10111CFK/P	IDGS10111CFK/L
29	Matt brass	IDGS0229CFK/P	IDGS0229CFK/L	IDGS10129CFK/P	IDGS10129CFK/L

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number.
Example: IDGS10103CFK/L(GW) for a set with F ½" connectors.


Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M ½"	M22x1,5 x F ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 	(GW) 

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	KI15/70
----	--------	-----------	---------



INTEGRA DUO ALL IN ONE



INTEGRA DUO thermostatic set. Left or right version, M ½" / M M22x1,5. The set allows you to connect an electric heating element.

The set includes: 1 x thermostatic connection, 1 x reducing cap on the shut-off side for connecting an electric heating element, 1 x PRESTIGE or TUCAN thermostatic head, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AIDGS0215CFK/L(Cu).

Set with an oval rosette

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
02	Chrome	AIDGS0202CFK/L	AIDGS0202CFK/P	AIDGS10102CFK/L	AIDGS10102CFK/P
05	Structural graphite	AIDGS0205CFK/L	AIDGS0205CFK/P	AIDGS10105CFK/L	AIDGS10105CFK/P
06	White	AIDGS0206CFK/L	AIDGS0206CFK/P	AIDGS10106CFK/L	AIDGS10106CFK/P
07	Anthracite/Glossy graphite	AIDGS0207CFK/L	AIDGS0207CFK/P	AIDGS10107CFK/L	AIDGS10107CFK/P
09	Quartz 1	AIDGS0209CFK/L	AIDGS0209CFK/P	AIDGS10109CFK/L	AIDGS10109CFK/P
10	Quartz 2	AIDGS0210CFK/L	AIDGS0210CFK/P	AIDGS10110CFK/L	AIDGS10110CFK/P
12	Metallic graphite	AIDGS0212CFK/L	AIDGS0212CFK/P	AIDGS10112CFK/L	AIDGS10112CFK/P
13	Glossy black	AIDGS0213CFK/L	AIDGS0213CFK/P	AIDGS10113CFK/L	AIDGS10113CFK/P
14	Structural black	AIDGS0214CFK/L	AIDGS0214CFK/P	AIDGS10114CFK/L	AIDGS10114CFK/P
15	Dark structural graphite	AIDGS0215CFK/L	AIDGS0215CFK/P	AIDGS10115CFK/L	AIDGS10115CFK/P
19	Structural white	AIDGS0219CFK/L	AIDGS0219CFK/P	AIDGS10119CFK/L	AIDGS10119CFK/P
21	Matt white	AIDGS0221CFK/L	AIDGS0221CFK/P	AIDGS10121CFK/L	AIDGS10121CFK/P
24	Matt black	AIDGS0224CFK/L	AIDGS0224CFK/P	AIDGS10124CFK/L	AIDGS10124CFK/P
26	Deep matt black	AIDGS0226CFK/L	AIDGS0226CFK/P	AIDGS10126CFK/L	AIDGS10126CFK/P
30	Glossy gold	AIDGS0230CFK/L	AIDGS0230CFK/P	AIDGS10130CFK/L	AIDGS10130CFK/P
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
03	Satin	AIDGS0203CFK/L	AIDGS0203CFK/P	AIDGS10103CFK/L	AIDGS10103CFK/P
08	Nickel-grinded	AIDGS0208CFK/L	AIDGS0208CFK/P	AIDGS10108CFK/L	AIDGS10108CFK/P
11	Antique brass	AIDGS0211CFK/L	AIDGS0211CFK/P	AIDGS10111CFK/L	AIDGS10111CFK/P
29	Matt brass	AIDGS0229CFK/L	AIDGS0229CFK/P	AIDGS10129CFK/L	AIDGS10129CFK/P

Set with a rectangular rosette

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
02	Chrome	APIDGS0202CFK/L	APIDGS0202CFK/P	APIDGS10102CFK/L	APIDGS10102CFK/P
05	Structural graphite	APIDGS0205CFK/L	APIDGS0205CFK/P	APIDGS10105CFK/L	APIDGS10105CFK/P
06	White	APIDGS0206CFK/L	APIDGS0206CFK/P	APIDGS10106CFK/L	APIDGS10106CFK/P
07	Anthracite/Glossy graphite	APIDGS0207CFK/L	APIDGS0207CFK/P	APIDGS10107CFK/L	APIDGS10107CFK/P
09	Quartz 1	APIDGS0209CFK/L	APIDGS0209CFK/P	APIDGS10109CFK/L	APIDGS10109CFK/P
10	Quartz 2	APIDGS0210CFK/L	APIDGS0210CFK/P	APIDGS10110CFK/L	APIDGS10110CFK/P
12	Metallic graphite	APIDGS0212CFK/L	APIDGS0212CFK/P	APIDGS10112CFK/L	APIDGS10112CFK/P
13	Glossy black	APIDGS0213CFK/L	APIDGS0213CFK/P	APIDGS10113CFK/L	APIDGS10113CFK/P
14	Structural black	APIDGS0214CFK/L	APIDGS0214CFK/P	APIDGS10114CFK/L	APIDGS10114CFK/P
15	Dark structural graphite	APIDGS0215CFK/L	APIDGS0215CFK/P	APIDGS10115CFK/L	APIDGS10115CFK/P
19	Structural white	APIDGS0219CFK/L	APIDGS0219CFK/P	APIDGS10119CFK/L	APIDGS10119CFK/P
21	Matt white	APIDGS0221CFK/L	APIDGS0221CFK/P	APIDGS10121CFK/L	APIDGS10121CFK/P
24	Matt black	APIDGS0224CFK/L	APIDGS0224CFK/P	APIDGS10124CFK/L	APIDGS10124CFK/P
26	Deep matt black	APIDGS0226CFK/L	APIDGS0226CFK/P	APIDGS10126CFK/L	APIDGS10126CFK/P
30	Glossy gold	APIDGS0230CFK/L	APIDGS0230CFK/P	APIDGS10130CFK/L	APIDGS10130CFK/P
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Left version	Right version	Left version	Right version
03	Satin	APIDGS0203CFK/L	APIDGS0203CFK/P	APIDGS10103CFK/L	APIDGS10103CFK/P
08	Nickel-grinded	APIDGS0208CFK/L	APIDGS0208CFK/P	APIDGS10108CFK/L	APIDGS10108CFK/P
11	Antique brass	APIDGS0211CFK/L	APIDGS0211CFK/P	APIDGS10111CFK/L	APIDGS10111CFK/P
29	Matt brass	APIDGS0229CFK/L	APIDGS0229CFK/P	APIDGS10129CFK/L	APIDGS10129CFK/P

HEATEGRA ALL IN ONE

NEW



The photo shows the right-hand version of the valve.

Complete thermostatic set HEATEGRA with electric heating element. Axial, left or right version, M ½" / M M22x1,5.
The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x reducing cap on the shut-off side for connecting an electric heating element, 1 x PRESTIGE thermostatic head, 1 x electric heating element 300W / 600W / 900W, 2 x single round masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1).
Connector versions should be indicated in the catalog number, e.g. AHGS0226300/P(PEX).

No	Color	With a 300W heater		With a 600W heater		With a 900W heater	
		Left version	Right version	Left version	Right version	Left version	Right version
03	Satin	AHGS0203300/L	AHGS0203300/P	AHGS0203600/L	AHGS0203600/P	AHGS0203900/L	AHGS0203900/P
05	Structural graphite	AHGS0205300/L	AHGS0205300/P	AHGS0205600/L	AHGS0205600/P	AHGS0205900/L	AHGS0205900/P
06	White	AHGS0206300/L	AHGS0206300/P	AHGS0206600/L	AHGS0206600/P	AHGS0206900/L	AHGS0206900/P
07	Anthracite/Glossy graphite	AHGS0207300/L	AHGS0207300/P	AHGS0207600/L	AHGS0207600/P	AHGS0207900/L	AHGS0207900/P
09	Quartz 1	AHGS0209300/L	AHGS0209300/P	AHGS0209600/L	AHGS0209600/P	AHGS0209900/L	AHGS0209900/P
10	Quartz 2	AHGS0210300/L	AHGS0210300/P	AHGS0210600/L	AHGS0210600/P	AHGS0210900/L	AHGS0210900/P
12	Metallic graphite	AHGS0212300/L	AHGS0212300/P	AHGS0212600/L	AHGS0212600/P	AHGS0212900/L	AHGS0212900/P
13	Glossy black	AHGS0213300/L	AHGS0213300/P	AHGS0213600/L	AHGS0213600/P	AHGS0213900/L	AHGS0213900/P
14	Structural black	AHGS0214300/L	AHGS0214300/P	AHGS0214600/L	AHGS0214600/P	AHGS0214900/L	AHGS0214900/P
15	Dark structural graphite	AHGS0215300/L	AHGS0215300/P	AHGS0215600/L	AHGS0215600/P	AHGS0215900/L	AHGS0215900/P
19	Structural white	AHGS0219300/L	AHGS0219300/P	AHGS0219600/L	AHGS0219600/P	AHGS0219900/L	AHGS0219900/P
21	Matt white	AHGS0221300/L	AHGS0221300/P	AHGS0221600/L	AHGS0221600/P	AHGS0221900/L	AHGS0221900/P
24	Matt black	AHGS0224300/L	AHGS0224300/P	AHGS0224600/L	AHGS0224600/P	AHGS0224900/L	AHGS0224900/P
26	Deep matt black	AHGS0226300/L	AHGS0226300/P	AHGS0226600/L	AHGS0226600/P	AHGS0226900/L	AHGS0226900/P
30	Glossy gold	AHGS0230300/L	AHGS0230300/P	AHGS0230600/L	AHGS0230600/P	AHGS0230900/L	AHGS0230900/P

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	KI15/70
----	--------	-----------	---------



HEATEGRA DUO ALL IN ONE



Complete thermostatic set HEATEGRA DUO with electric heating element. Left or right version, M ½" / M M22x1,5.


The set includes: 1 x thermostatic connection, 1 x reducing cap on the shut-off side for connecting an electric heating element, 1 x PRESTIGE thermostatic head, 1 x electric heating element 300W / 600W / 900W, 1 x double oval masking rosette, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1).

Connector versions should be indicated in the catalog number, e.g. AHDGS0221600/P(Cu).

No	Color	With a 300W heater		With a 600W heater		With a 900W heater	
		Left version	Right version	Left version	Right version	Left version	Right version
03	Satin	AHDGS0203300/L	AHDGS0203300/P	AHDGS0203600/L	AHDGS0203600/P	AHDGS0203900/L	AHDGS0203900/P
05	Structural graphite	AHDGS0205300/L	AHDGS0205300/P	AHDGS0205600/L	AHDGS0205600/P	AHDGS0205900/L	AHDGS0205900/P
06	White	AHDGS0206300/L	AHDGS0206300/P	AHDGS0206600/L	AHDGS0206600/P	AHDGS0206900/L	AHDGS0206900/P
07	Anthracite / Gl. graph.	AHDGS0207300/L	AHDGS0207300/P	AHDGS0207600/L	AHDGS0207600/P	AHDGS0207900/L	AHDGS0207900/P
09	Quartz 1	AHDGS0209300/L	AHDGS0209300/P	AHDGS0209600/L	AHDGS0209600/P	AHDGS0209900/L	AHDGS0209900/P
10	Quartz 2	AHDGS0210300/L	AHDGS0210300/P	AHDGS0210600/L	AHDGS0210600/P	AHDGS0210900/L	AHDGS0210900/P
12	Metallic graphite	AHDGS0212300/L	AHDGS0212300/P	AHDGS0212600/L	AHDGS0212600/P	AHDGS0212900/L	AHDGS0212900/P
13	Glossy black	AHDGS0213300/L	AHDGS0213300/P	AHDGS0213600/L	AHDGS0213600/P	AHDGS0213900/L	AHDGS0213900/P
14	Structural black	AHDGS0214300/L	AHDGS0214300/P	AHDGS0214600/L	AHDGS0214600/P	AHDGS0214900/L	AHDGS0214900/P
15	Dark struct. graphite	AHDGS0215300/L	AHDGS0215300/P	AHDGS0215600/L	AHDGS0215600/P	AHDGS0215900/L	AHDGS0215900/P
19	Structural white	AHDGS0219300/L	AHDGS0219300/P	AHDGS0219600/L	AHDGS0219600/P	AHDGS0219900/L	AHDGS0219900/P
21	Matt white	AHDGS0221300/L	AHDGS0221300/P	AHDGS0221600/L	AHDGS0221600/P	AHDGS0221900/L	AHDGS0221900/P
24	Matt black	AHDGS0224300/L	AHDGS0224300/P	AHDGS0224600/L	AHDGS0224600/P	AHDGS0224900/L	AHDGS0224900/P
26	Deep matt black	AHDGS0226300/L	AHDGS0226300/P	AHDGS0226600/L	AHDGS0226600/P	AHDGS0226900/L	AHDGS0226900/P
30	Glossy gold	AHDGS0230300/L	AHDGS0230300/P	AHDGS0230600/L	AHDGS0230600/P	AHDGS0230900/L	AHDGS0230900/P

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	K115/70
----	--------	-----------	---------



LUX I



The photo shows the left-hand version of the valve.

LUX I thermostatic set. Axial, left or right version, F ½" x M ½".


The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	LUX1GS0202CFK/P	LUX1GS0202CFK/L	LUX1GS10102CFK/P	LUX1GS10102CFK/L
05	Structural graphite	LUX1GS0205CFK/P	LUX1GS0205CFK/L	LUX1GS10105CFK/P	LUX1GS10105CFK/L
06	White	LUX1GS0206CFK/P	LUX1GS0206CFK/L	LUX1GS10106CFK/P	LUX1GS10106CFK/L
07	Anthracite/Glossy graphite	LUX1GS0207CFK/P	LUX1GS0207CFK/L	LUX1GS10107CFK/P	LUX1GS10107CFK/L
09	Quartz 1	LUX1GS0209CFK/P	LUX1GS0209CFK/L	LUX1GS10109CFK/P	LUX1GS10109CFK/L
10	Quartz 2	LUX1GS0210CFK/P	LUX1GS0210CFK/L	LUX1GS10110CFK/P	LUX1GS10110CFK/L
12	Metallic graphite	LUX1GS0212CFK/P	LUX1GS0212CFK/L	LUX1GS10112CFK/P	LUX1GS10112CFK/L
13	Glossy black	LUX1GS0213CFK/P	LUX1GS0213CFK/L	LUX1GS10113CFK/P	LUX1GS10113CFK/L
14	Structural black	LUX1GS0214CFK/P	LUX1GS0214CFK/L	LUX1GS10114CFK/P	LUX1GS10114CFK/L
15	Dark structural graphite	LUX1GS0215CFK/P	LUX1GS0215CFK/L	LUX1GS10115CFK/P	LUX1GS10115CFK/L
19	Structural white	LUX1GS0219CFK/P	LUX1GS0219CFK/L	LUX1GS10119CFK/P	LUX1GS10119CFK/L
21	Matt white	LUX1GS0221CFK/P	LUX1GS0221CFK/L	LUX1GS10121CFK/P	LUX1GS10121CFK/L
24	Matt black	LUX1GS0224CFK/P	LUX1GS0224CFK/L	LUX1GS10124CFK/P	LUX1GS10124CFK/L
26	Deep matt black	LUX1GS0226CFK/P	LUX1GS0226CFK/L	LUX1GS10126CFK/P	LUX1GS10126CFK/L
30	Glossy gold	LUX1GS0230CFK/P	LUX1GS0230CFK/L	LUX1GS10130CFK/P	LUX1GS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	LUX1GS0203CFK/P	LUX1GS0203CFK/L	LUX1GS10103CFK/P	LUX1GS10103CFK/L
08	Nickel-grinded	LUX1GS0208CFK/P	LUX1GS0208CFK/L	LUX1GS10108CFK/P	LUX1GS10108CFK/L
11	Antique brass	LUX1GS0211CFK/P	LUX1GS0211CFK/L	LUX1GS10111CFK/P	LUX1GS10111CFK/L
29	Matt brass	LUX1GS0229CFK/P	LUX1GS0229CFK/L	LUX1GS10129CFK/P	LUX1GS10129CFK/L

It is possible to order the LUX II set with a PEX (16x2) or Cu (15x1) outlet. **Connectors are an integral part of valves.**

When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: LUX1GS0202CFK/L(PEX).

LUX I ALL IN ONE



LUX I thermostatic set. Axial, left or right version, F ½" / M ½".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head, 2 x single round or square masking rosettes, 2 x masking sleeves. PEX (16x2) or Cu (15x1) connectors are an integral part of the valves.

When ordering, please add (PEX) or (Cu) at the end of the catalog number, e.g. AKLUX1GS10102CFK/L(Cu).


Set with round rosettes

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	ALUX1GS0202CFK/P	ALUX1GS0202CFK/L	ALUX1GS10102CFK/P	ALUX1GS10102CFK/L
05	Structural graphite	ALUX1GS0205CFK/P	ALUX1GS0205CFK/L	ALUX1GS10105CFK/P	ALUX1GS10105CFK/L
06	White	ALUX1GS0206CFK/P	ALUX1GS0206CFK/L	ALUX1GS10106CFK/P	ALUX1GS10106CFK/L
07	Anthracite/Glossy graphite	ALUX1GS0207CFK/P	ALUX1GS0207CFK/L	ALUX1GS10107CFK/P	ALUX1GS10107CFK/L
09	Quartz 1	ALUX1GS0209CFK/P	ALUX1GS0209CFK/L	ALUX1GS10109CFK/P	ALUX1GS10109CFK/L
10	Quartz 2	ALUX1GS0210CFK/P	ALUX1GS0210CFK/L	ALUX1GS10110CFK/P	ALUX1GS10110CFK/L
12	Metallic graphite	ALUX1GS0212CFK/P	ALUX1GS0212CFK/L	ALUX1GS10112CFK/P	ALUX1GS10112CFK/L
13	Glossy black	ALUX1GS0213CFK/P	ALUX1GS0213CFK/L	ALUX1GS10113CFK/P	ALUX1GS10113CFK/L
14	Structural black	ALUX1GS0214CFK/P	ALUX1GS0214CFK/L	ALUX1GS10114CFK/P	ALUX1GS10114CFK/L
15	Dark structural graphite	ALUX1GS0215CFK/P	ALUX1GS0215CFK/L	ALUX1GS10115CFK/P	ALUX1GS10115CFK/L
19	Structural white	ALUX1GS0219CFK/P	ALUX1GS0219CFK/L	ALUX1GS10119CFK/P	ALUX1GS10119CFK/L
21	Matt white	ALUX1GS0221CFK/P	ALUX1GS0221CFK/L	ALUX1GS10121CFK/P	ALUX1GS10121CFK/L
24	Matt black	ALUX1GS0224CFK/P	ALUX1GS0224CFK/L	ALUX1GS10124CFK/P	ALUX1GS10124CFK/L
26	Deep matt black	ALUX1GS0226CFK/P	ALUX1GS0226CFK/L	ALUX1GS10126CFK/P	ALUX1GS10126CFK/L
30	Glossy gold	ALUX1GS0230CFK/P	ALUX1GS0230CFK/L	ALUX1GS10130CFK/P	ALUX1GS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	ALUX1GS0203CFK/P	ALUX1GS0203CFK/L	ALUX1GS10103CFK/P	ALUX1GS10103CFK/L
08	Nickel-grinded	ALUX1GS0208CFK/P	ALUX1GS0208CFK/L	ALUX1GS10108CFK/P	ALUX1GS10108CFK/L
11	Antique brass	ALUX1GS0211CFK/P	ALUX1GS0211CFK/L	ALUX1GS10111CFK/P	ALUX1GS10111CFK/L
29	Matt brass	ALUX1GS0229CFK/P	ALUX1GS0229CFK/L	ALUX1GS10129CFK/P	ALUX1GS10129CFK/L

Set with square rosettes

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	AKLUX1GS0202CFK/P	AKLUX1GS0202CFK/L	AKLUX1GS10102CFK/P	AKLUX1GS10102CFK/L
05	Structural graphite	AKLUX1GS0205CFK/P	AKLUX1GS0205CFK/L	AKLUX1GS10105CFK/P	AKLUX1GS10105CFK/L
06	White	AKLUX1GS0206CFK/P	AKLUX1GS0206CFK/L	AKLUX1GS10106CFK/P	AKLUX1GS10106CFK/L
07	Anthracite/Glossy graphite	AKLUX1GS0207CFK/P	AKLUX1GS0207CFK/L	AKLUX1GS10107CFK/P	AKLUX1GS10107CFK/L
09	Quartz 1	AKLUX1GS0209CFK/P	AKLUX1GS0209CFK/L	AKLUX1GS10109CFK/P	AKLUX1GS10109CFK/L
10	Quartz 2	AKLUX1GS0210CFK/P	AKLUX1GS0210CFK/L	AKLUX1GS10110CFK/P	AKLUX1GS10110CFK/L
12	Metallic graphite	AKLUX1GS0212CFK/P	AKLUX1GS0212CFK/L	AKLUX1GS10112CFK/P	AKLUX1GS10112CFK/L
13	Glossy black	AKLUX1GS0213CFK/P	AKLUX1GS0213CFK/L	AKLUX1GS10113CFK/P	AKLUX1GS10113CFK/L
14	Structural black	AKLUX1GS0214CFK/P	AKLUX1GS0214CFK/L	AKLUX1GS10114CFK/P	AKLUX1GS10114CFK/L
15	Dark structural graphite	AKLUX1GS0215CFK/P	AKLUX1GS0215CFK/L	AKLUX1GS10115CFK/P	AKLUX1GS10115CFK/L
19	Structural white	AKLUX1GS0219CFK/P	AKLUX1GS0219CFK/L	AKLUX1GS10119CFK/P	AKLUX1GS10119CFK/L
21	Matt white	AKLUX1GS0221CFK/P	AKLUX1GS0221CFK/L	AKLUX1GS10121CFK/P	AKLUX1GS10121CFK/L
24	Matt black	AKLUX1GS0224CFK/P	AKLUX1GS0224CFK/L	AKLUX1GS10124CFK/P	AKLUX1GS10124CFK/L
26	Deep matt black	AKLUX1GS0226CFK/P	AKLUX1GS0226CFK/L	AKLUX1GS10126CFK/P	AKLUX1GS10126CFK/L
30	Glossy gold	AKLUX1GS0230CFK/P	AKLUX1GS0230CFK/L	AKLUX1GS10130CFK/P	AKLUX1GS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	AKLUX1GS0203CFK/P	AKLUX1GS0203CFK/L	AKLUX1GS10103CFK/P	AKLUX1GS10103CFK/L
08	Nickel-grinded	AKLUX1GS0208CFK/P	AKLUX1GS0208CFK/L	AKLUX1GS10108CFK/P	AKLUX1GS10108CFK/L
11	Antique brass	AKLUX1GS0211CFK/P	AKLUX1GS0211CFK/L	AKLUX1GS10111CFK/P	AKLUX1GS10111CFK/L
29	Matt brass	AKLUX1GS0229CFK/P	AKLUX1GS0229CFK/L	AKLUX1GS10129CFK/P	AKLUX1GS10129CFK/L

LUX II



LUX II thermostatic set. Angular version, F ½" x M ½".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head.

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
02	Chrome	LUX2GS0202CFK	LUX2GS10102CFK
05	Structural graphite	LUX2GS0205CFK	LUX2GS10105CFK
06	White	LUX2GS0206CFK	LUX2GS10106CFK
07	Anthracite/Glossy graphite	LUX2GS0207CFK	LUX2GS10107CFK
09	Quartz 1	LUX2GS0209CFK	LUX2GS10109CFK
10	Quartz 2	LUX2GS0210CFK	LUX2GS10110CFK
12	Metallic graphite	LUX2GS0212CFK	LUX2GS10112CFK
13	Glossy black	LUX2GS0213CFK	LUX2GS10113CFK
14	Structural black	LUX2GS0214CFK	LUX2GS10114CFK
15	Dark structural graphite	LUX2GS0215CFK	LUX2GS10115CFK
19	Structural white	LUX2GS0219CFK	LUX2GS10119CFK
21	Matt white	LUX2GS0221CFK	LUX2GS10121CFK
24	Matt black	LUX2GS0224CFK	LUX2GS10124CFK
26	Deep matt black	LUX2GS0226CFK	LUX2GS10126CFK
30	Glossy gold	LUX2GS0230CFK	LUX2GS10130CFK

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
03	Satin	LUX2GS0203CFK	LUX2GS10103CFK
08	Nickel-grinded	LUX2GS0208CFK	LUX2GS10108CFK
11	Antique brass	LUX2GS0211CFK	LUX2GS10111CFK
29	Matt brass	LUX2GS0229CFK	LUX2GS10129CFK

It is possible to order the LUX II set with a PEX (16x2) or Cu (15x1) outlet. **Connectors are an integral part of valves.** When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: LUX2GS10119CFK(PEX).

LUX II ALL IN ONE



LUX II thermostatic set. Angular version, F ½" / M ½".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head, 2 x single round or square masking rosettes, 2 x masking sleeves. PEX (16x2) or Cu (15x1) connectors are an integral part of the valves.

When ordering, please add (PEX) or (Cu) at the end of the catalog number, e.g. ALUX2GS0226CFK(PEX).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
02	Chrome	ALUX2GS0202CFK	ALUX2GS10102CFK
05	Structural graphite	ALUX2GS0205CFK	ALUX2GS10105CFK
06	White	ALUX2GS0206CFK	ALUX2GS10106CFK
07	Anthracite/Glossy graphite	ALUX2GS0207CFK	ALUX2GS10107CFK
09	Quartz 1	ALUX2GS0209CFK	ALUX2GS10109CFK
10	Quartz 2	ALUX2GS0210CFK	ALUX2GS10110CFK
12	Metallic graphite	ALUX2GS0212CFK	ALUX2GS10112CFK
13	Glossy black	ALUX2GS0213CFK	ALUX2GS10113CFK
14	Structural black	ALUX2GS0214CFK	ALUX2GS10114CFK
15	Dark structural graphite	ALUX2GS0215CFK	ALUX2GS10115CFK
19	Structural white	ALUX2GS0219CFK	ALUX2GS10119CFK
21	Matt white	ALUX2GS0221CFK	ALUX2GS10121CFK
24	Matt black	ALUX2GS0224CFK	ALUX2GS10124CFK
26	Deep matt black	ALUX2GS0226CFK	ALUX2GS10126CFK
30	Glossy gold	ALUX2GS0230CFK	ALUX2GS10130CFK

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
03	Satin	ALUX2GS0203CFK	ALUX2GS10103CFK
08	Nickel-grinded	ALUX2GS0208CFK	ALUX2GS10108CFK
11	Antique brass	ALUX2GS0211CFK	ALUX2GS10111CFK
29	Matt brass	ALUX2GS0229CFK	ALUX2GS10129CFK

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
02	Chrome	AKLUX2GS0202CFK	AKLUX2GS10102CFK
05	Structural graphite	AKLUX2GS0205CFK	AKLUX2GS10105CFK
06	White	AKLUX2GS0206CFK	AKLUX2GS10106CFK
07	Anthracite/Glossy graphite	AKLUX2GS0207CFK	AKLUX2GS10107CFK
09	Quartz 1	AKLUX2GS0209CFK	AKLUX2GS10109CFK
10	Quartz 2	AKLUX2GS0210CFK	AKLUX2GS10110CFK
12	Metallic graphite	AKLUX2GS0212CFK	AKLUX2GS10112CFK
13	Glossy black	AKLUX2GS0213CFK	AKLUX2GS10113CFK
14	Structural black	AKLUX2GS0214CFK	AKLUX2GS10114CFK
15	Dark structural graphite	AKLUX2GS0215CFK	AKLUX2GS10115CFK
19	Structural white	AKLUX2GS0219CFK	AKLUX2GS10119CFK
21	Matt white	AKLUX2GS0221CFK	AKLUX2GS10121CFK
24	Matt black	AKLUX2GS0224CFK	AKLUX2GS10124CFK
26	Deep matt black	AKLUX2GS0226CFK	AKLUX2GS10126CFK
30	Glossy gold	AKLUX2GS0230CFK	AKLUX2GS10130CFK

Colors with 4-6 weeks delivery time

No	Color	With PRESTIGE thermostatic head	With TUCAN thermostatic head
03	Satin	AKLUX2GS0203CFK	AKLUX2GS10103CFK
08	Nickel-grinded	AKLUX2GS0208CFK	AKLUX2GS10108CFK
11	Antique brass	AKLUX2GS0211CFK	AKLUX2GS10111CFK
29	Matt brass	AKLUX2GS0229CFK	AKLUX2GS10129CFK

QUATTRO



QUATTRO thermostatic set. Axial, left or right version, F 1/2" x M 1/2".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head.

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	QGS0202CFK/P	QGS0202CFK/L	QGS10102CFK/P	QGS10102CFK/L
05	Structural graphite	QGS0205CFK/P	QGS0205CFK/L	QGS10105CFK/P	QGS10105CFK/L
06	White	QGS0206CFK/P	QGS0206CFK/L	QGS10106CFK/P	QGS10106CFK/L
07	Anthracite/Glossy graphite	QGS0207CFK/P	QGS0207CFK/L	QGS10107CFK/P	QGS10107CFK/L
09	Quartz 1	QGS0209CFK/P	QGS0209CFK/L	QGS10109CFK/P	QGS10109CFK/L
10	Quartz 2	QGS0210CFK/P	QGS0210CFK/L	QGS10110CFK/P	QGS10110CFK/L
12	Metallic graphite	QGS0212CFK/P	QGS0212CFK/L	QGS10112CFK/P	QGS10112CFK/L
13	Glossy black	QGS0213CFK/P	QGS0213CFK/L	QGS10113CFK/P	QGS10113CFK/L
14	Structural black	QGS0214CFK/P	QGS0214CFK/L	QGS10114CFK/P	QGS10114CFK/L
15	Dark structural graphite	QGS0215CFK/P	QGS0215CFK/L	QGS10115CFK/P	QGS10115CFK/L
19	Structural white	QGS0219CFK/P	QGS0219CFK/L	QGS10119CFK/P	QGS10119CFK/L
21	Matt white	QGS0221CFK/P	QGS0221CFK/L	QGS10121CFK/P	QGS10121CFK/L
24	Matt black	QGS0224CFK/P	QGS0224CFK/L	QGS10124CFK/P	QGS10124CFK/L
26	Deep matt black	QGS0226CFK/P	QGS0226CFK/L	QGS10126CFK/P	QGS10126CFK/L
30	Glossy gold	QGS0230CFK/P	QGS0230CFK/L	QGS10130CFK/P	QGS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	QGS0203CFK/P	QGS0203CFK/L	QGS10103CFK/P	QGS10103CFK/L
08	Nickel-grinded	QGS0208CFK/P	QGS0208CFK/L	QGS10108CFK/P	QGS10108CFK/L
11	Antique brass	QGS0211CFK/P	QGS0211CFK/L	QGS10111CFK/P	QGS10111CFK/L
29	Matt brass	QGS0229CFK/P	QGS0229CFK/L	QGS10129CFK/P	QGS10129CFK/L

It is possible to order a QUATTRO set with an outlet for PEX (16x2) or Cu (15x1). **Connectors are an integral part of valves.**

When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: QGS0211CFK/P(PEX).

QUATTRO ALL IN ONE



QUATTRO thermostatic set. Axial, left or right version. F ½" / M ½".

The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x PRESTIGE or TUCAN thermostatic head, 2 x single round or square masking rosettes, 2 x masking sleeves.

PEX (16x2) or Cu (15x1) connectors are an integral part of the valves.

When ordering, please add (PEX) or (Cu) at the end of the catalog number, e.g. AKQGS0229CFK/P(PEX).


Set with round rosettes

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	AQGS0202CFK/P	AQGS0202CFK/L	AQGS10102CFK/P	AQGS10102CFK/L
05	Structural graphite	AQGS0205CFK/P	AQGS0205CFK/L	AQGS10105CFK/P	AQGS10105CFK/L
06	White	AQGS0206CFK/P	AQGS0206CFK/L	AQGS10106CFK/P	AQGS10106CFK/L
07	Anthracite/Glossy graphite	AQGS0207CFK/P	AQGS0207CFK/L	AQGS10107CFK/P	AQGS10107CFK/L
09	Quartz 1	AQGS0209CFK/P	AQGS0209CFK/L	AQGS10109CFK/P	AQGS10109CFK/L
10	Quartz 2	AQGS0210CFK/P	AQGS0210CFK/L	AQGS10110CFK/P	AQGS10110CFK/L
12	Metallic graphite	AQGS0212CFK/P	AQGS0212CFK/L	AQGS10112CFK/P	AQGS10112CFK/L
13	Glossy black	AQGS0213CFK/P	AQGS0213CFK/L	AQGS10113CFK/P	AQGS10113CFK/L
14	Structural black	AQGS0214CFK/P	AQGS0214CFK/L	AQGS10114CFK/P	AQGS10114CFK/L
15	Dark structural graphite	AQGS0215CFK/P	AQGS0215CFK/L	AQGS10115CFK/P	AQGS10115CFK/L
19	Structural white	AQGS0219CFK/P	AQGS0219CFK/L	AQGS10119CFK/P	AQGS10119CFK/L
21	Matt white	AQGS0221CFK/P	AQGS0221CFK/L	AQGS10121CFK/P	AQGS10121CFK/L
24	Matt black	AQGS0224CFK/P	AQGS0224CFK/L	AQGS10124CFK/P	AQGS10124CFK/L
26	Deep matt black	AQGS0226CFK/P	AQGS0226CFK/L	AQGS10126CFK/P	AQGS10126CFK/L
30	Glossy gold	AQGS0230CFK/P	AQGS0230CFK/L	AQGS10130CFK/P	AQGS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	AQGS0203CFK/P	AQGS0203CFK/L	AQGS10103CFK/P	AQGS10103CFK/L
08	Nickel-grinded	AQGS0208CFK/P	AQGS0208CFK/L	AQGS10108CFK/P	AQGS10108CFK/L
11	Antique brass	AQGS0211CFK/P	AQGS0211CFK/L	AQGS10111CFK/P	AQGS10111CFK/L
29	Matt brass	AQGS0229CFK/P	AQGS0229CFK/L	AQGS10129CFK/P	AQGS10129CFK/L

Set with square rosettes

Colors with 1-7 days delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
02	Chrome	AKQGS0202CFK/P	AKQGS0202CFK/L	AKQGS10102CFK/P	AKQGS10102CFK/L
05	Structural graphite	AKQGS0205CFK/P	AKQGS0205CFK/L	AKQGS10105CFK/P	AKQGS10105CFK/L
06	White	AKQGS0206CFK/P	AKQGS0206CFK/L	AKQGS10106CFK/P	AKQGS10106CFK/L
07	Anthracite/Glossy graphite	AKQGS0207CFK/P	AKQGS0207CFK/L	AKQGS10107CFK/P	AKQGS10107CFK/L
09	Quartz 1	AKQGS0209CFK/P	AKQGS0209CFK/L	AKQGS10109CFK/P	AKQGS10109CFK/L
10	Quartz 2	AKQGS0210CFK/P	AKQGS0210CFK/L	AKQGS10110CFK/P	AKQGS10110CFK/L
12	Metallic graphite	AKQGS0212CFK/P	AKQGS0212CFK/L	AKQGS10112CFK/P	AKQGS10112CFK/L
13	Glossy black	AKQGS0213CFK/P	AKQGS0213CFK/L	AKQGS10113CFK/P	AKQGS10113CFK/L
14	Structural black	AKQGS0214CFK/P	AKQGS0214CFK/L	AKQGS10114CFK/P	AKQGS10114CFK/L
15	Dark structural graphite	AKQGS0215CFK/P	AKQGS0215CFK/L	AKQGS10115CFK/P	AKQGS10115CFK/L
19	Structural white	AKQGS0219CFK/P	AKQGS0219CFK/L	AKQGS10119CFK/P	AKQGS10119CFK/L
21	Matt white	AKQGS0221CFK/P	AKQGS0221CFK/L	AKQGS10121CFK/P	AKQGS10121CFK/L
24	Matt black	AKQGS0224CFK/P	AKQGS0224CFK/L	AKQGS10124CFK/P	AKQGS10124CFK/L
26	Deep matt black	AKQGS0226CFK/P	AKQGS0226CFK/L	AKQGS10126CFK/P	AKQGS10126CFK/L
30	Glossy gold	AKQGS0230CFK/P	AKQGS0230CFK/L	AKQGS10130CFK/P	AKQGS10130CFK/L
Colors with 4-6 weeks delivery time		With PRESTIGE thermostatic head		With TUCAN thermostatic head	
No	Color	Right version	Left version	Right version	Left version
03	Satin	AKQGS0203CFK/P	AKQGS0203CFK/L	AKQGS10103CFK/P	AKQGS10103CFK/L
08	Nickel-grinded	AKQGS0208CFK/P	AKQGS0208CFK/L	AKQGS10108CFK/P	AKQGS10108CFK/L
11	Antique brass	AKQGS0211CFK/P	AKQGS0211CFK/L	AKQGS10111CFK/P	AKQGS10111CFK/L
29	Matt brass	AKQGS0229CFK/P	AKQGS0229CFK/L	AKQGS10129CFK/P	AKQGS10129CFK/L

TWINS



The photo shows the valve in the angle version.


TWINS shut-off set. Angular or straight version, M ¾" x F ¾". Connection spacing 50 mm.
The set includes: 1 x connection valve, 2 x ½"x¾" reducing nipples.

Colors with 1-7 days delivery time			
No	Color	Angular version	Straight version
02	Chrome	000M874A002	000M882A002
05	Structural graphite	000M874A005	000M882A005
06	White	000M874A006	000M882A006
07	Anthracite/Glossy graphite	000M874A007	000M882A007
09	Quartz 1	000M874A009	000M882A009
10	Quartz 2	000M874A010	000M882A010
12	Metallic graphite	000M874A012	000M882A012
13	Glossy black	000M874A013	000M882A013
14	Structural black	000M874A014	000M882A014
15	Dark structural graphite	000M874A015	000M882A015
19	Structural white	000M874A019	000M882A019
21	Matt white	000M874A021	000M882A021
24	Matt black	000M874A024	000M882A024
26	Deep matt black	000M874A026	000M882A026
30	Glossy gold	000M874A030	000M882A030
Colors with 4-6 weeks delivery time			
No	Color	Angular version	Straight version
03	Satin	000M874A003	000M882A003
08	Nickel-grinded	000M874A008	000M882A008
11	Antique brass	000M874A011	000M882A011
29	Matt brass	000M874A029	000M882A029

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number.
Example: 000M874A024(Cu).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

TWINS ALL IN ONE



TWINS shut-off set. Angular or straight version, M ¾" x F ¾". Connection spacing 50 mm.

The set includes: 1 x connection valve, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x ½"x¾" reducing nipples, 2 x adapters/connectors for PEX (16x2) or Cu (15x1).

Connector versions should be indicated in the catalog number, e.g. A000M874A011(Cu).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	Angular version	Straight version
02	Chrome	A000M874A002	A000M882A002
05	Structural graphite	A000M874A005	A000M882A005
06	White	A000M874A006	A000M882A006
07	Anthracite/Glossy graphite	A000M874A007	A000M882A007
09	Quartz 1	A000M874A009	A000M882A009
10	Quartz 2	A000M874A010	A000M882A010
12	Metallic graphite	A000M874A012	A000M882A012
13	Glossy black	A000M874A013	A000M882A013
14	Structural black	A000M874A014	A000M882A014
15	Dark structural graphite	A000M874A015	A000M882A015
19	Structural white	A000M874A019	A000M882A019
21	Matt white	A000M874A021	A000M882A021
24	Matt black	A000M874A024	A000M882A024
26	Deep matt black	A000M874A026	A000M882A026
30	Glossy gold	A000M874A030	A000M882A030

Colors with 4-6 weeks delivery time

No	Color	Angular version	Straight version
03	Satin	A000M874A003	A000M882A003
08	Nickel-grinded	A000M874A008	A000M882A008
11	Antique brass	A000M874A011	A000M882A011
29	Matt brass	A000M874A029	A000M882A029

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	Angular version	Straight version
02	Chrome	AP000M874A002	AP000M882A002
05	Structural graphite	AP000M874A005	AP000M882A005
06	White	AP000M874A006	AP000M882A006
07	Anthracite/Glossy graphite	AP000M874A007	AP000M882A007
09	Quartz 1	AP000M874A009	AP000M882A009
10	Quartz 2	AP000M874A010	AP000M882A010
12	Metallic graphite	AP000M874A012	AP000M882A012
13	Glossy black	AP000M874A013	AP000M882A013
14	Structural black	AP000M874A014	AP000M882A014
15	Dark structural graphite	AP000M874A015	AP000M882A015
19	Structural white	AP000M874A019	AP000M882A019
21	Matt white	AP000M874A021	AP000M882A021
24	Matt black	AP000M874A024	AP000M882A024
26	Deep matt black	AP000M874A026	AP000M882A026
30	Glossy gold	AP000M874A030	AP000M882A030

Colors with 4-6 weeks delivery time

No	Color	Angular version	Straight version
03	Satin	AP000M874A003	AP000M882A003
08	Nickel-grinded	AP000M874A008	AP000M882A008
11	Antique brass	AP000M874A011	AP000M882A011
29	Matt brass	AP000M874A029	AP000M882A029

TWINS



The photo shows the right-hand version of the valve.

TWINS regulating set. Angular, right or left version, or straight version, M ¾" x F ¾", connection spacing 50 mm.

The set includes: 1 x control valve, 2 x ½"x¾" reducing nipples.

Correct installation of TWINS valves: the drain is on the side of the adjustment knob.

Colors with 1-7 days delivery time

No	Color	Angular version left	Angular version right	Straight version
02	Chrome	000M873A002/L	000M873A002/P	000M881A002
05	Structural graphite	000M873A005/L	000M873A005/P	000M881A005
06	White	000M873A006/L	000M873A006/P	000M881A006
07	Anthracite/Glossy graphite	000M873A007/L	000M873A007/P	000M881A007
09	Quartz 1	000M873A009/L	000M873A009/P	000M881A009
10	Quartz 2	000M873A010/L	000M873A010/P	000M881A010
12	Metallic graphite	000M873A012/L	000M873A012/P	000M881A012
13	Glossy black	000M873A013/L	000M873A013/P	000M881A013
14	Structural black	000M873A014/L	000M873A014/P	000M881A014
15	Dark structural graphite	000M873A015/L	000M873A015/P	000M881A015
19	Structural white	000M873A019/L	000M873A019/P	000M881A019
21	Matt white	000M873A021/L	000M873A021/P	000M881A021
24	Matt black	000M873A024/L	000M873A024/P	000M881A024
26	Deep matt black	000M873A026/L	000M873A026/P	000M881A026
30	Glossy gold	000M873A030/L	000M873A030/P	000M881A030

Colors with 4-6 weeks delivery time

No	Color	Angular version left	Angular version right	Straight version
03	Satin	000M873A003/L	000M873A003/P	000M881A003
08	Nickel-grinded	000M873A008/L	000M873A008/P	000M881A008
11	Antique brass	000M873A011/L	000M873A011/P	000M881A011
29	Matt brass	000M873A029/L	000M873A029/P	000M881A029


Additionally, it is possible to order sets with connectors for connection to the installation.

When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number.

Example: 000M873A009/L(PEX).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

TWINS ALL IN ONE



TWINS regulating set. Angular, right or left version, or straight version, M ¾" x F ¾", connection spacing 50 mm.

The set includes: 1 x regulating connection, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x ½"x¾" reducing nipples, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. A000M881A029(Cu).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	Angular version left	Angular version right	Straight version
02	Chrome	A000M873A002/L	A000M873A002/P	A000M881A002
05	Structural graphite	A000M873A005/L	A000M873A005/P	A000M881A005
06	White	A000M873A006/L	A000M873A006/P	A000M881A006
07	Anthracite/Glossy graphite	A000M873A007/L	A000M873A007/P	A000M881A007
09	Quartz 1	A000M873A009/L	A000M873A009/P	A000M881A009
10	Quartz 2	A000M873A010/L	A000M873A010/P	A000M881A010
12	Metallic graphite	A000M873A012/L	A000M873A012/P	A000M881A012
13	Glossy black	A000M873A013/L	A000M873A013/P	A000M881A013
14	Structural black	A000M873A014/L	A000M873A014/P	A000M881A014
15	Dark structural graphite	A000M873A015/L	A000M873A015/P	A000M881A015
19	Structural white	A000M873A019/L	A000M873A019/P	A000M881A019
21	Matt white	A000M873A021/L	A000M873A021/P	A000M881A021
24	Matt black	A000M873A024/L	A000M873A024/P	A000M881A024
26	Deep matt black	A000M873A026/L	A000M873A026/P	A000M881A026
30	Glossy gold	A000M873A030/L	A000M873A030/P	A000M881A030

Colors with 4-6 weeks delivery time

No	Color	Angular version left	Angular version right	Straight version
03	Satin	A000M873A003/L	A000M873A003/P	A000M881A003
08	Nickel-grinded	A000M873A008/L	A000M873A008/P	A000M881A008
11	Antique brass	A000M873A011/L	A000M873A011/P	A000M881A011
29	Matt brass	A000M873A029/L	A000M873A029/P	A000M881A029

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	Angular version left	Angular version right	Straight version
02	Chrome	AP000M873A002/L	AP000M873A002/P	AP000M881A002
05	Structural graphite	AP000M873A005/L	AP000M873A005/P	AP000M881A005
06	White	AP000M873A006/L	AP000M873A006/P	AP000M881A006
07	Anthracite/Glossy graphite	AP000M873A007/L	AP000M873A007/P	AP000M881A007
09	Quartz 1	AP000M873A009/L	AP000M873A009/P	AP000M881A009
10	Quartz 2	AP000M873A010/L	AP000M873A010/P	AP000M881A010
12	Metallic graphite	AP000M873A012/L	AP000M873A012/P	AP000M881A012
13	Glossy black	AP000M873A013/L	AP000M873A013/P	AP000M881A013
14	Structural black	AP000M873A014/L	AP000M873A014/P	AP000M881A014
15	Dark structural graphite	AP000M873A015/L	AP000M873A015/P	AP000M881A015
19	Structural white	AP000M873A019/L	AP000M873A019/P	AP000M881A019
21	Matt white	AP000M873A021/L	AP000M873A021/P	AP000M881A021
24	Matt black	AP000M873A024/L	AP000M873A024/P	AP000M881A024
26	Deep matt black	AP000M873A026/L	AP000M873A026/P	AP000M881A026
30	Glossy gold	AP000M873A030/L	AP000M873A030/P	AP000M881A030

Colors with 4-6 weeks delivery time

No	Color	Angular version left	Angular version right	Straight version
03	Satin	AP000M873A003/L	AP000M873A003/P	AP000M881A003
08	Nickel-grinded	AP000M873A008/L	AP000M873A008/P	AP000M881A008
11	Antique brass	AP000M873A011/L	AP000M873A011/P	AP000M881A011
29	Matt brass	AP000M873A029/L	AP000M873A029/P	AP000M881A029

UNICO



The photo shows the left-hand version of the valve.

UNICO regulating set. Angular, right or left version, M ½" / M ¾" x M ¾", connection spacing 50 mm. It is possible to connect an electric heating element in the second riser of the radiator.

The set includes: 1 x regulating connection, 1 x immersion tube, 1 x mounting connector.


Correct installation of UNICO valves: the drain is on the side of the adjustment knob.

Colors with 1-7 days delivery time			
No	Color	Left version	Right version
02	Chrome	000M875A002/L	000M875A002/P
05	Structural graphite	000M875A005/L	000M875A005/P
06	White	000M875A006/L	000M875A006/P
07	Anthracite/Glossy graphite	000M875A007/L	000M875A007/P
09	Quartz 1	000M875A009/L	000M875A009/P
10	Quartz 2	000M875A010/L	000M875A010/P
12	Metallic graphite	000M875A012/L	000M875A012/P
13	Glossy black	000M875A013/L	000M875A013/P
14	Structural black	000M875A014/L	000M875A014/P
15	Dark structural graphite	000M875A015/L	000M875A015/P
19	Structural white	000M875A019/L	000M875A019/P
21	Matt white	000M875A021/L	000M875A021/P
24	Matt black	000M875A024/L	000M875A024/P
26	Deep matt black	000M875A026/L	000M875A026/P
30	Glossy gold	000M875A030/L	000M875A030/P
Colors with 4-6 weeks delivery time			
No	Color	Left version	Right version
03	Satin	000M875A003/L	000M875A003/P
08	Nickel-grinded	000M875A008/L	000M875A008/P
11	Antique brass	000M875A011/L	000M875A011/P
29	Matt brass	000M875A029/L	000M875A029/P

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number.
Example: 000M875A015/L(PEX).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

UNICO ALL IN ONE



UNICO regulating set. Angular, right or left version, M ½" / M ¾" x M ¾", connection spacing 50 mm.

The set includes: 1 x regulating connection, 1 x immersion tube, 1 x mounting connector, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AP000M875A002/L(PEX).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	A000M875A002/L	A000M875A002/P
05	Structural graphite	A000M875A005/L	A000M875A005/P
06	White	A000M875A006/L	A000M875A006/P
07	Anthracite/Glossy graphite	A000M875A007/L	A000M875A007/P
09	Quartz 1	A000M875A009/L	A000M875A009/P
10	Quartz 2	A000M875A010/L	A000M875A010/P
12	Metallic graphite	A000M875A012/L	A000M875A012/P
13	Glossy black	A000M875A013/L	A000M875A013/P
14	Structural black	A000M875A014/L	A000M875A014/P
15	Dark structural graphite	A000M875A015/L	A000M875A015/P
19	Structural white	A000M875A019/L	A000M875A019/P
21	Matt white	A000M875A021/L	A000M875A021/P
24	Matt black	A000M875A024/L	A000M875A024/P
26	Deep matt black	A000M875A026/L	A000M875A026/P
30	Glossy gold	A000M875A030/L	A000M875A030/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	A000M875A003/L	A000M875A003/P
08	Nickel-grinded	A000M875A008/L	A000M875A008/P
11	Antique brass	A000M875A011/L	A000M875A011/P
29	Matt brass	A000M875A029/L	A000M875A029/P

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	AP000M875A002/L	AP000M875A002/P
05	Structural graphite	AP000M875A005/L	AP000M875A005/P
06	White	AP000M875A006/L	AP000M875A006/P
07	Anthracite/Glossy graphite	AP000M875A007/L	AP000M875A007/P
09	Quartz 1	AP000M875A009/L	AP000M875A009/P
10	Quartz 2	AP000M875A010/L	AP000M875A010/P
12	Metallic graphite	AP000M875A012/L	AP000M875A012/P
13	Glossy black	AP000M875A013/L	AP000M875A013/P
14	Structural black	AP000M875A014/L	AP000M875A014/P
15	Dark structural graphite	AP000M875A015/L	AP000M875A015/P
19	Structural white	AP000M875A019/L	AP000M875A019/P
21	Matt white	AP000M875A021/L	AP000M875A021/P
24	Matt black	AP000M875A024/L	AP000M875A024/P
26	Deep matt black	AP000M875A026/L	AP000M875A026/P
30	Glossy gold	AP000M875A030/L	AP000M875A030/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	AP000M875A003/L	AP000M875A003/P
08	Nickel-grinded	AP000M875A008/L	AP000M875A008/P
11	Antique brass	AP000M875A011/L	AP000M875A011/P
29	Matt brass	AP000M875A029/L	AP000M875A029/P

SWING



The photo shows the valve in the angle version.

SWING regulating set. Angular or straight version, F ½" x M ½".

The set includes: 1 x control valve, 1 x shut-off valve.

Colors with 1-7 days delivery time

No	Color	Angular version	Straight version
02	Chrome	ZIS02/FK	ZIS02/FP
05	Structural graphite	ZIS05/FK	ZIS05/FP
06	White	ZIS06/FK	ZIS06/FP
07	Anthracite/Glossy graphite	ZIS07/FK	ZIS07/FP
09	Quartz 1	ZIS09/FK	ZIS09/FP
10	Quartz 2	ZIS10/FK	ZIS10/FP
12	Metallic graphite	ZIS12/FK	ZIS12/FP
13	Glossy black	ZIS13/FK	ZIS13/FP
14	Structural black	ZIS14/FK	ZIS14/FP
15	Dark structural graphite	ZIS15/FK	ZIS15/FP
19	Structural white	ZIS19/FK	ZIS19/FP
21	Matt white	ZIS21/FK	ZIS21/FP
24	Matt black	ZIS24/FK	ZIS24/FP
26	Deep matt black	ZIS26/FK	ZIS26/FP
30	Glossy gold	ZIS30/FK	ZIS30/FP

Colors with 4-6 weeks delivery time

No	Color	Angular version	Straight version
03	Satin	ZIS03/FK	ZIS03/FP
08	Nickel-grinded	ZIS08/FK	ZIS08/FP
11	Antique brass	ZIS11/FK	ZIS11/FP
29	Matt brass	ZIS29/FK	ZIS29/FP

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) at the end of the catalog number.
Example: ZIS11/FK(Cu).

Type of connectors	M ½" x PEX (16x2)	M ½" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

SWING ALL IN ONE



SWING regulating set. Angular or straight version, F ½" / M ½".

The set includes: 1 x control valve, 1 x shut-off valve, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1).

Connector versions should be indicated in the catalog number, e.g. AZIS08/FK(Cu).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Angular version	Straight version
02	Chrome	AZIS02/FK	AZIS02/FP
05	Structural graphite	AZIS05/FK	AZIS05/FP
06	White	AZIS06/FK	AZIS06/FP
07	Anthracite/Glossy graphite	AZIS07/FK	AZIS07/FP
09	Quartz 1	AZIS09/FK	AZIS09/FP
10	Quartz 2	AZIS10/FK	AZIS10/FP
12	Metallic graphite	AZIS12/FK	AZIS12/FP
13	Glossy black	AZIS13/FK	AZIS13/FP
14	Structural black	AZIS14/FK	AZIS14/FP
15	Dark structural graphite	AZIS15/FK	AZIS15/FP
19	Structural white	AZIS19/FK	AZIS19/FP
21	Matt white	AZIS21/FK	AZIS21/FP
24	Matt black	AZIS24/FK	AZIS24/FP
26	Deep matt black	AZIS26/FK	AZIS26/FP
30	Glossy gold	AZIS30/FK	AZIS30/FP

Colors with 4-6 weeks delivery time

No	Color	Angular version	Straight version
03	Satin	AZIS03/FK	AZIS03/FP
08	Nickel-grinded	AZIS08/FK	AZIS08/FP
11	Antique brass	AZIS11/FK	AZIS11/FP
29	Matt brass	AZIS29/FK	AZIS29/FP

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	Angular version	Straight version
02	Chrome	AKZIS02/FK	AKZIS02/FP
05	Structural graphite	AKZIS05/FK	AKZIS05/FP
06	White	AKZIS06/FK	AKZIS06/FP
07	Anthracite/Glossy graphite	AKZIS07/FK	AKZIS07/FP
09	Quartz 1	AKZIS09/FK	AKZIS09/FP
10	Quartz 2	AKZIS10/FK	AKZIS10/FP
12	Metallic graphite	AKZIS12/FK	AKZIS12/FP
13	Glossy black	AKZIS13/FK	AKZIS13/FP
14	Structural black	AKZIS14/FK	AKZIS14/FP
15	Dark structural graphite	AKZIS15/FK	AKZIS15/FP
19	Structural white	AKZIS19/FK	AKZIS19/FP
21	Matt white	AKZIS21/FK	AKZIS21/FP
24	Matt black	AKZIS24/FK	AKZIS24/FP
26	Deep matt black	AKZIS26/FK	AKZIS26/FP
30	Glossy gold	AKZIS30/FK	AKZIS30/FP

Colors with 4-6 weeks delivery time

No	Color	Angular version	Straight version
03	Satin	AKZIS03/FK	AKZIS03/FP
08	Nickel-grinded	AKZIS08/FK	AKZIS08/FP
11	Antique brass	AKZIS11/FK	AKZIS11/FP
29	Matt brass	AKZIS29/FK	AKZIS29/FP

VISION



The photo shows the left-hand version of the valve.

VISION regulating set. Axial, left or right version, M ½" / M22x1,5 M.

The set includes: 1 x control valve, 1 x shut-off valve.

Colors with 1-7 days delivery time

No	Color	Right version	Left version
02	Chrome	VIR02P	VIR02L
05	Structural graphite	VIR05P	VIR05L
06	White	VIR06P	VIR06L
07	Anthracite/Glossy graphite	VIR07P	VIR07L
09	Quartz 1	VIR09P	VIR09L
10	Quartz 2	VIR10P	VIR10L
12	Metallic graphite	VIR12P	VIR12L
13	Glossy black	VIR13P	VIR13L
14	Structural black	VIR14P	VIR14L
15	Dark structural graphite	VIR15P	VIR15L
19	Structural white	VIR19P	VIR19L
21	Matt white	VIR21P	VIR21L
24	Matt black	VIR24P	VIR24L
26	Deep matt black	VIR26P	VIR26L
30	Glossy gold	VIR30P	VIR30L

Colors with 4-6 weeks delivery time

No	Color	Right version	Left version
03	Satin	VIR03P	VIR03L
08	Nickel-grinded	VIR08P	VIR08L
11	Antique brass	VIR11P	VIR11L
29	Matt brass	VIR29P	VIR29L

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number.
Example: VIR19L(PEX).

Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M ½"	M22x1,5 x F ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 	(GW) 

VISION ALL IN ONE



VISION regulating set. Axial, left or right version, M ½" / M M22x1,5.

The set includes: 1 x control valve, 1 x shut-off valve, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AVIR02CFK/L(PEX).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Right version	Left version
02	Chrome	AVIR02P	AVIR02L
05	Structural graphite	AVIR05P	AVIR05L
06	White	AVIR06P	AVIR06L
07	Anthracite/Glossy graphite	AVIR07P	AVIR07L
09	Quartz 1	AVIR09P	AVIR09L
10	Quartz 2	AVIR10P	AVIR10L
12	Metallic graphite	AVIR12P	AVIR12L
13	Glossy black	AVIR13P	AVIR13L
14	Structural black	AVIR14P	AVIR14L
15	Dark structural graphite	AVIR15P	AVIR15L
19	Structural white	AVIR19P	AVIR19L
21	Matt white	AVIR21P	AVIR21L
24	Matt black	AVIR24P	AVIR24L
26	Deep matt black	AVIR26P	AVIR26L
30	Glossy gold	AVIR30P	AVIR30L

Colors with 4-6 weeks delivery time

No	Color	Right version	Left version
03	Satin	AVIR03P	AVIR03L
08	Nickel-grinded	AVIR08P	AVIR08L
11	Antique brass	AVIR11P	AVIR11L
29	Matt brass	AVIR29P	AVIR29L

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	Right version	Left version
02	Chrome	AKVIR02P	AKVIR02L
05	Structural graphite	AKVIR05P	AKVIR05L
06	White	AKVIR06P	AKVIR06L
07	Anthracite/Glossy graphite	AKVIR07P	AKVIR07L
09	Quartz 1	AKVIR09P	AKVIR09L
10	Quartz 2	AKVIR10P	AKVIR10L
12	Metallic graphite	AKVIR12P	AKVIR12L
13	Glossy black	AKVIR13P	AKVIR13L
14	Structural black	AKVIR14P	AKVIR14L
15	Dark structural graphite	AKVIR15P	AKVIR15L
19	Structural white	AKVIR19P	AKVIR19L
21	Matt white	AKVIR21P	AKVIR21L
24	Matt black	AKVIR24P	AKVIR24L
26	Deep matt black	AKVIR26P	AKVIR26L
30	Glossy gold	AKVIR30P	AKVIR30L

Colors with 4-6 weeks delivery time

No	Color	Right version	Left version
03	Satin	AKVIR03P	AKVIR03L
08	Nickel-grinded	AKVIR08P	AKVIR08L
11	Antique brass	AKVIR11P	AKVIR11L
29	Matt brass	AKVIR29P	AKVIR29L

INTEGRA



The photo shows the right-hand version of the valve.

INTEGRA regulating set. Axial, left or right version, M ½" / M22x1,5 M.

The set includes: 1 x control valve, 1 x shut-off valve, 1 x reducing cap on the shut-off side for connecting an electric heating element. The valve body is integrated with a tee, enabling the connection of an electric heater to the radiator.

Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	IR02FK/L	IR02FK/P
05	Structural graphite	IR05FK/L	IR05FK/P
06	White	IR06FK/L	IR06FK/P
07	Anthracite/Glossy graphite	IR07FK/L	IR07FK/P
09	Quartz 1	IR09FK/L	IR09FK/P
10	Quartz 2	IR10FK/L	IR10FK/P
12	Metallic graphite	IR12FK/L	IR12FK/P
13	Glossy black	IR13FK/L	IR13FK/P
14	Structural black	IR14FK/L	IR14FK/P
15	Dark structural graphite	IR15FK/L	IR15FK/P
19	Structural white	IR19FK/L	IR19FK/P
21	Matt white	IR21FK/L	IR21FK/P
24	Matt black	IR24FK/L	IR24FK/P
26	Deep matt black	IR26FK/L	IR26FK/P
30	Glossy gold	IR30FK/L	IR30FK/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	IR03FK/L	IR03FK/P
08	Nickel-grinded	IR08FK/L	IR08FK/P
11	Antique brass	IR11FK/L	IR11FK/P
29	Matt brass	IR29FK/L	IR29FK/P

Additionally, it is possible to order sets with connectors for connection to the installation. When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number. Example: IR24CFK/L(PEX).


Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M ½"	M22x1,5 x F ½"
End of catalog number	(PEX)	(Cu)	(GZ)	(GW)

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	KI15/70
----	--------	-----------	---------



INTEGRA ALL IN ONE



INTEGRA regulating set. Axial, left or right version, M ½" / M M22x1,5.

The set includes: 1 x control valve, 1 x shut-off valve, 1 x reducing cap on the shut-off side for connecting an electric heating element, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AKIR21CFK/P(Cu). The valve body allows the connection of an electric heating element.

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	AIR02FK/L	AIR02FK/P
05	Structural graphite	AIR05FK/L	AIR05FK/P
06	White	AIR06FK/L	AIR06FK/P
07	Anthracite/Glossy graphite	AIR07FK/L	AIR07FK/P
09	Quartz 1	AIR09FK/L	AIR09FK/P
10	Quartz 2	AIR10FK/L	AIR10FK/P
12	Metallic graphite	AIR12FK/L	AIR12FK/P
13	Glossy black	AIR13FK/L	AIR13FK/P
14	Structural black	AIR14FK/L	AIR14FK/P
15	Dark structural graphite	AIR15FK/L	AIR15FK/P
19	Structural white	AIR19FK/L	AIR19FK/P
21	Matt white	AIR21FK/L	AIR21FK/P
24	Matt black	AIR24FK/L	AIR24FK/P
26	Deep matt black	AIR26FK/L	AIR26FK/P
30	Glossy gold	AIR30FK/L	AIR30FK/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	AIR03FK/L	AIR03FK/P
08	Nickel-grinded	AIR08FK/L	AIR08FK/P
11	Antique brass	AIR11FK/L	AIR11FK/P
29	Matt brass	AIR29FK/L	AIR29FK/P

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	AKIR02FK/L	AKIR02FK/P
05	Structural graphite	AKIR05FK/L	AKIR05FK/P
06	White	AKIR06FK/L	AKIR06FK/P
07	Anthracite/Glossy graphite	AKIR07FK/L	AKIR07FK/P
09	Quartz 1	AKIR09FK/L	AKIR09FK/P
10	Quartz 2	AKIR10FK/L	AKIR10FK/P
12	Metallic graphite	AKIR12FK/L	AKIR12FK/P
13	Glossy black	AKIR13FK/L	AKIR13FK/P
14	Structural black	AKIR14FK/L	AKIR14FK/P
15	Dark structural graphite	AKIR15FK/L	AKIR15FK/P
19	Structural white	AKIR19FK/L	AKIR19FK/P
21	Matt white	AKIR21FK/L	AKIR21FK/P
24	Matt black	AKIR24FK/L	AKIR24FK/P
26	Deep matt black	AKIR26FK/L	AKIR26FK/P
30	Glossy gold	AKIR30FK/L	AKIR30FK/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	AKIR03FK/L	AKIR03FK/P
08	Nickel-grinded	AKIR08FK/L	AKIR08FK/P
11	Antique brass	AKIR11FK/L	AKIR11FK/P
29	Matt brass	AKIR29FK/L	AKIR29FK/P

INTEGRA DUO



INTEGRA DUO regulating set. Left or right version, M ½" / M22x1,5 M.
The set includes: 1 x regulating connection, 1 x reducing cap on the shut-off side for connecting an electric heating element.
The valve body is integrated with a tee, enabling the connection of an electric heating element to the radiator.

Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	000M884A002L	000M884A002P
05	Structural graphite	000M884A005L	000M884A005P
06	White	000M884A006L	000M884A006P
07	Anthracite/Glossy graphite	000M884A007L	000M884A007P
09	Quartz 1	000M884A009L	000M884A009P
10	Quartz 2	000M884A010L	000M884A010P
12	Metallic graphite	000M884A012L	000M884A012P
13	Glossy black	000M884A013L	000M884A013P
14	Structural black	000M884A014L	000M884A014P
15	Dark structural graphite	000M884A015L	000M884A015P
19	Structural white	000M884A019L	000M884A019P
21	Matt white	000M884A021L	000M884A021P
24	Matt black	000M884A024L	000M884A024P
26	Deep matt black	000M884A026L	000M884A026P
30	Glossy gold	000M884A030L	000M884A030P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	000M884A003L	000M884A003P
08	Nickel-grinded	000M884A008L	000M884A008P
11	Antique brass	000M884A011L	000M884A011P
29	Matt brass	000M884A029L	000M884A029P

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number.
Example: IR24CFK/L(PEX).


Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M ½"	M22x1,5 x F ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 	(GW) 

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	KI15/70
----	--------	-----------	---------



INTEGRA DUO ALL IN ONE



INTEGRA DUO regulating set. Left or right version, M ½" / M M22x1,5.

The set includes: 1 x regulating connection, 1 x reducing cap on the shut-off side for connecting an electric heating element, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. A000M884A019P(Cu). The valve body allows the connection of an electric heating element.

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	A000M884A002L	A000M884A002P
05	Structural graphite	A000M884A005L	A000M884A005P
06	White	A000M884A006L	A000M884A006P
07	Anthracite/Glossy graphite	A000M884A007L	A000M884A007P
09	Quartz 1	A000M884A009L	A000M884A009P
10	Quartz 2	A000M884A010L	A000M884A010P
12	Metallic graphite	A000M884A012L	A000M884A012P
13	Glossy black	A000M884A013L	A000M884A013P
14	Structural black	A000M884A014L	A000M884A014P
15	Dark structural graphite	A000M884A015L	A000M884A015P
19	Structural white	A000M884A019L	A000M884A019P
21	Matt white	A000M884A021L	A000M884A021P
24	Matt black	A000M884A024L	A000M884A024P
26	Deep matt black	A000M884A026L	A000M884A026P
30	Glossy gold	A000M884A030L	A000M884A030P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	A000M884A003L	A000M884A003P
08	Nickel-grinded	A000M884A008L	A000M884A008P
11	Antique brass	A000M884A011L	A000M884A011P
29	Matt brass	A000M884A029L	A000M884A029P

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	AP000M884A002L	AP000M884A002P
05	Structural graphite	AP000M884A005L	AP000M884A005P
06	White	AP000M884A006L	AP000M884A006P
07	Anthracite/Glossy graphite	AP000M884A007L	AP000M884A007P
09	Quartz 1	AP000M884A009L	AP000M884A009P
10	Quartz 2	AP000M884A010L	AP000M884A010P
12	Metallic graphite	AP000M884A012L	AP000M884A012P
13	Glossy black	AP000M884A013L	AP000M884A013P
14	Structural black	AP000M884A014L	AP000M884A014P
15	Dark structural graphite	AP000M884A015L	AP000M884A015P
19	Structural white	AP000M884A019L	AP000M884A019P
21	Matt white	AP000M884A021L	AP000M884A021P
24	Matt black	AP000M884A024L	AP000M884A024P
26	Deep matt black	AP000M884A026L	AP000M884A026P
30	Glossy gold	AP000M884A030L	AP000M884A030P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	AP000M884A003L	AP000M884A003P
08	Nickel-grinded	AP000M884A008L	AP000M884A008P
11	Antique brass	AP000M884A011L	AP000M884A011P
29	Matt brass	AP000M884A029L	AP000M884A029P

OLD STAR



OLD STAR regulating set. Angular version, F ½" x M ½". Dedicated to retro radiators

The set includes: 1 x control valve, 1 x shut-off valve.

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	ZIOS02/FK
05	Structural graphite	ZIOS05/FK
06	White	ZIOS06/FK
07	Anthracite/Glossy graphite	ZIOS07/FK
09	Quartz 1	ZIOS09/FK
10	Quartz 2	ZIOS10/FK
12	Metallic graphite	ZIOS12/FK
13	Glossy black	ZIOS13/FK
14	Structural black	ZIOS14/FK
15	Dark structural graphite	ZIOS15/FK
19	Structural white	ZIOS19/FK
21	Matt white	ZIOS21/FK
24	Matt black	ZIOS24/FK
26	Deep matt black	ZIOS26/FK
30	Glossy gold	ZIOS26/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	ZIOS03/FK
08	Nickel-grinded	ZIOS08/FK
11	Antique brass	ZIOS11/FK
29	Matt brass	ZIOS29/FK

Additionally, it is possible to order sets with connectors for connection to the installation.

When ordering, please add (PEX) or (Cu) at the end of the catalog number.

Example: ZIOS15/FK(Cu).

Type of connectors	M ½" x PEX (16x2)	M ½" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

OLD STAR ALL IN ONE



OLD STAR regulating set. Angular version, F ½" / M ½". Dedicated to retro radiators.

The set includes: 1 x control valve, 1 x shut-off valve, 2 x single masking rosettes, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AKZIOS30/FK(Cu).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	AZIOS02/FK
05	Structural graphite	AZIOS05/FK
06	White	AZIOS06/FK
07	Anthracite/Glossy graphite	AZIOS07/FK
09	Quartz 1	AZIOS09/FK
10	Quartz 2	AZIOS10/FK
12	Metallic graphite	AZIOS12/FK
13	Glossy black	AZIOS13/FK
14	Structural black	AZIOS14/FK
15	Dark structural graphite	AZIOS15/FK
19	Structural white	AZIOS19/FK
21	Matt white	AZIOS21/FK
24	Matt black	AZIOS24/FK
26	Deep matt black	AZIOS26/FK
30	Glossy gold	AZIOS30/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	AZIOS03/FK
08	Nickel-grinded	AZIOS08/FK
11	Antique brass	AZIOS11/FK
29	Matt brass	AZIOS29/FK

Set with square rosettes

Colors with 1-7 days delivery time


No	Color	Angular version
02	Chrome	AKZIOS02/FK
05	Structural graphite	AKZIOS05/FK
06	White	AKZIOS06/FK
07	Anthracite/Glossy graphite	AKZIOS07/FK
09	Quartz 1	AKZIOS09/FK
10	Quartz 2	AKZIOS10/FK
12	Metallic graphite	AKZIOS12/FK
13	Glossy black	AKZIOS13/FK
14	Structural black	AKZIOS14/FK
15	Dark structural graphite	AKZIOS15/FK
19	Structural white	AKZIOS19/FK
21	Matt white	AKZIOS21/FK
24	Matt black	AKZIOS24/FK
26	Deep matt black	AKZIOS26/FK
30	Glossy gold	AKZIOS30/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	AKZIOS03/FK
08	Nickel-grinded	AKZIOS08/FK
11	Antique brass	AKZIOS11/FK
29	Matt brass	AKZIOS29/FK

OLD STAR II

NEW



OLD STAR II regulating set. Angular version, F ½" / M ½". Dedicated to retro radiators.
The set includes: 2 x control valve.

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	ZIOS202/FK
05	Structural graphite	ZIOS205/FK
06	White	ZIOS206/FK
07	Anthracite/Glossy graphite	ZIOS207/FK
09	Quartz 1	ZIOS209/FK
10	Quartz 2	ZIOS210/FK
12	Metallic graphite	ZIOS212/FK
13	Glossy black	ZIOS213/FK
14	Structural black	ZIOS214/FK
15	Dark structural graphite	ZIOS215/FK
19	Structural white	ZIOS219/FK
21	Matt white	ZIOS221/FK
24	Matt black	ZIOS224/FK
26	Deep matt black	ZIOS226/FK
30	Glossy gold	ZIOS230/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	ZIOS203/FK
08	Nickel-grinded	ZIOS208/FK
11	Antique brass	ZIOS211/FK
29	Matt brass	ZIOS229/FK

Additionally, it is possible to order sets with connectors for connection to the installation.
When ordering, please add (PEX) or (Cu) at the end of the catalog number.
Example: ZIOS15/FK(Cu).

Type of connectors	M ½" x PEX (16x2)	M ½" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

OLD STAR II ALL IN ONE



OLD STAR II regulating set. Angular version, F ½" / M ½". Dedicated to retro radiators.

The set includes: 2 x control valve, 2 x single masking rosettes, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AKZIOS14/FK(Cu).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	AZIOS202/FK
05	Structural graphite	AZIOS205/FK
06	White	AZIOS206/FK
07	Anthracite/Glossy graphite	AZIOS207/FK
09	Quartz 1	AZIOS209/FK
10	Quartz 2	AZIOS210/FK
12	Metallic graphite	AZIOS212/FK
13	Glossy black	AZIOS213/FK
14	Structural black	AZIOS214/FK
15	Dark structural graphite	AZIOS215/FK
19	Structural white	AZIOS219/FK
21	Matt white	AZIOS221/FK
24	Matt black	AZIOS224/FK
26	Deep matt black	AZIOS226/FK
30	Glossy gold	AZIOS230/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	AZIOS203/FK
08	Nickel-grinded	AZIOS208/FK
11	Antique brass	AZIOS211/FK
29	Matt brass	AZIOS229/FK

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	AKZIOS202/FK
05	Structural graphite	AKZIOS205/FK
06	White	AKZIOS206/FK
07	Anthracite/Glossy graphite	AKZIOS207/FK
09	Quartz 1	AKZIOS209/FK
10	Quartz 2	AKZIOS210/FK
12	Metallic graphite	AKZIOS212/FK
13	Glossy black	AKZIOS213/FK
14	Structural black	AKZIOS214/FK
15	Dark structural graphite	AKZIOS215/FK
19	Structural white	AKZIOS219/FK
21	Matt white	AKZIOS221/FK
24	Matt black	AKZIOS224/FK
26	Deep matt black	AKZIOS226/FK
30	Glossy gold	AKZIOS230/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	AKZIOS203/FK
08	Nickel-grinded	AKZIOS208/FK
11	Antique brass	AKZIOS211/FK
29	Matt brass	AKZIOS229/FK

BALL



BALL regulating set. Angular version, F 1/2" / M 1/2". Dedicated to retro radiators.

The set includes: 1 x control valve, 1 x shut-off valve.

Colors with 1-7 days delivery time		
No	Color	Angular version
02	Chrome	ZIB02/FK
05	Structural graphite	ZIB05/FK
06	White	ZIB06/FK
07	Anthracite/Glossy graphite	ZIB07/FK
09	Quartz 1	ZIB09/FK
10	Quartz 2	ZIB10/FK
12	Metallic graphite	ZIB12/FK
13	Glossy black	ZIB13/FK
14	Structural black	ZIB14/FK
15	Dark structural graphite	ZIB15/FK
19	Structural white	ZIB19/FK
21	Matt white	ZIB21/FK
24	Matt black	ZIB24/FK
26	Deep matt black	ZIB26/FK
30	Glossy gold	ZIB30/FK
Colors with 4-6 weeks delivery time		
No	Color	Angular version
03	Satin	ZIB03/FK
08	Nickel-grinded	ZIB08/FK
11	Antique brass	ZIB11/FK
29	Matt brass	ZIB11/FK


Additionally, it is possible to order sets with connectors for connection to the installation.

When ordering, please add (PEX) or (Cu) at the end of the catalog number.

Example: ZIB14/FK(Cu).

Type of connectors	M 1/2" x PEX (16x2)	M 1/2" x Cu (15x1)
End of catalog number	(PEX) 	(Cu) 

BALL ALL IN ONE



BALL regulating set. Angular version, F ½" / M ½". Dedicated to retro radiators.

The set includes: 1 x control valve, 1 x shut-off valve, 2 x single masking rosettes, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AZIB26/FK(PEX).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	AZIB02/FK
05	Structural graphite	AZIB05/FK
06	White	AZIB06/FK
07	Anthracite/Glossy graphite	AZIB07/FK
09	Quartz 1	AZIB09/FK
10	Quartz 2	AZIB10/FK
12	Metallic graphite	AZIB12/FK
13	Glossy black	AZIB13/FK
14	Structural black	AZIB14/FK
15	Dark structural graphite	AZIB15/FK
19	Structural white	AZIB19/FK
21	Matt white	AZIB21/FK
24	Matt black	AZIB24/FK
26	Deep matt black	AZIB26/FK
30	Glossy gold	AZIB30/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	AZIB03/FK
08	Nickel-grinded	AZIB08/FK
11	Antique brass	AZIB11/FK
29	Matt brass	AZIB11/FK

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	AKZIB02/FK
05	Structural graphite	AKZIB05/FK
06	White	AKZIB06/FK
07	Anthracite/Glossy graphite	AKZIB07/FK
09	Quartz 1	AKZIB09/FK
10	Quartz 2	AKZIB10/FK
12	Metallic graphite	AKZIB12/FK
13	Glossy black	AKZIB13/FK
14	Structural black	AKZIB14/FK
15	Dark structural graphite	AKZIB15/FK
19	Structural white	AKZIB19/FK
21	Matt white	AKZIB21/FK
24	Matt black	AKZIB24/FK
26	Deep matt black	AKZIB26/FK
30	Glossy gold	AKZIB30/FK

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	AKZIB03/FK
08	Nickel-grinded	AKZIB08/FK
11	Antique brass	AKZIB11/FK
29	Matt brass	AKZIB11/FK

QUATTRO



The photo shows the right-hand version of the valve.

QUATTRO regulating set. Axial, left or right version, F 1/2" x M 1/2".

The set includes: 1 x control valve, 1 x shut-off valve.

Colors with 1-7 days delivery time			
No	Color	Right version	Left version
02	Chrome	QR02CFK/P	QR02CFK/L
05	Structural graphite	QR05CFK/P	QR05CFK/L
06	White	QR06CFK/P	QR06CFK/L
07	Anthracite/Glossy graphite	QR07CFK/P	QR07CFK/L
09	Quartz 1	QR09CFK/P	QR09CFK/L
10	Quartz 2	QR10CFK/P	QR10CFK/L
12	Metallic graphite	QR12CFK/P	QR12CFK/L
13	Glossy black	QR13CFK/P	QR13CFK/L
14	Structural black	QR14CFK/P	QR14CFK/L
15	Dark structural graphite	QR15CFK/P	QR15CFK/L
19	Structural white	QR19CFK/P	QR19CFK/L
21	Matt white	QR21CFK/P	QR21CFK/L
24	Matt black	QR24CFK/P	QR24CFK/L
26	Deep matt black	QR26CFK/P	QR26CFK/L
30	Glossy gold	QR30CFK/P	QR30CFK/L
Colors with 4-6 weeks delivery time			
No	Color	Right version	Left version
03	Satin	QR03CFK/P	QR03CFK/L
08	Nickel-grinded	QR08CFK/P	QR08CFK/L
11	Antique brass	QR11CFK/P	QR11CFK/L
29	Matt brass	QR29CFK/P	QR29CFK/L

It is possible to order a QUATTRO set with an outlet for PEX (16x2) or Cu (15x1). **Connectors are an integral part of valves.** When ordering, please add (PEX) or (Cu) at the end of the catalog number. Example: QR02CFK/L(PEX).

QUATTRO ALL IN ONE



QUATTRO regulating set. Axial, left or right version, F ½" x M ½".

The set includes: 1 x control valve, 1 x shut-off valve, 2 x single round or square masking rosettes, 2 x masking sleeves.

PEX (16x2) or Cu (15x1) connectors are an integral part of the valves.

When ordering, please add (PEX) or (Cu) at the end of the catalog number, e.g. AQR05CFK/L(Cu).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Right version	Left version
02	Chrome	AQR02CFK/P	AQR02CFK/L
05	Structural graphite	AQR05CFK/P	AQR05CFK/L
06	White	AQR06CFK/P	AQR06CFK/L
07	Anthracite/Glossy graphite	AQR07CFK/P	AQR07CFK/L
09	Quartz 1	AQR09CFK/P	AQR09CFK/L
10	Quartz 2	AQR10CFK/P	AQR10CFK/L
12	Metallic graphite	AQR12CFK/P	AQR12CFK/L
13	Glossy black	AQR13CFK/P	AQR13CFK/L
14	Structural black	AQR14CFK/P	AQR14CFK/L
15	Dark structural graphite	AQR15CFK/P	AQR15CFK/L
19	Structural white	AQR19CFK/P	AQR19CFK/L
21	Matt white	AQR21CFK/P	AQR21CFK/L
24	Matt black	AQR24CFK/P	AQR24CFK/L
26	Deep matt black	AQR26CFK/P	AQR26CFK/L
30	Glossy gold	AQR30CFK/P	AQR30CFK/L

Colors with 4-6 weeks delivery time

No	Color	Right version	Left version
03	Satin	AQR03CFK/P	AQR03CFK/L
08	Nickel-grinded	AQR08CFK/P	AQR08CFK/L
11	Antique brass	AQR11CFK/P	AQR11CFK/L
29	Matt brass	AQR29CFK/P	AQR29CFK/L

Set with square rosettes

Colors with 1-7 days delivery time


No	Color	Right version	Left version
02	Chrome	AKQR02CFK/P	AKQR02CFK/L
05	Structural graphite	AKQR05CFK/P	AKQR05CFK/L
06	White	AKQR06CFK/P	AKQR06CFK/L
07	Anthracite/Glossy graphite	AKQR07CFK/P	AKQR07CFK/L
09	Quartz 1	AKQR09CFK/P	AKQR09CFK/L
10	Quartz 2	AKQR10CFK/P	AKQR10CFK/L
12	Metallic graphite	AKQR12CFK/P	AKQR12CFK/L
13	Glossy black	AKQR13CFK/P	AKQR13CFK/L
14	Structural black	AKQR14CFK/P	AKQR14CFK/L
15	Dark structural graphite	AKQR15CFK/P	AKQR15CFK/L
19	Structural white	AKQR19CFK/P	AKQR19CFK/L
21	Matt white	AKQR21CFK/P	AKQR21CFK/L
24	Matt black	AKQR24CFK/P	AKQR24CFK/L
26	Deep matt black	AKQR26CFK/P	AKQR26CFK/L
30	Glossy gold	AKQR30CFK/P	AKQR30CFK/L

Colors with 4-6 weeks delivery time

No	Color	Right version	Left version
03	Satin	AKQR03CFK/P	AKQR03CFK/L
08	Nickel-grinded	AKQR08CFK/P	AKQR08CFK/L
11	Antique brass	AKQR11CFK/P	AKQR11CFK/L
29	Matt brass	AKQR29CFK/P	AKQR29CFK/L

LUX III

NEW



LUX III regulating set. Angular version, F 1/2" x M 1/2".

The set includes: 1 x control valve, 1 x shut-off valve. PEX (16x2) connectors are an integral part of the valves.

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	LUX3R02CFK(PEX)
05	Structural graphite	LUX3R05CFK(PEX)
06	White	LUX3R06CFK(PEX)
07	Anthracite/Glossy graphite	LUX3R07CFK(PEX)
09	Quartz 1	LUX3R09CFK(PEX)
10	Quartz 2	LUX3R10CFK(PEX)
12	Metallic graphite	LUX3R12CFK(PEX)
13	Glossy black	LUX3R13CFK(PEX)
14	Structural black	LUX3R14CFK(PEX)
15	Dark structural graphite	LUX3R15CFK(PEX)
19	Structural white	LUX3R19CFK(PEX)
21	Matt white	LUX3R21CFK(PEX)
24	Matt black	LUX3R24CFK(PEX)
26	Deep matt black	LUX3R26CFK(PEX)
30	Glossy gold	LUX3R30CFK(PEX)

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	LUX3R03CFK(PEX)
08	Nickel-grinded	LUX3R08CFK(PEX)
11	Antique brass	LUX3R11CFK(PEX)
29	Matt brass	LUX3R29CFK(PEX)



LUX III ALL IN ONE



or



NEW

LUX III regulating set. Angular version, F 1/2" x M 1/2".

The set includes: 1 x control valve, 1 x shut-off valve, 2 x single round or square masking rosettes, 2 x masking sleeves. PEX (16x2) connectors are an integral part of the valves.

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	ALUX3R02CFK(PEX)
05	Structural graphite	ALUX3R05CFK(PEX)
06	White	ALUX3R06CFK(PEX)
07	Anthracite/Glossy graphite	ALUX3R07CFK(PEX)
09	Quartz 1	ALUX3R09CFK(PEX)
10	Quartz 2	ALUX3R10CFK(PEX)
12	Metallic graphite	ALUX3R12CFK(PEX)
13	Glossy black	ALUX3R13CFK(PEX)
14	Structural black	ALUX3R14CFK(PEX)
15	Dark structural graphite	ALUX3R15CFK(PEX)
19	Structural white	ALUX3R19CFK(PEX)
21	Matt white	ALUX3R21CFK(PEX)
24	Matt black	ALUX3R24CFK(PEX)
26	Deep matt black	ALUX3R26CFK(PEX)
30	Glossy gold	ALUX3R30CFK(PEX)

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	ALUX3R03CFK(PEX)
08	Nickel-grinded	ALUX3R08CFK(PEX)
11	Antique brass	ALUX3R11CFK(PEX)
29	Matt brass	ALUX3R29CFK(PEX)

Set with square rosettes

Colors with 1-7 days delivery time

No	Color	Angular version
02	Chrome	AKLUX3R02CFK(PEX)
05	Structural graphite	AKLUX3R05CFK(PEX)
06	White	AKLUX3R06CFK(PEX)
07	Anthracite/Glossy graphite	AKLUX3R07CFK(PEX)
09	Quartz 1	AKLUX3R09CFK(PEX)
10	Quartz 2	AKLUX3R10CFK(PEX)
12	Metallic graphite	AKLUX3R12CFK(PEX)
13	Glossy black	AKLUX3R13CFK(PEX)
14	Structural black	AKLUX3R14CFK(PEX)
15	Dark structural graphite	AKLUX3R15CFK(PEX)
19	Structural white	AKLUX3R19CFK(PEX)
21	Matt white	AKLUX3R21CFK(PEX)
24	Matt black	AKLUX3R24CFK(PEX)
26	Deep matt black	AKLUX3R26CFK(PEX)
30	Glossy gold	AKLUX3R30CFK(PEX)

Colors with 4-6 weeks delivery time

No	Color	Angular version
03	Satin	AKLUX3R03CFK(PEX)
08	Nickel-grinded	AKLUX3R08CFK(PEX)
11	Antique brass	AKLUX3R11CFK(PEX)
29	Matt brass	AKLUX3R29CFK(PEX)

GLAMOUR

TWINS 24 CARATS

Plating	Left version	Right version
24-karat gold	APTSGS0222CFK/L	APTSGS0222CFK/P

UNICO 24 CARATS

Plating	Left version	Right version
24-karat gold	APUGS0222CFK/L	APUGS0222CFK/P

INTEGRA 24 CARATS

Plating	Left version	Right version
24-karat gold	AIGS0222CFK/L	AIGS0222CFK/P

VISION 24 CARATS

Plating	Left version	Right version
24-karat gold	AVIGS0222CFK/L	AVIGS0222CFK/P

TWINS GLAMOUR

No	Color	Left version	Right version
20	Galwanic gold	APTSGS0220CFK/L	APTSGS0220CFK/P
23	Matt black + Galwanic gold	APTSGS0223CFK/L	APTSGS0223CFK/P
25	Matt white + Galwanic gold	APTSGS0225CFK/L	APTSGS0225CFK/P
27	Matt black + Antique brass	APTSGS0227CFK/L	APTSGS0227CFK/P
28	Matt white + Antique brass	APTSGS0228CFK/L	APTSGS0228CFK/P

UNICO GLAMOUR

No	Color	Left version	Right version
20	Galwanic gold	APUGS0220CFK/L	APUGS0220CFK/P
23	Matt black + Galwanic gold	APUGS0223CFK/L	APUGS0223CFK/P
25	Matt white + Galwanic gold	APUGS0225CFK/L	APUGS0225CFK/P
27	Matt black + Antique brass	APUGS0227CFK/L	APUGS0227CFK/P
28	Matt white + Antique brass	APUGS0228CFK/L	APUGS0228CFK/P

INTEGRA GLAMOUR

No	Color	Left version	Right version
20	Galwanic gold	AIGS0220CFK/L	AIGS0220CFK/P
23	Matt black + Galwanic gold	AIGS0223CFK/L	AIGS0223CFK/P
25	Matt white + Galwanic gold	AIGS0225CFK/L	AIGS0225CFK/P
27	Matt black + Antique brass	AIGS0227CFK/L	AIGS0227CFK/P
28	Matt white + Antique brass	AIGS0228CFK/L	AIGS0228CFK/P

VISION GLAMOUR

No	Color	Left version	Right version
20	Galwanic gold	AVIGS0220CFK/L	AVIGS0220CFK/P
23	Matt black + Galwanic gold	AVIGS0223CFK/L	AVIGS0223CFK/P
25	Matt white + Galwanic gold	AVIGS0225CFK/L	AVIGS0225CFK/P
27	Matt black + Antique brass	AVIGS0227CFK/L	AVIGS0227CFK/P
28	Matt white + Antique brass	AVIGS0228CFK/L	AVIGS0228CFK/P

V-SMART

V-Smart remote-controlled systems are a modern solution for intelligent heating control, enabling precise temperature regulation in rooms. Thanks to the intuitive Smart Life and Tuya apps, users can manage their heating from anywhere, adapting settings to their lifestyle.




Colors with 1-7 days delivery time


No	Color	M30x1,5
06	White	GE06

Technical specifications:

- Power supply: 3 x 1.5V AA alkaline batteries;
- Standby current: Minimum 6 μ A;
- Operating temperature: 0 ~ 50°C;
- Wi-Fi: 802.11b/g/n (2,4 GHz);
- Wi-Fi range: 200 m in open space;
- Temperature sensor: NTC, B=3380, R25=10k Ω ±1%;
- Protection level: IP20;
- Surface temperature: max 90°C (on the radiator);
- Linear jump: 6 mm;
- Thread: M30x1,5;
- Dimensions: 59,7 mm x 95,3 mm;
- Weight: 145 g.



The V-SMART head is equipped with a high-end stepper motor, capable of delivering over 80N of powerful thrust even at low voltage.



OFF Mode (antifreeze is active)

When turned off, it activates the anti-freeze function to protect the radiator thermostat from freezing. The valve automatically opens below 5°C and closes above 7°C.



Comfort mode (20°C)

ensures the ideal indoor temperature. Once turned on, the heating system adjusts to the previously set comfort temperature, constantly maintaining it.



Antifreeze mode (5°C)


prevents pipes from freezing by maintaining a safe temperature of 5°C when activated, ideal for longer absences or colder climates.



ECO Mode (15°C)

energy-saving function that maintains the temperature slightly below the comfort level, ensuring a comfortable indoor temperature and energy savings.


TWINS V-SMART ALL IN ONE



TWINS V-SMART ALL IN ONE thermostatic set. Angular, left or right version, M ¾" x F ¾".
The set includes: 1 x thermostatic connection, 2 x ½"x¾" reducing nipples, 1 x V-SMART electronic head, 1 x double oval masking rosette, 2 x masking sleeves, 2 x PEX (16x2) connectors, 2 x Cu (15x1) connectors.

No	Color	Left version	Right version
06	White	ATSGE06FK/L(PEXCU)	ATSGE06FK/L(PEXCU)


UNICO V-SMART ALL IN ONE



UNICO V-SMART ALL IN ONE thermostatic set. Angular, left or right version, M ½" / M ¾" x M ¾".
The set includes: 1 x thermostatic connection, 1 x V-SMART electronic head, 1 x mounting connector, 1 x immersion tube, 1 x oval masking rosette, 2 x masking sleeves, 2 x PEX (16x2) connectors, 2 x Cu (15x1) connectors.

No	Color	Left version	Right version
06	White	AUGE06FK/L(PEXCU)	AUGE06FK/P(PEXCU)

INTEGRA DUO V-SMART ALL IN ONE



INTEGRA DUO V-SMART ALL IN ONE thermostatic set. Angular, left or right version, M ½" / M22x1,5 M.
The set includes: 1 x thermostatic connection, 1 x reducing cap on the shut-off side for connecting an electric heater, 1 x V-SMART electronic head, 1 x double oval masking rosette, 2 x masking sleeves, 2 x PEX (16x2) connectors, 2 x Cu (15x1) connectors.

No	Color	Left version	Right version
06	White	AIDGE06FK/L(PEXCU)	AIDGE06FK/P(PEXCU)

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	KI15/70
----	--------	-----------	---------




The photo shows the left-hand version of the valve.

The photo shows the left-hand version of the valve.

The photo shows the left-hand version of the valve.

The photo shows the right-hand version of the valve.

QUATTRO V-SMART ALL IN ONE




QUATTRO V-SMART ALL IN ONE thermostatic set. Axial, left or right version, M ½" / M M22x1,5.
The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x V-SMART electronic head, 2 x single round masking rosettes, 2 x masking sleeves, 2 x PEX (16x2) connectors, 2 x Cu (15x1) connectors.

No	Color	Left version	Right version
06	White	AQGE06FK/L(PEXCU)	AQGE06FK/P(PEXCU)

The photo shows the left-hand version of the valve.

VISION V-SMART ALL IN ONE




VISION V-SMART ALL IN ONE thermostatic set. Axial, left or right version, M ½" / M M22x1,5.
The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x V-SMART electronic head, 2 x single round masking rosettes, 2 x masking sleeves, 2 x PEX (16x2) connectors, 2 x Cu (15x1) connectors.

No	Color	Left version	Right version
06	White	AVIGE06FK/L(PEXCU)	AVIGE06FK/P(PEXCU)

The photo shows the right-hand version of the valve.

INTEGRA V-SMART ALL IN ONE




INTEGRA V-SMART ALL IN ONE thermostatic set. Axial, left or right version, M ½" / M M22x1,5. The set allows you to connect an electric heater.
The set includes: 1 x thermostatic valve, 1 x shut-off valve, 1 x reducing cap on the shut-off side for connecting an electric heater, 1 x V-SMART electronic head, 2 x single round masking rosettes, 2 x masking sleeves, 2 x PEX (16x2) connectors, 2 x Cu (15x1) connectors.

No	Color	Left version	Right version
06	White	AIGE06FK/L(PEXCU)	AIGE06FK/P(PEXCU)

Easier installation of the INTERGA set using an Allen key.

01	Nickel	Allen key	KI15/70
----	--------	-----------	---------



UNDERFLOOR HEATING

Underfloor heating has many advantages: heated floors retain heat for a long time, bathroom floors dry quickly, and the heat distribution from underfloor heating allows you to lower the room temperature by approximately 2°C while maintaining a sense of thermal comfort. Furthermore, this type of heating is considered the best for our health.


Underfloor heating is a very good solution, but if the area of the rooms intended for this type of installation is small, its installation may not be cost-effective. Sometimes users only want to „warm up“ a cold floor material, such as stoneware, despite using traditional radiators. In such cases, it's worth considering another option: integrated heating.

INTEGRATED HEATING PRODUCT LINE


Its operating principle is to limit the water temperature at the radiator return and/or in the underfloor heating loop (up to 15m²). Using this limiter will maintain a constant return temperature of the heating medium within the range of 10°C to 50°C, further eliminating the need for a mixing valve and an additional circulation pump.

RETURN TEMPERATURE LIMITATION. OPERATION PRINCIPLE - CONNECTIONS


CONNECTING USING THE LIMIT BOX SET



CONNECTING USING A SPLITTER



DIRECT CONNECTION



LIMIT BOX - TYPE T



LIMIT BOX TYPE T underfloor heating set with M ¾" outlet for PEX/Cu adapters. Designed to regulate the temperature of small underfloor heating surfaces (thanks to the RTL head), and thanks to the additional classic thermostatic head, we can also control the ambient temperature.

The set includes: 1 x integrated valve LIMIT BOX RTL, 1 x PRESTIGE RTL head, 1 x PICCO thermostatic head, 1 x Limit Box coffer, 1 x bleed key, 2 x fittings PEX (16x2) / M ¾".

Type	Catalog number
PRESTIGE RTL closed, PICCO thermostatic head open	ZKTRTL06

LIMIT BOX - TYPE O



The LIMIT BOX TYPE O underfloor heating set with an M ¾" outlet for PEX/Cu adapters. Designed for temperature control in small underfloor heating areas, it's ideal for connecting a newly installed underfloor heating system, as well as for connecting to an existing radiator system.

The set includes: 1 x integrated valve LIMIT BOX RTL, 1 x PRESTIGE RTL head, 1 x Limit Box coffer, 1 x bleed key, 2 x fittings PEX (16x2) / M ¾".

Type	Catalog number
PRESTIGE RTL open	ZKORTL06

LIMIT BOX - TYPE Z



The LIMIT BOX TYPE Z underfloor heating set with an M ¾" outlet for PEX/Cu adapters is designed to regulate the temperature of small underfloor heating areas. It works perfectly when connecting a newly installed underfloor heating system, but also when connecting to an existing radiator system.

The set includes: 1 x integrated valve LIMIT BOX RTL, 1 x PRESTIGE RTL head, 1 x Limit Box coffer, 1 x bleed key, 2 x fittings PEX (16x2) / M ¾".

Type	Catalog number
PRESTIGE RTL closed	ZKZRTL06

STANDARD RTL



STANDRAD underfloor heating set, straight or angled, with M ¾" outlet for PEX/Cu adapters. Designed to limit the return temperature of a radiator and/or to regulate the temperature for small underfloor heating surfaces.

The set includes: 1 x STANDARD RTL valve, 1 x PRESTIGE RTL head.

Color	Angular version	Straight version
Nickel	ZRTL06/K	ZRTL06/P


PRESTIGE RTL



The RTL PRESTIGE thermostatic head is designed for underfloor heating. Its inner body is made of glass-fiber-reinforced plastic, allowing it to operate at very high temperatures (up to 120°C). The outer shell is made of ABS plastic. The sensor head is calibrated within a range of 10-50°C. It is only compatible with VARIO TERM RTL valves.

Color	Catalog number
White	000M656A006

TWINS RTL



The photo shows the right-hand version of the valve.

TWINS RTL underfloor heating set. Angular, left or right version, M ¾" x M ¾". Installation connection spacing 50 mm. The set is used to limit the temperature at the radiator return or to regulate the temperature for small underfloor heating areas (up to 15 m²).

The set includes: 1 x RTL connection, 1 x PRESTIGE RTL head, 2 x ½"x¾" reducing nipples.


Colors with 1-7 days delivery time			
No	Color	Right version	Left version
02	Chrome	TRTL02/P	TRTL02/L
05	Structural graphite	TRTL05/P	TRTL05/L
06	White	TRTL06/P	TRTL06/L
07	Anthracite/Glossy graphite	TRTL07/P	TRTL07/L
09	Quartz 1	TRTL09/P	TRTL09/L
10	Quartz 2	TRTL10/P	TRTL10/L
12	Metallic graphite	TRTL12/P	TRTL12/L
13	Glossy black	TRTL13/P	TRTL13/L
14	Structural black	TRTL14/P	TRTL14/L
15	Dark structural graphite	TRTL15/P	TRTL15/L
19	Structural white	TRTL19/P	TRTL19/L
21	Matt white	TRTL21/P	TRTL21/L
24	Matt black	TRTL24/P	TRTL24/L
26	Deep matt black	TRTL26/P	TRTL26/L
30	Glossy gold	TRTL30/P	TRTL30/L
Colors with 4-6 weeks delivery time			
No	Color	Right version	Left version
03	Satin	TRTL03/P	TRTL03/L
08	Nickel-grinded	TRTL08/P	TRTL08/L
11	Antique brass	TRTL11/P	TRTL11/L
29	Matt brass	TRTL29/P	TRTL29/L

Additionally, it is possible to order sets with connectors for connection to the installation. When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number.

Example: TRTL12/L(PEX).

Type of connectors	F ¾" x PEX (16x2)	F ¾" x Cu (15x1)	F ¾" x M ½"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

TWINS RTL ALL IN ONE



TWINS RTL underfloor heating set. Angular, left or right version, M $\frac{3}{4}$ " x M $\frac{3}{4}$ ". Installation connection spacing 50 mm.

The set includes: 1 x RTL connection, 1 x PRESTIGE RTL head, 1 x double oval or rectangular masking rosette, 2 x masking sleeve, 2 x $\frac{1}{2}$ "x $\frac{3}{4}$ " reducing nipples, 2 x adapter/connector for PEX (16x2) or Cu (15x1).

Connector versions should be indicated in the catalog number, e.g. ATRTL10/L(PEX).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	ATRTL02/L	ATRTL02/P
05	Structural graphite	ATRTL05/L	ATRTL05/P
06	White	ATRTL06/L	ATRTL06/P
07	Anthracite/Glossy graphite	ATRTL07/L	ATRTL07/P
09	Quartz 1	ATRTL09/L	ATRTL09/P
10	Quartz 2	ATRTL10/L	ATRTL10/P
12	Metallic graphite	ATRTL12/L	ATRTL12/P
13	Glossy black	ATRTL13/L	ATRTL13/P
14	Structural black	ATRTL14/L	ATRTL14/P
15	Dark structural graphite	ATRTL15/L	ATRTL15/P
19	Structural white	ATRTL19/L	ATRTL19/P
21	Matt white	ATRTL21/L	ATRTL21/P
24	Matt black	ATRTL24/L	ATRTL24/P
26	Deep matt black	ATRTL26/L	ATRTL26/P
30	Glossy gold	ATRTL30/L	ATRTL30/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	ATRTL03/L	ATRTL03/P
08	Nickel-grinded	ATRTL08/L	ATRTL08/P
11	Antique brass	ATRTL11/L	ATRTL11/P
29	Matt brass	ATRTL29/L	ATRTL29/P

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	APRTL02/L	APRTL02/P
05	Structural graphite	APRTL05/L	APRTL05/P
06	White	APRTL06/L	APRTL06/P
07	Anthracite/Glossy graphite	APRTL07/L	APRTL07/P
09	Quartz 1	APRTL09/L	APRTL09/P
10	Quartz 2	APRTL10/L	APRTL10/P
12	Metallic graphite	APRTL12/L	APRTL12/P
13	Glossy black	APRTL13/L	APRTL13/P
14	Structural black	APRTL14/L	APRTL14/P
15	Dark structural graphite	APRTL15/L	APRTL15/P
19	Structural white	APRTL19/L	APRTL19/P
21	Matt white	APRTL21/L	APRTL21/P
24	Matt black	APRTL24/L	APRTL24/P
26	Deep matt black	APRTL26/L	APRTL26/P
30	Glossy gold	APRTL30/L	APRTL30/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	APRTL03/L	APRTL03/P
08	Nickel-grinded	APRTL08/L	APRTL08/P
11	Antique brass	APRTL11/L	APRTL11/P
29	Matt brass	APRTL29/L	APRTL29/P

UNICO RTL



The photo shows the left-hand version of the valve.

UNICO RTL underfloor heating set. Angular, left or right version, M 1/2" / M 3/4" x M 3/4". Installation connection spacing 50 mm. Designed specifically for radiators that allow the use of an electric heating element. The set is used to limit the temperature at the radiator return or to regulate the temperature for small underfloor heating areas (up to 15 m²).

The set includes: 1 x RTL connection, 1 x immersion tube, 1 x mounting connector, 1 x PRESTIGE RTL head.

Colors with 1-7 days delivery time			
No	Color	Right version	Left version
02	Chrome	URLT02/P	URLT02/L
05	Structural graphite	URLT05/P	URLT05/L
06	White	URLT06/P	URLT06/L
07	Anthracite/Glossy graphite	URLT07/P	URLT07/L
09	Quartz 1	URLT09/P	URLT09/L
10	Quartz 2	URLT10/P	URLT10/L
12	Metallic graphite	URLT12/P	URLT12/L
13	Glossy black	URLT13/P	URLT13/L
14	Structural black	URLT14/P	URLT14/L
15	Dark structural graphite	URLT15/P	URLT15/L
19	Structural white	URLT19/P	URLT19/L
21	Matt white	URLT21/P	URLT21/L
24	Matt black	URLT24/P	URLT24/L
26	Deep matt black	URLT26/P	URLT26/L
30	Glossy gold	URLT30/P	URLT30/L
Colors with 4-6 weeks delivery time			
No	Color	Right version	Left version
03	Satin	URLT03/P	URLT03/L
08	Nickel-grinded	URLT08/P	URLT08/L
11	Antique brass	URLT11/P	URLT11/L
29	Matt brass	URLT29/P	URLT29/L

Additionally, it is possible to order sets with connectors for connection to the installation. When ordering, please add (PEX) or (Cu) or (GZ) at the end of the catalog number.

Example: URLT21/L(Cu).

Type of connectors	F 3/4" x PEX (16x2)	F 3/4" x Cu (15x1)	F 3/4" x M 1/2"
End of catalog number	(PEX) 	(Cu) 	(GZ) 

UNICO RTL ALL IN ONE



UNICO RTL underfloor heating set. Angular, left or right version, M ½" / M ¾" x M ¾". Installation connection spacing 50 mm.

The set includes: 1 x RTL connection, 1 x PRESTIGE RTL head, 1 x immersion tube, 1 x mounting connector, 1 x double oval or rectangular masking rosette, 2 x masking sleeves, 2 x connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. APURTL15/P(PEX).

Set with an oval rosette

Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	AURTL02/L	AURTL02/P
05	Structural graphite	AURTL05/L	AURTL05/P
06	White	AURTL06/L	AURTL06/P
07	Anthracite/Glossy graphite	AURTL07/L	AURTL07/P
09	Quartz 1	AURTL09/L	AURTL09/P
10	Quartz 2	AURTL10/L	AURTL10/P
12	Metallic graphite	AURTL12/L	AURTL12/P
13	Glossy black	AURTL13/L	AURTL13/P
14	Structural black	AURTL14/L	AURTL14/P
15	Dark structural graphite	AURTL15/L	AURTL15/P
19	Structural white	AURTL19/L	AURTL19/P
21	Matt white	AURTL21/L	AURTL21/P
24	Matt black	AURTL24/L	AURTL24/P
26	Deep matt black	AURTL26/L	AURTL26/P
30	Glossy gold	AURTL30/L	AURTL30/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	AURTL03/L	AURTL03/P
08	Nickel-grinded	AURTL08/L	AURTL08/P
11	Antique brass	AURTL11/L	AURTL11/P
29	Matt brass	AURTL29/L	AURTL29/P

Set with a rectangular rosette


Colors with 1-7 days delivery time

No	Color	Left version	Right version
02	Chrome	APURTL02/L	APURTL02/P
05	Structural graphite	APURTL05/L	APURTL05/P
06	White	APURTL06/L	APURTL06/P
07	Anthracite/Glossy graphite	APURTL07/L	APURTL07/P
09	Quartz 1	APURTL09/L	APURTL09/P
10	Quartz 2	APURTL10/L	APURTL10/P
12	Metallic graphite	APURTL12/L	APURTL12/P
13	Glossy black	APURTL13/L	APURTL13/P
14	Structural black	APURTL14/L	APURTL14/P
15	Dark structural graphite	APURTL15/L	APURTL15/P
19	Structural white	APURTL19/L	APURTL19/P
21	Matt white	APURTL21/L	APURTL21/P
24	Matt black	APURTL24/L	APURTL24/P
26	Deep matt black	APURTL26/L	APURTL26/P
30	Glossy gold	APURTL30/L	APURTL30/P

Colors with 4-6 weeks delivery time

No	Color	Left version	Right version
03	Satin	APURTL03/L	APURTL03/P
08	Nickel-grinded	APURTL08/L	APURTL08/P
11	Antique brass	APURTL11/L	APURTL11/P
29	Matt brass	APURTL29/L	APURTL29/P

VISION RTL



The photo shows the right-hand version of the valve.

VISION RTL underfloor heating set. Axial, left or right version, M 1/2" x M22x1,5 M.
The set is used to limit the temperature at the radiator return or to regulate the temperature for small underfloor heating areas (up to 15 m²).

The set includes: 1 x RTL supply valve, 1 x RTL shut-off valve, 1 x PRESTIGE RTL head.

Colors with 1-7 days delivery time			
No	Color	Right version	Left version
02	Chrome	VIRTL02P	VIRTL02L
05	Structural graphite	VIRTL05P	VIRTL05L
06	White	VIRTL06P	VIRTL06L
07	Anthracite/Glossy graphite	VIRTL07P	VIRTL07L
09	Quartz 1	VIRTL09P	VIRTL09L
10	Quartz 2	VIRTL10P	VIRTL10L
12	Metallic graphite	VIRTL12P	VIRTL12L
13	Glossy black	VIRTL13P	VIRTL13L
14	Structural black	VIRTL14P	VIRTL14L
15	Dark structural graphite	VIRTL15P	VIRTL15L
19	Structural white	VIRTL19P	VIRTL19L
21	Matt white	VIRTL21P	VIRTL21L
24	Matt black	VIRTL24P	VIRTL24L
26	Deep matt black	VIRTL26P	VIRTL26L
30	Glossy gold	VIRTL30P	VIRTL30L
Colors with 4-6 weeks delivery time			
No	Color	Right version	Left version
03	Satin	VIRTL03P	VIRTL03L
08	Nickel-grinded	VIRTL08P	VIRTL08L
11	Antique brass	VIRTL11P	VIRTL11L
29	Matt brass	VIRTL29P	VIRTL29L

Additionally, it is possible to order sets with connectors for connection to the installation. When ordering, please add (PEX) or (Cu) or (GZ) or (GW) at the end of the catalog number.

Example: VIRTL05/L(Cu).

Type of connectors	M22x1,5 x PEX (16x2)	M22x1,5 x Cu (15x1)	M22x1,5 x M 1/2"	M22x1,5 x F 1/2"
End of catalog number	(PEX) 	(Cu) 	(GZ) 	(GW) 

VISION RTL ALL IN ONE



VISION RTL underfloor heating set. Axial, left or right version, M ½" x M22x1,5 M.

The set includes: 1 x RTL supply valve, 1 x RTL shut-off valve, 1 x PRESTIGE RTL head, 2 x single round or square masking rosettes, 2 x masking sleeves, 2 x adapters/connectors for PEX (16x2) or Cu (15x1), connector versions should be indicated in the catalog number, e.g. AVIRTL26/P(PEX).

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Right version	Left version
02	Chrome	AVIRTL02/P	AVIRTL02/L
05	Structural graphite	AVIRTL05/P	AVIRTL05/L
06	White	AVIRTL06/P	AVIRTL06/L
07	Anthracite/Glossy graphite	AVIRTL07/P	AVIRTL07/L
09	Quartz 1	AVIRTL09/P	AVIRTL09/L
10	Quartz 2	AVIRTL10/P	AVIRTL10/L
12	Metallic graphite	AVIRTL12/P	AVIRTL12/L
13	Glossy black	AVIRTL13/P	AVIRTL13/L
14	Structural black	AVIRTL14/P	AVIRTL14/L
15	Dark structural graphite	AVIRTL15/P	AVIRTL15/L
19	Structural white	AVIRTL19/P	AVIRTL19/L
21	Matt white	AVIRTL21/P	AVIRTL21/L
24	Matt black	AVIRTL24/P	AVIRTL24/L
26	Deep matt black	AVIRTL26/P	AVIRTL26/L
30	Glossy gold	AVIRTL30/P	AVIRTL30/L

Colors with 4-6 weeks delivery time

No	Color	Right version	Left version
03	Satin	AVIRTL03/P	AVIRTL03/L
08	Nickel-grinded	AVIRTL08/P	AVIRTL08/L
11	Antique brass	AVIRTL11/P	AVIRTL11/L
29	Matt brass	AVIRTL29/P	AVIRTL29/L

Set with square rosettes


Colors with 1-7 days delivery time

No	Color	Right version	Left version
02	Chrome	AKVIRTL02/P	AKVIRTL02/L
05	Structural graphite	AKVIRTL05/P	AKVIRTL05/L
06	White	AKVIRTL06/P	AKVIRTL06/L
07	Anthracite/Glossy graphite	AKVIRTL07/P	AKVIRTL07/L
09	Quartz 1	AKVIRTL09/P	AKVIRTL09/L
10	Quartz 2	AKVIRTL10/P	AKVIRTL10/L
12	Metallic graphite	AKVIRTL12/P	AKVIRTL12/L
13	Glossy black	AKVIRTL13/P	AKVIRTL13/L
14	Structural black	AKVIRTL14/P	AKVIRTL14/L
15	Dark structural graphite	AKVIRTL15/P	AKVIRTL15/L
19	Structural white	AKVIRTL19/P	AKVIRTL19/L
21	Matt white	AKVIRTL21/P	AKVIRTL21/L
24	Matt black	AKVIRTL24/P	AKVIRTL24/L
26	Deep matt black	AKVIRTL26/P	AKVIRTL26/L
30	Glossy gold	AKVIRTL30/P	AKVIRTL30/L

Colors with 4-6 weeks delivery time

No	Color	Right version	Left version
03	Satin	AKVIRTL03/P	AKVIRTL03/L
08	Nickel-grinded	AKVIRTL08/P	AKVIRTL08/L
11	Antique brass	AKVIRTL11/P	AKVIRTL11/L
29	Matt brass	AKVIRTL29/P	AKVIRTL29/L

LUX II RTL



LUX II RTL underfloor heating set. Angular version, F 1/2" x M 1/2".
The set is used to limit the temperature at the radiator return or to regulate the temperature for small underfloor heating areas (up to 15 m²).
The set includes: 1 x RTL supply valve, 1 x RTL shut-off valve, 1 x PRESTIGE RTL head.
PEX (16x2) or Cu (15x1) connectors are an integral part of the valves.


Colors with 1-7 days delivery time

No	Color	Valves with PEX (16x2) output	Valves with Cu (15x1) output
02	Chrome	LUXRTL02(PEX)	LUXRTL02(Cu)
05	Structural graphite	LUXRTL05(PEX)	LUXRTL05(Cu)
06	White	LUXRTL06(PEX)	LUXRTL06(Cu)
07	Anthracite/Glossy graphite	LUXRTL07(PEX)	LUXRTL07(Cu)
09	Quartz 1	LUXRTL09(PEX)	LUXRTL09(Cu)
10	Quartz 2	LUXRTL10(PEX)	LUXRTL10(Cu)
12	Metallic graphite	LUXRTL12(PEX)	LUXRTL12(Cu)
13	Glossy black	LUXRTL13(PEX)	LUXRTL13(Cu)
14	Structural black	LUXRTL14(PEX)	LUXRTL14(Cu)
15	Dark structural graphite	LUXRTL15(PEX)	LUXRTL15(Cu)
19	Structural white	LUXRTL19(PEX)	LUXRTL19(Cu)
21	Matt white	LUXRTL21(PEX)	LUXRTL21(Cu)
24	Matt black	LUXRTL24(PEX)	LUXRTL24(Cu)
26	Deep matt black	LUXRTL26(PEX)	LUXRTL26(Cu)
30	Glossy gold	LUXRTL30(PEX)	LUXRTL30(Cu)

Colors with 4-6 weeks delivery time

No	Color	Valves with PEX (16x2) output	Valves with Cu (15x1) output
03	Satin	LUXRTL03(PEX)	LUXRTL03(Cu)
08	Nickel-grinded	LUXRTL08(PEX)	LUXRTL08(Cu)
11	Antique brass	LUXRTL11(PEX)	LUXRTL11(Cu)
29	Matt brass	LUXRTL29(PEX)	LUXRTL29(Cu)

LUX II RTL ALL IN ONE



LUX II RTL underfloor heating set. Angular version, F ½" x M ½".

The set includes: 1 x RTL supply valve, 1 x RTL shut-off valve, 1 x PRESTIGE RTL head, 2 x single round or square masking rosettes, 2 x masking sleeves. PEX (16x2) or Cu (15x1) connectors are an integral part of the valves.

Set with round rosettes

Colors with 1-7 days delivery time

No	Color	Valves with PEX (16x2) output	Valves with Cu (15x1) output
02	Chrome	ALUXRTL02(PEX)	ALUXRTL02(Cu)
05	Structural graphite	ALUXRTL05(PEX)	ALUXRTL05(Cu)
06	White	ALUXRTL06(PEX)	ALUXRTL06(Cu)
07	Anthracite/Glossy graphite	ALUXRTL07(PEX)	ALUXRTL07(Cu)
09	Quartz 1	ALUXRTL09(PEX)	ALUXRTL09(Cu)
10	Quartz 2	ALUXRTL10(PEX)	ALUXRTL10(Cu)
12	Metallic graphite	ALUXRTL12(PEX)	ALUXRTL12(Cu)
13	Glossy black	ALUXRTL13(PEX)	ALUXRTL13(Cu)
14	Structural black	ALUXRTL14(PEX)	ALUXRTL14(Cu)
15	Dark structural graphite	ALUXRTL15(PEX)	ALUXRTL15(Cu)
19	Structural white	ALUXRTL19(PEX)	ALUXRTL19(Cu)
21	Matt white	ALUXRTL21(PEX)	ALUXRTL21(Cu)
24	Matt black	ALUXRTL24(PEX)	ALUXRTL24(Cu)
26	Deep matt black	ALUXRTL26(PEX)	ALUXRTL26(Cu)
30	Glossy gold	ALUXRTL30(PEX)	ALUXRTL30(Cu)

Colors with 4-6 weeks delivery time

No	Color	Valves with PEX (16x2) output	Valves with Cu (15x1) output
03	Satin	ALUXRTL03(PEX)	ALUXRTL03(Cu)
08	Nickel-grinded	ALUXRTL08(PEX)	ALUXRTL08(Cu)
11	Antique brass	ALUXRTL11(PEX)	ALUXRTL11(Cu)
29	Matt brass	ALUXRTL29(PEX)	ALUXRTL29(Cu)

Set with square rosettes

Colors with 1-7 days delivery time


No	Color	Valves with PEX (16x2) output	Valves with Cu (15x1) output
02	Chrome	AKLUXRTL02(PEX)	AKLUXRTL02(Cu)
05	Structural graphite	AKLUXRTL05(PEX)	AKLUXRTL05(Cu)
06	White	AKLUXRTL06(PEX)	AKLUXRTL06(Cu)
07	Anthracite/Glossy graphite	AKLUXRTL07(PEX)	AKLUXRTL07(Cu)
09	Quartz 1	AKLUXRTL09(PEX)	AKLUXRTL09(Cu)
10	Quartz 2	AKLUXRTL10(PEX)	AKLUXRTL10(Cu)
12	Metallic graphite	AKLUXRTL12(PEX)	AKLUXRTL12(Cu)
13	Glossy black	AKLUXRTL13(PEX)	AKLUXRTL13(Cu)
14	Structural black	AKLUXRTL14(PEX)	AKLUXRTL14(Cu)
15	Dark structural graphite	AKLUXRTL15(PEX)	AKLUXRTL15(Cu)
19	Structural white	AKLUXRTL19(PEX)	AKLUXRTL19(Cu)
21	Matt white	AKLUXRTL21(PEX)	AKLUXRTL21(Cu)
24	Matt black	AKLUXRTL24(PEX)	AKLUXRTL24(Cu)
26	Deep matt black	AKLUXRTL26(PEX)	AKLUXRTL26(Cu)
30	Glossy gold	AKLUXRTL30(PEX)	AKLUXRTL30(Cu)

Colors with 4-6 weeks delivery time

No	Color	Valves with PEX (16x2) output	Valves with Cu (15x1) output
03	Satin	AKLUXRTL03(PEX)	AKLUXRTL03(Cu)
08	Nickel-grinded	AKLUXRTL08(PEX)	AKLUXRTL08(Cu)
11	Antique brass	AKLUXRTL11(PEX)	AKLUXRTL11(Cu)
29	Matt brass	AKLUXRTL29(PEX)	AKLUXRTL29(Cu)

MAG-FILTER

The Brass Form Magnetic Filter is an ideal solution for gas installations, including wall-mounted natural gas or liquefied petroleum gas boilers (with propane cylinders or tanks in areas without a natural gas network), and heating systems. It provides complete protection against boiler damage by effectively combining two cleaning stages with a powerful neodymium magnesium and stainless steel filter to capture and remove metal particles circulating in the water in a closed system.



POWERFUL NEODYMIUM MAGNET

Circulating contaminants such as rust and sand, which are formed due to corrosion, are effectively collected, especially during the start-up phase, preventing wear and damage to the boiler and heat exchanger. It can be installed in horizontal or vertical pipes thanks to the 360°C rotation of the tee, with various connection types. A detachable magnet located inside the hydrocyclonic flow chamber effectively traps all metal particles. The liquid then flows through a stainless steel filter, which traps all non-metallic contaminants remaining and retained at the bottom of the chamber. These can be removed by opening the drain valve at the bottom of the filter.

STAINLESS STEEL FILTER

The filter's clever design doesn't slow down fluid flow (low pressure loss), and thanks to its swirling action and large chamber volume, contamination rates are reduced. This design slows down particles entering the filter chamber and makes them easier for the magnet to capture. A vent at the top of the device ensures proper venting of the system (trapped microbubbles).

BRASS HYDRO-CYCLONE MAGNETIC FILTER | MAG-FILTER



- Magnet (powerful neodymium magnet 10,500+ Gauss);
- Forged brass (Chrome plated);
- Stainless steel filter (removable mesh for easy maintenance);
- Dimensions DN20, DN25, DN 32 (low pressure losses);
- Vent (venting micro bubbles trapped in the system);
- Demagnetization;
- Suitable for installation in old systems with high pressures and temperatures;
- Can be installed in horizontal or vertical pipelines thanks to the 360° rotation of the tee;
- With various connection modes $\frac{3}{4}$ ", 1", 1 $\frac{1}{4}$ ", both external and internal;
- Max. pressure: 10 bar;
- Max. temperature: 95°C.

Catalog number	Description
7300020	Magnetic filter $\frac{3}{4}$ " x $\frac{3}{4}$ "
7200030	Magnetic filter 1" x 1"

MAGNETIC FILTER WITH VISIBLE FILTER | MAG-FILTER



- Magnet (powerful neodymium magnet 10,500+ Gauss);
- Forged brass (Chrome plated);
- Stainless steel filter (removable mesh for easy maintenance);
- Kontrola wizualna (przez przezroczysty pojemnik zbiorczy);
- Dimensions DN20, DN25, DN 32 (low pressure losses);
- Vent (venting micro bubbles trapped in the system);
- Demagnetization;
- Suitable for installation in old systems with high pressures and temperatures;
- Can be installed in horizontal or vertical pipelines thanks to the 360° rotation of the tee;
- With various connection modes $\frac{3}{4}$ ", 1", 1 $\frac{1}{4}$ ", both external and internal;
- Max. pressure: 10 bar;
- Max. temperature: 95°C.

Catalog number	Description
7300021	Magnetic filter $\frac{3}{4}$ " x $\frac{3}{4}$ ", plastic tank - visible filter
7200031	Magnetic filter 1" x 1", plastic tank - visible filter
7300034	Magnetic filter 1 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ ", plastic tank - visible filter

SMART MAG-FILTER



- Length 126mm;
- Neodymium magnet N48;
- Visual inspection (through transparent collection container);
- Connection $\frac{3}{4}$ " inside x swivel nut $\frac{3}{4}$ ";
- Built-in $\frac{3}{4}$ " ball valve;
- Brass CW617N;
- Collection chamber: polysulfone (PSU);
- Max. pressure: 6 bar, max. temperature: 95°C;
- Horizontal installation.

Catalog number	Description	Color
7300050	Smart Mag magnetic filter $\frac{3}{4}$ " x $\frac{3}{4}$ "	Chrome
7300060	Smart Mag magnetic filter $\frac{3}{4}$ " x $\frac{3}{4}$ "	White

INSULATION FOR MAGNETIC FILTERS

EPP insulation for MAG-FILTER magnetic filters. Made of polyethylene foam.



- simple operation;
- filter protection ensuring long filter life;
- includes adhesive strips to prevent scratching.

Catalog number	Description
7220030	¾" Magnetic Filter Isolation
7220040	1" Magnetic Filter Isolation
7220050	1 ¼" Magnetic Filter Isolation

MAG-FILTER + V-CLEANER + V-INHIBITOR SET

A magnetic filter with a visible filter for gas installations, wall-mounted boilers for natural or liquefied gas, and heating systems.

A polymer-vitamin solution for removing contaminants from water circulation systems V-CLEANER.

A polymer agent protecting water circulation systems from contaminants, scale, rust, and sludge V-INHIBITOR.



The set includes:

- 1 x brass hydrocyclone magnetic filter F 1" x F 1" or F ¾" x F ¾",
- 1 x V-CLEANER 500ml,
- 1 x V-INHIBITOR 500ml.

Catalog number	Filter thread
VMAGCLIN421	F ¾" x F ¾"
VMAGCLIN432	F 1" x F 1"

MAG-FILTER + V-INHIBITOR SET

Magnetic filter with a visible filter for gas installations, wall-mounted boilers for natural or liquefied gas, and heating systems.

A polymeric agent that protects water systems against contamination, scale, rust, and sludge formation V-INHIBITOR.

The set includes:

- 1 x brass hydrocyclone magnetic filter F 1" x F 1" or F ¾" x F ¾",
- 1 x V-INHIBITOR 500ml.



Catalog number	Filter thread
VMAGIN421	F ¾" x F ¾"
VMAGIN432	F 1" x F 1"

For longer system life, regular use of corrosion inhibitors and cleaning agents is recommended, such as V-INHIBITOR and V-CLEANER from Vario Term.

V-CLEANER

A polymer-vitamin agent for removing contaminants from water systems. For use in heating, cooling, industrial, and machinery systems. The product breaks down and prevents contaminants from binding in the system. It restores full efficiency and circulation, and eliminates system noise. Reduces and removes cold spots in heating systems. This product is suitable for use in all systems, regardless of the material used. It does not damage seals and connections. After using V-CLEANER, we recommend protecting the system with Vario Term V-INHIBITOR.



- efficiency: 500 ml V-Cleaner per 150L of refrigerant in the system;
- restores the original efficiency of the installation circuit;
- does not react with aluminum and aluminum-silicon;
- removes all contaminants from the installation;
- non-aggressive multi-material product;
- used for all types of installations;
- biodegradable product;
- eliminates noisy operation;
- degassing installations;
- does not contain acids;
- does not react with other metals;
- fluid operating range 0-160C.

Catalog number

VCL500

Type

V-Cleaner 500 ml

V-INHIBITOR

A polymeric agent that protects water systems against contamination, scale, rust, and sludge. For use in heating, cooling, industrial, and mechanical systems. For use in new systems and those previously cleaned with Vario Term V-Cleaner products. The product protects the system and all its components. Its broad range of applications and polymeric nature allow for the protection of multi-material systems. It regulates pH and creates a polymer layer in the system.



- efficiency: 500 ml V-Cleaner per 150L of refrigerant in the system;
- has an anti-corrosive effect on all installation components;
- non-reactive with aluminum and aluminum-silicon;
- reduces the noisy operation of components;
- has lubricating properties;
- degassing installations;
- does not react with other metals;
- fluid operating range 0-160C.

Catalog number

VIN500


Type

V-Inhibitor 500 ml

For longer system life, regular use of corrosion inhibitors and cleaning agents is recommended, such as V-INHIBITOR and V-CLEANER from Vario Term.

THREE-WAY VALVES WITH ACTUATOR

Three-way ball valves play a crucial role in any modern central heating system. This valve belongs to the group of three-way switching valves, and its function is to change the flow direction of the medium in the central heating system.



Using this valve allows us to supply two different heat sources, such as domestic hot water or a radiator heating circuit.

If we have multiple heat sources, such as a heat pump or a gas furnace, we can use the valve to supply the heating circuit with heat from the device we are currently using to produce heat. Combining the valve with a bidirectionally controlled electric actuator ensures maximum system efficiency. The valve's unique design allows for left- or right-hand actuator installation, ensuring flexibility during installation.

ACTUATOR + THREE-WAY VALVE SET

Actuator with a reliable and robust Crouzet electric motor. It features a highly durable plastic housing with an IP 44 seal and metal gears for maximum output power.

Three-way ball valve for Smart actuators.
Connection threads: M1" x M1" x M1" or F1" x F1" x F1".

- The set includes:**
- 1 x Smart actuator 230V 4 cables,
 - 1 x three-way ball valve.



Catalog number	Description
9020310/8020100	Smart actuator 230V, M1" x M1" x M1" valve
9010020/8020100	Smart actuator 230V, F1" x F1" x F1" valve

For longer system life, regular use of corrosion inhibitors and cleaning agents is recommended, such as V-INHIBITOR and V-CLEANER from Vario Term.

THREE-WAY VALVE



Three-way ball valve for Smart actuators.

Connection threads M1" x M1" x M1" or F1" x F1" x F1".

- Chrome-plated brass rotating spindle sealed with high-quality Viton® elastomer;
- Possibility of connecting the reducer on the left or right side;
- Diamond coated brass ball valve;
- The use of special seals and Teflon to increase the smooth operation of the valve;
- Body, coupling and nut made of hot-forged brass;
- Material specification: EN 12165:1998, species CW617N;
- EPDM seal;
- Available connection versions: ½"(DN15) - ¾"(DN20) - 1"(DN25) - 1¼"(DN32);
- Pressure: PN 40.
- Media temperature: up to 120°C.

Catalog number	Description
9020310	1" three-way valve with M / M / M connections
9010020	1" three-way valve with F / F / F connections

The offer also includes 2-way (straight-through) ball valves with diameters of ½", ¾", 1", 1¼", angle ball valves with diameters of ¾", 1", and 3-way ball valves with diameters of ½", ¾".

SMART ACTUATOR 230V 4 CABLES



This actuator features a reliable and robust Crouzet electric motor. It features a housing made of highly durable plastic with an IP 44 sealing rating and metal gears for maximum output power. A single-sided LED indicator informs about the valve's current end position.

- Power versions available: 230V /24V AC;
- Power: 8,0 / 5,0W;
- Operating temperature: -10°C - 120°C;
- Tightness class: IP 44;
- Rotation angle of the actuator spindle during operation: 90°;
- Opening/Closing Time: 80 seconds;
- Connection cable: 4 x 0.75mm², 60cm long;
- CROUZET electric motor with a maximum torque of 14Nm;
- Compatible with 3-way valves 9020310 and 9010020.

Catalog number	Description
8020100	Smart actuator 230V 4 cables

For longer system life, regular use of corrosion inhibitors and cleaning agents is recommended, such as V-INHIBITOR and V-CLEANER from Vario Term.

THERMOSTATIC ANTI-FREEZE VALVE

A thermostatic anti-freeze valve is used when installing heat pump-based heating systems. It protects the internal components of monobloc heat pumps and the entire system from damage caused by freezing of the fluid within the system.



Loss of fluid circulation in a monobloc heat pump system due to a power outage can result in the fluid freezing in the system. The valve's function is to prevent ice formation in the system, which can damage the heat exchanger and other sensitive components. A drop in fluid temperature in the line below $\leq 3^{\circ}\text{C}$ opens the valve in the thermostatic insert assembly, releasing the fluid to the outside, protecting the system from damage. An increase in fluid temperature in the line above 4°C closes the valve in the thermostatic insert assembly, preventing fluid release outside the system.

Catalog number	Description
VZTA	Thermostatic anti-freeze valve

PRESSURE REDUCER

A pressure reducing valve is used to reduce and stabilize the pressure in a closed-loop water system. It is essential for any high-pressure system with frequently fluctuating pressures, as it contributes to and achieves the desired operating pressure for the system. It includes a strainer.




- max working pressure: 25 bar;
- operational sensitivity: $\pm 0,20$ bar;
- operating temperature: $+5^{\circ}\text{C}$ to $+80^{\circ}\text{C}$;
- autonomous, fast and easy to clean;
- 2 pressure gauges, inlet and outlet;
- dual F and M threads for easy installation. Either $\frac{3}{4}$ " or $\frac{1}{2}$ " connections can be used simultaneously during assembly.

Catalog number	Description
7200020	Pressure reducer with two pressure gauges and a half union

BALL VALVES WITH ROTARY NUT

The valves are suitable for connecting wall-mounted natural gas or LPG boilers, as well as for applications in heating and water hydraulic systems for easy, quick and safe connection.



The set includes: red/blue cap, indicating hot or cold water supply (inlet/outlet), which can be used to indicate supply or return in the installation.

Catalog number	Description
9060010	Ball valve F $\frac{1}{2}$ " x F $\frac{1}{2}$ "
9060020	Ball valve F $\frac{3}{4}$ " x F $\frac{3}{4}$ "
9060030	Ball valve F $\frac{1}{2}$ " x M $\frac{1}{2}$ "
9060040	Ball valve F $\frac{3}{4}$ " x M $\frac{3}{4}$ "

For longer system life, regular use of corrosion inhibitors and cleaning agents is recommended, such as V-INHIBITOR and V-CLEANER from Vario Term.

THERMOSTATIC MIXING VALVE



Thermostatic mixing valve, 1" - 3/4" lub 1 1/4" - 1". Built-in check valves and stainless steel filters on both inlets.

- max working pressure: 10 bar;
- hot forged brass CW602N, suitable for drinking water;
- temperature setting range 30-60°C;
- thermometer for temperature control;
- Kv 3,5 m3/h.

Catalog number	Description
7200183	Thermostatic mixing valve, 1" x 3/4"
7200193	Thermostatic mixing valve, 1 1/4" x 1"

THERMOSTATIC MIXING VALVE




Thermostatic mixing valve, 1" x 1" lub 1" x 1 1/4".

- max working pressure: 10 bar;
- hot forged brass CW602N, suitable for drinking water;
- temperature setting range 30-60°C;
- thermometer for temperature control;
- Kv 3,5 m3/h.

Catalog number	Description
7200203	Thermostatic mixing valve, 1" x 1"
7200213	Thermostatic mixing valve, 1" x 1 1/4"

THERMOSTATIC MIXING VALVE



Thermostatic mixing valve, 1" x 1/2" lub 1" x 3/4". Regulates hot water temperature for safety and energy savings. It automatically mixes hot water from the heat source with cold water from the mains, ensuring a constant domestic water temperature regardless of changes in temperature, pressure, and flow at both the hot and cold water inlets.

- max working pressure: 10 bar;
- hot forged brass CW602N, suitable for drinking water;
- temperature setting range 30-60°C;
- stainless steel filter;
- thermostatic insert resistant to limescale;
- Kv 1,8 m3/h.

Catalog number	Description
7200053	Thermostatic mixing valve, 1" x 1/2"
7200083	Thermostatic mixing valve, 1" x 3/4"

THERMOSTATIC MIXING VALVE



Thermostatic mixing valve, 1" x 3/4".


- max working pressure: 10 bar;
- hot forged brass CW602N, suitable for drinking water;
- temperature setting range 30-60°C;
- thermometer for temperature control;
- Kv 3,5 m3/h.

Catalog number	Description
7200173	Thermostatic mixing valve, 1" x 3/4"

VARIOPROTECT SAFETY GROUP, CENTRAL HEATING

TECHNICAL DATA	VARIOPROTECT C.O., 3 BAR
Dimensions (mm)	270 x 190 x 70
Operating temperature	max 90°C
Nominal pressure of the safety valve	3 bar
Expansion vessel quick connector	F ¾"
Connection to the installation	M ¾"
Manometer operating range	0 - 4 bar

VARIOPROTECT SAFETY GROUP, CENTRAL HEATING, 3 BAR



The VarioProtect safety group is a ready-made set designed to protect central heating systems against excessive water volume and pressure. The set is ready for easy wall mounting, ensuring safety and comfort of use.

The galvanized steel beam is equipped with a quick-connect coupling with a check valve for mounting a diaphragm expansion vessel (vessel not included), allowing for quick and easy inspection of the vessel's condition without the need to drain the system. A safety valve protects against excessive pressure in the system, featuring a high release capacity at a valve opening pressure of 3 bar. This valve is equipped with a connector that allows for changing the water discharge direction.

In order to minimize corrosion, the installation is equipped with an automatic air vent with a stop valve, ensuring stable operation of the system.

To increase the comfort of use, a pressure gauge (Ø63) with a range of 0-4 bar and a foot valve are installed to control the pressure in the installation.



Catalog number	Type
GBCO3B	3 bar, central heating safety group
GBCO3B/1	3 bar, central heating safety group (without quick coupler)
GBCO3B/2	3 bar, central heating safety group (without feet and quick connector)
OT-826/VR	Quick coupler (¾ screw connection with check valves for beam)

For longer system life, regular use of corrosion inhibitors and cleaning agents is recommended, such as V-INHIBITOR and V-CLEANER from Vario Term.

VARIOPROTECT SAFETY GROUP, DOMESTIC HOT WATER

TECHNICAL DATA	VARIOPROTECT C.W.U., 6 BAR
Dimensions (mm)	270 x 190 x 70
Operating temperature	max 90°C
Nominal pressure of the safety valve	6 bar
Expansion vessel quick connector	F 3/4"
Connection to the installation	M 3/4"
Manometer operating range	0 - 10 bar

VARIOPROTECT SAFETY GROUP, DOMESTIC HOT WATER, 6 BAR



The VarioProtect DHW safety group is a complete, ready-to-use set designed to protect domestic hot water systems against excessive pressure increases, ensuring safety and comfort of use.

The stainless steel boom is equipped with a quick-connect expansion vessel connector with a double-sided check valve, allowing for quick and easy checking of whether the vessel needs replacing, without having to drain the system or the vessel. A safety valve with a high release capacity and a nominal pressure of 6 bar protects against excessive pressure increases.

To increase user comfort, a large pressure gauge (Ø63) with a foot valve is used to control pressure in the range of 0-10 bar.

Catalog number	Type
GBCWU6B	6 bar domestic hot water safety group
GBCWU6B/1	6 bar domestic hot water safety group (without quick coupler)
GBCWU6B/2	6 bar domestic hot water safety group (without feet and quick connector)
OT-826/VR	Quick coupler (¾ screw connection with check valves for beam)

For longer system life, regular use of corrosion inhibitors and cleaning agents is recommended, such as V-INHIBITOR and V-CLEANER from Vario Term.


SINGLE MASKING ROSETTE

Round flat rosette. Available in three configurations:

½" (Ø 22mm),

¾" (Ø 25mm),

¾" (Ø 16mm).



Colors with 1-7 days delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	¾" (Ø 16 mm)
02	Chrome	000M820A002	000M821A002	000M822A002
05	Structural graphite	000M820A005	000M821A005	000M822A005
06	White	000M820A006	000M821A006	000M822A006
07	Anthracite/Glossy graphite	000M820A007	000M821A007	000M822A007
09	Quartz 1	000M820A009	000M821A009	000M822A009
10	Quartz 2	000M820A010	000M821A010	000M822A010
12	Metallic graphite	000M820A012	000M821A012	000M822A012
13	Glossy black	000M820A013	000M821A013	000M822A013
14	Structural black	000M820A014	000M821A014	000M822A014
15	Dark structural graphite	000M820A015	000M821A015	000M822A015
19	Structural white	000M820A019	000M821A019	000M822A019
21	Matt white	000M820A021	000M821A021	000M822A021
24	Matt black	000M820A024	000M821A024	000M822A024
26	Deep matt black	000M820A026	000M821A026	000M822A026
30	Glossy gold	000M820A030	000M821A030	000M822A030

Colors with 4-6 weeks delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	¾" (Ø 16 mm)
03	Satin	000M820A003	000M821A003	000M822A003
08	Nickel-grinded	000M820A008	000M821A008	000M822A008
11	Antique brass	000M820A011	000M821A011	000M822A011
29	Matt brass	000M820A029	000M821A029	000M822A029

MASKING SET, SINGLE ROSETTE

Valve connectors:

AXI ELEGANT,

BALL,

ELEGANT,

INTEGRA,

MASTER,

OLD STAR,

ROYAL,

SWING,

VISION.

The set includes:

2 x ¾" rosette*,

2 x silicone seals**,

2 x 50mm* masking sleeves,

2 x adapter/connectors: / PEX /

Cu / M / M(PEX) / M(Cu).



Colors with 1-7 days delivery time

		INTEGRA, VISION		AXI ELEGANT, BALL, ELEGANT, MASTER, OLD STAR, ROYAL, SWING	
No	Color	PEX	Cu	M (PEX)	M (Cu)
02	Chrome	ZMR1P16xM2202	ZMR1M15xM2202	ZMR1M1/2x1602	ZMR1M1/2x1502
05	Structural graphite	ZMR1P16xM2205	ZMR1M15xM2205	ZMR1M1/2x1605	ZMR1M1/2x1505
06	White	ZMR1P16xM2206	ZMR1M15xM2206	ZMR1M1/2x1606	ZMR1M1/2x1506
07	Anthracite/Glossy graphite	ZMR1P16xM2207	ZMR1M15xM2207	ZMR1M1/2x1607	ZMR1M1/2x1507
09	Quartz 1	ZMR1P16xM2209	ZMR1M15xM2209	ZMR1M1/2x1609	ZMR1M1/2x1509
10	Quartz 2	ZMR1P16xM2210	ZMR1M15xM2210	ZMR1M1/2x1610	ZMR1M1/2x1510
12	Metallic graphite	ZMR1P16xM2212	ZMR1M15xM2212	ZMR1M1/2x1612	ZMR1M1/2x1512
13	Glossy black	ZMR1P16xM2213	ZMR1M15xM2213	ZMR1M1/2x1613	ZMR1M1/2x1513
14	Structural black	ZMR1P16xM2214	ZMR1M15xM2214	ZMR1M1/2x1614	ZMR1M1/2x1514
15	Dark structural graphite	ZMR1P16xM2215	ZMR1M15xM2215	ZMR1M1/2x1615	ZMR1M1/2x1515
19	Structural white	ZMR1P16xM2219	ZMR1M15xM2219	ZMR1M1/2x1619	ZMR1M1/2x1519
21	Matt white	ZMR1P16xM2221	ZMR1M15xM2221	ZMR1M1/2x1621	ZMR1M1/2x1521
24	Matt black	ZMR1P16xM2224	ZMR1M15xM2224	ZMR1M1/2x1624	ZMR1M1/2x1524
26	Deep matt black	ZMR1P16xM2226	ZMR1M15xM2226	ZMR1M1/2x1626	ZMR1M1/2x1526
30	Glossy gold	ZMR1P16xM2230	ZMR1M15xM2230	ZMR1M1/2x1630	ZMR1M1/2x1530

Colors with 4-6 weeks delivery time

		INTEGRA, VISION		AXI ELEGANT, BALL, ELEGANT, MASTER, OLD STAR, ROYAL, SWING	
No	Color	PEX	Cu	M (PEX)	M (Cu)
03	Satin	ZMR1P16xM2203	ZMR1M15xM2203	ZMR1M1/2x1603	ZMR1M1/2x1503
08	Nickel-grinded	ZMR1P16xM2208	ZMR1M15xM2208	ZMR1M1/2x1608	ZMR1M1/2x1508
11	Antique brass	ZMR1P16xM2211	ZMR1M15xM2211	ZMR1M1/2x1611	ZMR1M1/2x1511
29	Matt brass	ZMR1P16xM2229	ZMR1M15xM2229	ZMR1M1/2x1629	ZMR1M1/2x1529

* Other sleeve lengths and rosette configurations available upon request.

** Silicone seals included only with ¾" rosettes.


SINGLE SQUARE MASKING ROSETTE

Square flat rosette. Available in three configurations:

½" (Ø 22mm),

¾" (Ø 25mm),

¾" (Ø 16mm).



Colors with 1-7 days delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	¾" (Ø 16 mm)
02	Chrome	000M826A002	000M826A202	000M826A102
05	Structural graphite	000M826A005	000M826A205	000M826A105
06	White	000M826A006	000M826A206	000M826A106
07	Anthracite/Glossy graphite	000M826A007	000M826A207	000M826A107
09	Quartz 1	000M826A009	000M826A209	000M826A109
10	Quartz 2	000M826A010	000M826A210	000M826A110
12	Metallic graphite	000M826A012	000M826A212	000M826A112
13	Glossy black	000M826A013	000M826A213	000M826A113
14	Structural black	000M826A014	000M826A214	000M826A114
15	Dark structural graphite	000M826A015	000M826A215	000M826A115
19	Structural white	000M826A019	000M826A219	000M826A119
21	Matt white	000M826A021	000M826A221	000M826A121
24	Matt black	000M826A024	000M826A224	000M826A124
26	Deep matt black	000M826A026	000M826A226	000M826A126
30	Glossy gold	000M826A030	000M826A230	000M826A130

Colors with 4-6 weeks delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	¾" (Ø 16 mm)
03	Satin	000M826A003	000M826A203	000M826A103
08	Nickel-grinded	000M826A008	000M826A208	000M826A108
11	Antique brass	000M826A011	000M826A211	000M826A111
29	Matt brass	000M826A029	000M826A229	000M826A129

MASKING SET, SINGLE SQUARE ROSETTE

Valve connectors:

AXI ELEGANT,

BALL,

ELEGANT,

INTEGRA,

MASTER,

OLD STAR,

ROYAL,

SWING,

VISION.

The set includes:

2 x ¾" rosette*,

2 x silicone seals**,

2 x 50mm* masking sleeves,

2 x adapter/connectors: / PEX /

Cu / M / M(PEX) / M(Cu).



Colors with 1-7 days delivery time

		INTEGRA, VISION		AXI ELEGANT, BALL, ELEGANT, MASTER, OLD STAR, ROYAL, SWING	
No	Color	PEX	Cu	M (PEX)	M (Cu)
02	Chrome	ZMR1KP16xM2202	ZMR1KM15xM2202	ZMR1KM1/2x1602	ZMR1KM1/2x1502
05	Structural graphite	ZMR1KP16xM2205	ZMR1KM15xM2205	ZMR1KM1/2x1605	ZMR1KM1/2x1505
06	White	ZMR1KP16xM2206	ZMR1KM15xM2206	ZMR1KM1/2x1606	ZMR1KM1/2x1506
07	Anthracite/Glossy graphite	ZMR1KP16xM2207	ZMR1KM15xM2207	ZMR1KM1/2x1607	ZMR1KM1/2x1507
09	Quartz 1	ZMR1KP16xM2209	ZMR1KM15xM2209	ZMR1KM1/2x1609	ZMR1KM1/2x1509
10	Quartz 2	ZMR1KP16xM2210	ZMR1KM15xM2210	ZMR1KM1/2x1610	ZMR1KM1/2x1510
12	Metallic graphite	ZMR1KP16xM2212	ZMR1KM15xM2212	ZMR1KM1/2x1612	ZMR1KM1/2x1512
13	Glossy black	ZMR1KP16xM2213	ZMR1KM15xM2213	ZMR1KM1/2x1613	ZMR1KM1/2x1513
14	Structural black	ZMR1KP16xM2214	ZMR1KM15xM2214	ZMR1KM1/2x1614	ZMR1KM1/2x1514
15	Dark structural graphite	ZMR1KP16xM2215	ZMR1KM15xM2215	ZMR1KM1/2x1615	ZMR1KM1/2x1515
19	Structural white	ZMR1KP16xM2219	ZMR1KM15xM2219	ZMR1KM1/2x1619	ZMR1KM1/2x1519
21	Matt white	ZMR1KP16xM2221	ZMR1KM15xM2221	ZMR1KM1/2x1621	ZMR1KM1/2x1521
24	Matt black	ZMR1KP16xM2224	ZMR1KM15xM2224	ZMR1KM1/2x1624	ZMR1KM1/2x1524
26	Deep matt black	ZMR1KP16xM2226	ZMR1KM15xM2226	ZMR1KM1/2x1626	ZMR1KM1/2x1526
30	Glossy gold	ZMR1KP16xM2230	ZMR1KM15xM2230	ZMR1KM1/2x1630	ZMR1KM1/2x1530

Colors with 4-6 weeks delivery time

		INTEGRA, VISION		AXI ELEGANT, BALL, ELEGANT, MASTER, OLD STAR, ROYAL, SWING	
No	Color	PEX	Cu	M (PEX)	M (PEX)
03	Satin	ZMR1KP16xM2203	ZMR1KM15xM2203	ZMR1KM1/2x1603	ZMR1KM1/2x1503
08	Nickel-grinded	ZMR1KP16xM2208	ZMR1KM15xM2208	ZMR1KM1/2x1608	ZMR1KM1/2x1508
11	Antique brass	ZMR1KP16xM2211	ZMR1KM15xM2211	ZMR1KM1/2x1611	ZMR1KM1/2x1511
29	Matt brass	ZMR1KP16xM2229	ZMR1KM15xM2229	ZMR1KM1/2x1629	ZMR1KM1/2x1529

* Other sleeve lengths and rosette configurations available upon request.

** Silicone seals included only with ¾" rosettes.

DOUBLE MASKING ROSETTE

Double round flat rosette for valves with a 50 mm connection spacing. Available in three configurations:

½" (Ø 22mm),

¾" (Ø 25mm),

¾" (Ø 16mm).



Colors with 1-7 days delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	¾" (Ø 16 mm)
02	Chrome	000M823A002	000M823A202	000M823A102
05	Structural graphite	000M823A005	000M823A205	000M823A105
06	White	000M823A006	000M823A206	000M823A106
07	Anthracite/Glossy graphite	000M823A007	000M823A207	000M823A107
09	Quartz 1	000M823A009	000M823A209	000M823A109
10	Quartz 2	000M823A010	000M823A210	000M823A110
12	Metallic graphite	000M823A012	000M823A212	000M823A112
13	Glossy black	000M823A013	000M823A213	000M823A113
14	Structural black	000M823A014	000M823A214	000M823A114
15	Dark structural graphite	000M823A015	000M823A215	000M823A115
19	Structural white	000M823A019	000M823A219	000M823A119
21	Matt white	000M823A021	000M823A221	000M823A121
24	Matt black	000M823A024	000M823A224	000M823A124
26	Deep matt black	000M823A026	000M823A226	000M823A126
30	Glossy gold	000M823A030	000M823A230	000M823A130

Colors with 4-6 weeks delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	¾" (Ø 16 mm)
03	Satin	000M823A003	000M823A203	000M823A103
08	Nickel-grinded	000M823A008	000M823A208	000M823A108
11	Antique brass	000M823A011	000M823A211	000M823A111
29	Matt brass	000M823A029	000M823A229	000M823A129

MASKING SET, DOUBLE ROSETTE

Valve connectors:

INTEGRA DUO,
PREMIUM EXCLUSIVE,
V TYPE ELEGANT,
TWINS,
UNICO.

The set includes:

1 x double rosette ¾" Ø 25mm,

2 x silicone seals**,

2 x 50mm* masking sleeves,

2 x PEX or Cu connectors.



Colors with 1-7 days delivery time

		TWINS, V TYPE ELEGANT, UNICO		INTEGRA DUO, PREMIUM EXCLUSIVE	
No	Color	¾ x PEX	¾ x Cu	M22x1,5 x PEX	M22x1,5 x Cu
02	Chrome	ZMR2P16x3/402	ZMR2M15x3/402	ZMR2P16xM22/02	ZMR2M15xM22/02
05	Structural graphite	ZMR2P16x3/405	ZMR2M15x3/405	ZMR2P16xM22/05	ZMR2M15xM22/05
06	White	ZMR2P16x3/406	ZMR2M15x3/406	ZMR2P16xM22/06	ZMR2M15xM22/06
07	Anthracite/Glossy graphite	ZMR2P16x3/407	ZMR2M15x3/407	ZMR2P16xM22/07	ZMR2M15xM22/07
09	Quartz 1	ZMR2P16x3/409	ZMR2M15x3/409	ZMR2P16xM22/09	ZMR2M15xM22/09
10	Quartz 2	ZMR2P16x3/410	ZMR2M15x3/410	ZMR2P16xM22/10	ZMR2M15xM22/10
12	Metallic graphite	ZMR2P16x3/412	ZMR2M15x3/412	ZMR2P16xM22/12	ZMR2M15xM22/12
13	Glossy black	ZMR2P16x3/413	ZMR2M15x3/413	ZMR2P16xM22/13	ZMR2M15xM22/13
14	Structural black	ZMR2P16x3/414	ZMR2M15x3/414	ZMR2P16xM22/14	ZMR2M15xM22/14
15	Dark structural graphite	ZMR2P16x3/415	ZMR2M15x3/415	ZMR2P16xM22/15	ZMR2M15xM22/15
19	Structural white	ZMR2P16x3/419	ZMR2M15x3/419	ZMR2P16xM22/19	ZMR2M15xM22/19
21	Matt white	ZMR2P16x3/421	ZMR2M15x3/421	ZMR2P16xM22/21	ZMR2M15xM22/21
24	Matt black	ZMR2P16x3/424	ZMR2M15x3/424	ZMR2P16xM22/24	ZMR2M15xM22/24
26	Deep matt black	ZMR2P16x3/426	ZMR2M15x3/426	ZMR2P16xM22/26	ZMR2M15xM22/26
30	Glossy gold	ZMR2P16x3/430	ZMR2M15x3/430	ZMR2P16xM22/30	ZMR2M15xM22/30

Colors with 4-6 weeks delivery time

		TWINS, V TYPE ELEGANT, UNICO		INTEGRA DUO, PREMIUM EXCLUSIVE	
No	Color	¾ x PEX	¾ x Cu	M22x1,5 x PEX	M22x1,5 x Cu
03	Satin	ZMR2P16x3/403	ZMR2M15x3/403	ZMR2P16xM22/03	ZMR2M15xM22/03
08	Nickel-grinded	ZMR2P16x3/408	ZMR2M15x3/408	ZMR2P16xM22/08	ZMR2M15xM22/08
11	Antique brass	ZMR2P16x3/411	ZMR2M15x3/411	ZMR2P16xM22/11	ZMR2M15xM22/11
29	Matt brass	ZMR2P16x3/429	ZMR2M15x3/429	ZMR2P16xM22/29	ZMR2M15xM22/29

* Other sleeve lengths and rosette configurations available upon request.

** Silicone seals included only with ¾" rosettes.

DOUBLE RECTANGULAR MASKING ROSETTE

Double rectangular flat rosette for valves with a 50 mm connection spacing. Available in three configurations:

½" (Ø 22mm),

¾" (Ø 25mm),

⅝" (Ø 16mm).



Colors with 1-7 days delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	⅝" (Ø 16 mm)
02	Chrome	000M825A002	000M825A202	000M825A102
05	Structural graphite	000M825A005	000M825A205	000M825A105
06	White	000M825A006	000M825A206	000M825A106
07	Anthracite/Glossy graphite	000M825A007	000M825A207	000M825A107
09	Quartz 1	000M825A009	000M825A209	000M825A109
10	Quartz 2	000M825A010	000M825A210	000M825A110
12	Metallic graphite	000M825A012	000M825A212	000M825A112
13	Glossy black	000M825A013	000M825A213	000M825A113
14	Structural black	000M825A014	000M825A214	000M825A114
15	Dark structural graphite	000M825A015	000M825A215	000M825A115
19	Structural white	000M825A019	000M825A219	000M825A119
21	Matt white	000M825A021	000M825A221	000M825A121
24	Matt black	000M825A024	000M825A224	000M825A124
26	Deep matt black	000M825A026	000M825A226	000M825A126
30	Glossy gold	000M825A030	000M825A230	000M825A130

Colors with 4-6 weeks delivery time

No	Color	½" (Ø 22 mm)	¾" (Ø 25 mm)	⅝" (Ø 16 mm)
03	Satin	000M825A003	000M825A203	000M825A103
08	Nickel-grinded	000M825A008	000M825A208	000M825A108
11	Antique brass	000M825A011	000M825A211	000M825A111
29	Matt brass	000M825A029	000M825A229	000M825A129

MASKING SET, DOUBLE RECTANGULAR ROSETTE

Valve connectors:

INTEGRA DUO,
PREMIUM EXCLUSIVE,
V TYPE ELEGANT,
TWINS,
UNICO.

The set includes:

1 x double rectangular rosette

¾"* Ø 25mm,

2 x silicone seals**,

2 x 50mm* masking sleeves,

2 x PEX or Cu connectors.



M22x1,5 x PEX M22x1,5 x Cu

Colors with 1-7 days delivery time

		TWINS, V TYPE ELEGANT, UNICO		INTEGRA DUO, PREMIUM EXCLUSIVE	
No	Color	¾ x PEX	¾ x Cu	M22x1,5 x PEX	M22x1,5 x Cu
02	Chrome	ZMRP2P16x3/402	ZMRP2M15x3/402	ZMRP2P16xM22/02	ZMRP2M15xM22/02
05	Structural graphite	ZMRP2P16x3/405	ZMRP2M15x3/405	ZMRP2P16xM22/05	ZMRP2M15xM22/05
06	White	ZMRP2P16x3/406	ZMRP2M15x3/406	ZMRP2P16xM22/06	ZMRP2M15xM22/06
07	Anthracite / Gl. graph.	ZMRP2P16x3/407	ZMRP2M15x3/407	ZMRP2P16xM22/07	ZMRP2M15xM22/07
09	Quartz 1	ZMRP2P16x3/409	ZMRP2M15x3/409	ZMRP2P16xM22/09	ZMRP2M15xM22/09
10	Quartz 2	ZMRP2P16x3/410	ZMRP2M15x3/410	ZMRP2P16xM22/10	ZMRP2M15xM22/10
12	Metallic graphite	ZMRP2P16x3/412	ZMRP2M15x3/412	ZMRP2P16xM22/12	ZMRP2M15xM22/12
13	Glossy black	ZMRP2P16x3/413	ZMRP2M15x3/413	ZMRP2P16xM22/13	ZMRP2M15xM22/13
14	Structural black	ZMRP2P16x3/414	ZMRP2M15x3/414	ZMRP2P16xM22/14	ZMRP2M15xM22/14
15	Dark structural graphite	ZMRP2P16x3/415	ZMRP2M15x3/415	ZMRP2P16xM22/15	ZMRP2M15xM22/15
19	Structural white	ZMRP2P16x3/419	ZMRP2M15x3/419	ZMRP2P16xM22/19	ZMRP2M15xM22/19
21	Matt white	ZMRP2P16x3/421	ZMRP2M15x3/421	ZMRP2P16xM22/21	ZMRP2M15xM22/21
24	Matt black	ZMRP2P16x3/424	ZMRP2M15x3/424	ZMRP2P16xM22/24	ZMRP2M15xM22/24
26	Deep matt black	ZMRP2P16x3/426	ZMRP2M15x3/426	ZMRP2P16xM22/26	ZMRP2M15xM22/26
30	Glossy gold	ZMRP2P16x3/430	ZMRP2M15x3/430	ZMRP2P16xM22/30	ZMRP2M15xM22/30

Colors with 4-6 weeks delivery time

		TWINS, V TYPE ELEGANT, UNICO		INTEGRA DUO, PREMIUM EXCLUSIVE	
No	Color	¾ x PEX	¾ x Cu	M22x1,5 x PEX	M22x1,5 x Cu
03	Satin	ZMRP2P16x3/403	ZMRP2M15x3/403	ZMRP2P16xM22/03	ZMRP2M15xM22/03
08	Nickel-grinded	ZMRP2P16x3/408	ZMRP2M15x3/408	ZMRP2P16xM22/08	ZMRP2M15xM22/08
11	Antique brass	ZMRP2P16x3/411	ZMRP2M15x3/411	ZMRP2P16xM22/11	ZMRP2M15xM22/11
29	Matt brass	ZMRP2P16x3/429	ZMRP2M15x3/429	ZMRP2P16xM22/29	ZMRP2M15xM22/29

* Other sleeve lengths and rosette configurations available upon request.

** Silicone seals included only with ¾" rosettes.

M22X1.5 CLAMPING ADAPTER/CONNECTOR

The connector is designed to connect valves to the central heating system:

INTEGRA,
PREMIUM EXCLUSIVE,
VISION.



Colors with 1-7 days delivery time

No	Color	PEX	Cu	M	F
02	Chrome	M766B002002	M766B004002	M766B001002	M766B003002
05	Structural graphite	M766B002005	M766B004005	M766B001005	M766B003005
06	White	M766B002006	M766B004006	M766B001006	M766B003006
07	Anthracite/Glossy graphite	M766B002007	M766B004007	M766B001007	M766B003007
09	Quartz 1	M766B002009	M766B004009	M766B001009	M766B003009
10	Quartz 2	M766B002010	M766B004010	M766B001010	M766B003010
12	Metallic graphite	M766B002012	M766B004012	M766B001012	M766B003012
13	Glossy black	M766B002013	M766B004013	M766B001013	M766B003013
14	Structural black	M766B002014	M766B004014	M766B001014	M766B003014
15	Dark structural graphite	M766B002015	M766B004015	M766B001015	M766B003015
19	Structural white	M766B002019	M766B004019	M766B001019	M766B003019
21	Matt white	M766B002021	M766B004021	M766B001021	M766B003021
24	Matt black	M766B002024	M766B004024	M766B001024	M766B003024
26	Deep matt black	M766B002026	M766B004026	M766B001026	M766B003026
30	Glossy gold	M766B002030	M766B004030	M766B001030	M766B003030

Colors with 4-6 weeks delivery time

No	Color	PEX	Cu	M	F
03	Satin	M766B002003	M766B004003	M766B001003	M766B003003
08	Nickel-grinded	M766B002008	M766B004008	M766B001008	M766B003008
11	Antique brass	M766B002011	M766B004011	M766B001011	M766B003011
29	Matt brass	M766B002029	M766B004029	M766B001029	M766B003029

COMPRESSION FITTING M ½" X PEX / CU

M ½" x PEX(16x2) or Cu (15x1) connector is designed to connect valves to the central heating system:

AXI ELEGANT,
BALL,
ELEGANT,
MASTER,
OLD STAR,
ROYAL,
SWING.



Colors with 1-7 days delivery time

No	Color	PEX	Cu
01	Nickel (PEX) Brass (Cu)	R187MX048-01	118500045/01
02	Chrome	R187MX048-02	118500045/02
05	Structural graphite	R187MX048-05	118500045/05
06	White	R187MX048-06	118500045/06
07	Anthracite/Glossy graphite	R187MX048-07	118500045/07
09	Quartz 1	R187MX048-09	118500045/09
10	Quartz 2	R187MX048-10	118500045/10
12	Metallic graphite	R187MX048-12	118500045/12
13	Glossy black	R187MX048-13	118500045/13
14	Structural black	R187MX048-14	118500045/14
15	Dark structural graphite	R187MX048-15	118500045/15
19	Structural white	R187MX048-19	118500045/19
21	Matt white	R187MX048-21	118500045/21
24	Matt black	R187MX048-24	118500045/24
26	Deep matt black	R187MX048-26	118500045/26
30	Glossy gold	R187MX048-30	118500045/30

Colors with 4-6 weeks delivery time

No	Color	PEX	Cu
03	Satin	R187MX048-03	118500045/03
08	Nickel-grinded	R187MX048-08	118500045/08
11	Antique brass	R187MX048-11	118500045/11
29	Matt brass	R187MX048-29	118500045/29

F 3/4" CLAMPING COUPLER/ADAPTER

The connector is designed to connect valves to the central heating system:

TWINS,
V TYPE,
V TYPE ELEGANT,
UNICO,
UNO.



Colors with 1-7 days delivery time

No	Color	PEX 14	PEX 16	Cu	PEX 18	PEX 20
01	Nickel	ZZ14x201	ZZ16x201	ZZM1501	ZZ18x201	ZZ20x201
02	Chrome	ZZ14x202	ZZ16x202	ZZM1502	ZZ18x202	-
05	Structural graphite	ZZ14x205	ZZ16x205	ZZM1505	ZZ18x205	-
06	White	ZZ14x206	ZZ16x206	ZZM1506	ZZ18x206	-
07	Anthracite/Glossy graphite	ZZ14x207	ZZ16x207	ZZM1507	ZZ18x207	-
09	Quartz 1	ZZ14x209	ZZ16x209	ZZM1509	ZZ18x209	-
10	Quartz 2	ZZ14x210	ZZ16x210	ZZM1510	ZZ18x210	-
12	Metallic graphite	ZZ14x212	ZZ16x212	ZZM1512	ZZ18x212	-
13	Glossy black	ZZ14x213	ZZ16x213	ZZM1513	ZZ18x213	-
14	Structural black	ZZ14x214	ZZ16x214	ZZM1514	ZZ18x214	-
15	Dark structural graphite	ZZ14x215	ZZ16x215	ZZM1515	ZZ18x215	-
19	Structural white	ZZ14x219	ZZ16x219	ZZM1519	ZZ18x219	-
21	Matt white	ZZ14x221	ZZ16x221	ZZM1521	ZZ18x221	-
24	Matt black	ZZ14x224	ZZ16x224	ZZM1524	ZZ18x224	-
26	Deep matt black	ZZ14x226	ZZ16x226	ZZM1526	ZZ18x226	-
30	Glossy gold	ZZ14x230	ZZ16x230	ZZM1530	ZZ18x230	-

Colors with 4-6 weeks delivery time

No	Color	PEX 14	PEX 16	Cu	PEX 18	PEX 20
03	Satin	ZZ14x203	ZZ16x203	ZZM1503	ZZ18x203	-
08	Nickel-grinded	ZZ14x208	ZZ16x208	ZZM1508	ZZ18x208	-
11	Antique brass	ZZ14x211	ZZ16x211	ZZM1511	ZZ18x211	-
29	Matt brass	ZZ14x229	ZZ16x229	ZZM1529	ZZ18x229	-

F 3/4" X M 1/2" CONNECTOR

The connector is designed to connect valves to the central heating system:

TWINS,
V TYPE,
V TYPE ELEGANT,
UNICO,
UNO.



Colors with 1-7 days delivery time

No	Color	
01	Nickel	M619B006010
02	Chrome	M869B002020
05	Structural graphite	M869B002050
06	White	M869B002060
07	Anthracite/Glossy graphite	M869B002070
09	Quartz 1	M869B002090
10	Quartz 2	M869B002100
12	Metallic graphite	M869B002120
13	Glossy black	M869B002130
14	Structural black	M869B002140
15	Dark structural graphite	M869B002150
19	Structural white	M869B002190
21	Matt white	M869B002210
24	Matt black	M869B002240
26	Deep matt black	M869B002260
30	Glossy gold	M869B002300

Colors with 4-6 weeks delivery time

No	Color	
03	Satin	M869B002030
08	Nickel-grinded	M869B002080
11	Antique brass	M869B002110
29	Matt brass	M869B002290

EXTENSION

50 mm* extensions for F ½" valves.

Configurations:

M ½" x M ½",

M ½" x M22x1,5F,

M ½" x F ½".

M ½" x M ½" and M ½" x F ½"

extensions for valves:

AXI ELEGANT, BALL, ELEGANT, LUX I,
LUX II, LUX III, MASTER, OLD STAR,
ROYAL, SWING, QUATTRO.



M ½"/M22x1.5 F extensions for
valves:


INTEGRA, INTEGRA DUO,
PREMIUM EXCLUSIVE
VISION.



Colors with 1-7 days delivery time		AXI ELEGANT, BALL, ELEGANT, LUX I, LUX II, LUX III, MASTER, OLD STAR, ROYAL, SWING, QUATTRO		INTEGRA, INTEGRA DUO, PREMIUM EXCLUSIVE, VISION
No	Color	M ½" x M ½"	M ½" x F ½"	M ½" x M22x1,5F
02	Chrome	000M830A0250	000M832A0250	000M831A0250
05	Structural graphite	000M830A0550	000M832A0550	000M831A0550
06	White	000M830A0650	000M832A0650	000M831A0650
07	Anthracite/Glossy graphite	000M830A0750	000M832A0750	000M831A0750
09	Quartz 1	000M830A0950	000M832A0950	000M831A0950
10	Quartz 2	000M830A1050	000M832A1050	000M831A1050
12	Metallic graphite	000M830A1250	000M832A1250	000M831A1250
13	Glossy black	000M830A1350	000M832A1350	000M831A1350
14	Structural black	000M830A1450	000M832A1450	000M831A1450
15	Dark structural graphite	000M830A1550	000M832A1550	000M831A1550
19	Structural white	000M830A1950	000M832A1950	000M831A1950
21	Matt white	000M830A2150	000M832A2150	000M831A2150
24	Matt black	000M830A2450	000M832A2450	000M831A2450
26	Deep matt black	000M830A2650	000M832A2650	000M831A2650
30	Glossy gold	000M830A3050	000M832A3050	000M831A3050
Colors with 4-6 weeks delivery time		AXI ELEGANT, BALL, ELEGANT, LUX I, LUX II, LUX III, MASTER, OLD STAR, ROYAL, SWING, QUATTRO		INTEGRA, INTEGRA DUO, PREMIUM EXCLUSIVE, VISION
No	Color	M ½" x M ½"	M ½" x F ½"	M ½" x M22x1,5F
03	Satin	000M830A0350	000M832A0350	000M831A0350
08	Nickel-grinded	000M830A0850	000M832A0850	000M831A0850
11	Antique brass	000M830A1150	000M832A1150	000M831A1150
29	Matt brass	000M830A2950	000M832A2950	000M831A2950

MASKING SLEEVE

50 mm* (Ø 21 mm) masking
sleeve for concealing PEX (16x2)
or CU (15x1) installation pipes.
Installation can be performed
before connecting the radiator to
the system.



Colors with 1-7 days delivery time		50 mm
No	Color	
02	Chrome	000M840A0250
05	Structural graphite	000M840A0550
06	White	000M840A0650
07	Anthracite/Glossy graphite	000M840A0750
09	Quartz 1	000M840A0950
10	Quartz 2	000M840A1050
12	Metallic graphite	000M840A1250
13	Glossy black	000M840A1350
14	Structural black	000M840A1450
15	Dark structural graphite	000M840A1550
19	Structural white	000M840A1950
21	Matt white	000M840A2150
24	Matt black	000M840A2450
26	Deep matt black	000M840A2650
30	Glossy gold	000M840A3050
Colors with 4-6 weeks delivery time		50 mm
No	Color	
03	Satin	000M840A0350
08	Nickel-grinded	000M840A0850
11	Antique brass	000M840A1150
29	Matt brass	000M840A2950

* The table shows standard lengths (50mm). Other lengths are available upon request.

ALLEN KEY FOR INTEGRA SET



Allen key for the INTEGRA set.

No	Color	Catalog number
01	Nickel	K115/70

SEPARABLE MASKING SLEEVE



Flexible, separable cover sleeve for 60mm PEX or Cu pipes. The flexible, separable cover sleeve allows for aesthetic concealment of installation pipes between the wall and the radiator. The sleeve's design allows for installation after the radiator has been connected to the system.

No	Color	Catalog number
02	Chrome	7990700
06	White	7990690

CONNECTION TUBE



Connection pipe, eccentric or centric, M 1/2" x Ø15 x 150mm (can be shortened to the desired length). Used to connect valves with Cu (15x1) copper fittings to a central heating system with an F 1/2" connection. The eccentric pipe allows for centricity adjustment within a range of 7.5mm on either side between the system and the radiator.

No	Color	Version	Catalog number
02	Chrome	Eccentric	7190290
02	Chrome	Centric	7199998

TELESCOPIC SCREW



Connection pipe, eccentric or centric, M 1/2" x Ø15 x 150mm (can be shortened to the desired length). Used to connect valves with Cu (15x1) copper fittings to a central heating system with an F 1/2" connection. The eccentric pipe allows for centricity adjustment within a range of 7.5mm on either side between the system and the radiator.

No	Color	1/2" version	3/4" version	5/8" version
01	Nickel	M619C020200	M621C017200	M617C017200

F 3/4" X R 1/2" CONNECTOR



F 3/4" x R 1/2" connector, nickel-plated version with conical seal. Designed for valves: FP20, SFP/SFK, V TYPE, UNO.

No	Color	Catalog number
01	Nickel	M869B003100

M 1/2" X PEX CONNECTOR



Short M 1/2" x PEX (16x2) connector. Suitable for valves: ARCUS, AXI, FP/FK, MASTER, SFK15/SFP15, SWING II.

No	Color	Catalog number
01	Nickel	000M811A001

REDUCING NIPPLE



M 1/2" x M 3/4" reducing nipple. Designed for valves: TWINS, V TYPE, V TYPE ELEGANT, UNICO, UNO.

No	Color	Catalog number
01	Brass	000M804A001
02	Chrome	000M804A002

T-PIECE FOR ELECTRIC HEATER

T-piece for electric heater, F ½" x F ½" x M ½".



Colors with 1-7 days delivery time

No	Color	Catalog number
02	Chrome	TR1/202
05	Structural graphite	TR1/205
06	White	TR1/206
07	Anthracite/Glossy graphite	TR1/207
09	Quartz 1	TR1/209
10	Quartz 2	TR1/210
12	Metallic graphite	TR1/212
13	Glossy black	TR1/213
14	Structural black	TR1/214
15	Dark structural graphite	TR1/215
19	Structural white	TR1/219
21	Matt white	TR1/221
24	Matt black	TR1/224
26	Deep matt black	TR1/226
30	Glossy gold	TR1/230

Colors with 4-6 weeks delivery time

No	Color	Catalog number
03	Satin	TR1/203
08	Nickel-grinded	TR1/208
11	Antique brass	TR1/211
29	Matt brass	TR1/229

RADIATOR VENT AND CAP



Manual radiator air vent, radiator cap.

Colors with 1-7 days delivery time

No	Color	Vent	Cap	Vent + Cap
02	Chrome	O1/2/02	K1/2/02	OK1/2/02
05	Structural graphite	O1/2/05	K1/2/05	OK1/2/05
06	White	O1/2/06	K1/2/06	OK1/2/06
07	Anthracite/Glossy graphite	O1/2/07	K1/2/07	OK1/2/07
09	Quartz 1	O1/2/09	K1/2/09	OK1/2/09
10	Quartz 2	O1/2/10	K1/2/10	OK1/2/10
12	Metallic graphite	O1/2/12	K1/2/12	OK1/2/12
13	Glossy black	O1/2/13	K1/2/13	OK1/2/13
14	Structural black	O1/2/14	K1/2/14	OK1/2/14
15	Dark structural graphite	O1/2/15	K1/2/15	OK1/2/15
19	Structural white	O1/2/19	K1/2/19	OK1/2/19
21	Matt white	O1/2/21	K1/2/21	OK1/2/21
24	Matt black	O1/2/24	K1/2/24	OK1/2/24
26	Deep matt black	O1/2/26	K1/2/26	OK1/2/26
30	Glossy gold	O1/2/30	K1/2/30	OK1/2/30

Colors with 4-6 weeks delivery time

No	Color	Vent	Cap	Vent + Cap
03	Satin	O1/2/03	K1/2/03	OK1/2/03
08	Nickel-grinded	O1/2/08	K1/2/08	OK1/2/08
11	Antique brass	O1/2/11	K1/2/11	OK1/2/11
29	Matt brass	O1/2/29	K1/2/29	OK1/2/29





ELECTRIC HEATING ELEMENT H+E

H+E circular electric heating element, used in the summer to heat the radiator, using the radiator as a dryer.



Colors with 1-7 days delivery time

No	Color	300 W	600 W	900 W
03	Satin	HOGVT300W/03	HOGVT600W/03	HOGVT900W/03
05	Structural graphite	HOGVT300W/05	HOGVT600W/05	HOGVT900W/05
06	White	HOGVT300W/06	HOGVT600W/06	HOGVT900W/06
07	Anthracite/Glossy graphite	HOGVT300W/07	HOGVT600W/07	HOGVT900W/07
09	Quartz 1	HOGVT300W/09	HOGVT600W/09	HOGVT900W/09
10	Quartz 2	HOGVT300W/10	HOGVT600W/10	HOGVT900W/10
12	Metallic graphite	HOGVT300W/12	HOGVT600W/12	HOGVT900W/12
13	Glossy black	HOGVT300W/13	HOGVT600W/13	HOGVT900W/13
14	Structural black	HOGVT300W/14	HOGVT600W/14	HOGVT900W/14
15	Dark structural graphite	HOGVT300W/15	HOGVT600W/15	HOGVT900W/15
19	Structural white	HOGVT300W/19	HOGVT600W/19	HOGVT900W/19
21	Matt white	HOGVT300W/21	HOGVT600W/21	HOGVT900W/21
24	Matt black	HOGVT300W/24	HOGVT600W/24	HOGVT900W/24
26	Deep matt black	HOGVT300W/26	HOGVT600W/26	HOGVT900W/26
30	Glossy gold	HOGVT300W/30	HOGVT600W/30	HOGVT900W/30

H+E rectangular electric radiator heating element, used in the summer to heat the radiator, using the radiator as a dryer.



Colors with 1-7 days delivery time

No	Color	300 W	600 W	900 W
03	Satin	HPGVT300W/03	HPGVT600W/03	HPGVT900W/03
05	Structural graphite	HPGVT300W/05	HPGVT600W/05	HPGVT900W/05
06	White	HPGVT300W/06	HPGVT600W/06	HPGVT900W/06
07	Anthracite/Glossy graphite	HPGVT300W/07	HPGVT600W/07	HPGVT900W/07
09	Quartz 1	HPGVT300W/09	HPGVT600W/09	HPGVT900W/09
10	Quartz 2	HPGVT300W/10	HPGVT600W/10	HPGVT900W/10
12	Metallic graphite	HPGVT300W/12	HPGVT600W/12	HPGVT900W/12
13	Glossy black	HPGVT300W/13	HPGVT600W/13	HPGVT900W/13
14	Structural black	HPGVT300W/14	HPGVT600W/14	HPGVT900W/14
15	Dark structural graphite	HPGVT300W/15	HPGVT600W/15	HPGVT900W/15
19	Structural white	HPGVT300W/19	HPGVT600W/19	HPGVT900W/19
21	Matt white	HPGVT300W/21	HPGVT600W/21	HPGVT900W/21
24	Matt black	HPGVT300W/24	HPGVT600W/24	HPGVT900W/24
26	Deep matt black	HPGVT300W/26	HPGVT600W/26	HPGVT900W/26
30	Glossy gold	HPGVT300W/30	HPGVT600W/30	HPGVT900W/30

ELECTRIC HEATING ELEMENT



Electric radiator heating element, used in the summer to heat the radiator, using the radiator as a dryer.

No	Color	300 W	400 W	600 W	1000 W
02	Chrome	GVT300W/02	GVT400W/02	GVT600W/02	GVT1000W/02
06	White	GVT300W/06	GVT400W/06	GVT600W/06	GVT1000W/06
14	Matt black	GVT300W/14	GVT400W/14	GVT600W/14	GVT1000W/14
03	Satin	GVT300W/03	GVT400W/03	GVT600W/03	-



Electric radiator heating element with cover, used in the summer to heat the radiator, using the radiator as a dryer.

No	Color	300 W	400 W	600 W	1000 W
02	Chrome	GVT300W/M/02	GVT400W/M/02	GVT600W/M/02	GVT1000W/M/02
06	White	GVT300W/M/06	GVT400W/M/06	GVT600W/M/06	GVT1000W/M/06
14	Matt black	GVT300W/M/14	GVT400W/M/14	GVT600W/M/14	GVT1000W/M/14
03	Satin	GVT300W/M/03	GVT400W/M/03	GVT600W/M/03	-

ELECTRIC HEATING ELEMENT



Electric radiator heating element, used in the summer to heat the radiator, using the radiator as a dryer.

No	Color	300 W	400 W	600 W	1000 W
02	Chrome	GNVT300W/02	GNVT400W/02	GNVT600W/02	GNVT1000W/02
06	White	GNVT300W/06	GNVT400W/06	GNVT600W/06	GNVT1000W/06
13	Black	GNVT300W/13	GNVT400W/13	GNVT600W/13	GNVT1000W/13



Electric radiator heating element **with cover**, used in the summer to heat the radiator, using the radiator as a dryer.

No	Color	300 W	400 W	600 W	1000 W
02	Chrome	GNVT300W/M/02	GNVT400W/M/02	GNVT600W/M/02	GNVT1000W/M/02
06	White	GNVT300W/M/06	GNVT400W/M/06	GNVT600W/M/06	GNVT1000W/M/06
13	Black	GNVT300W/M/13	GNVT400W/M/13	GNVT600W/M/13	GNVT1000W/M/13

REMOTE CONTROLLED ELECTRIC HEATING ELEMENT



Remotely controlled electric radiator heating element. It has a built-in ambient temperature sensor. The heater is controlled in conjunction with the SmartLife or Tuya apps. An electric radiator equipped with this electric heating element meets the requirements of the Ecodesign Directive.

No	Color	300 W	400 W	600 W	1000 W
02	Chrome	GNAV300W/02	GNAV400W/02	GNAV600W/02	GNAV1000W/02
06	White	GNAV300W/06	GNAV400W/06	GNAV600W/06	GNAV1000W/06
13	Black	GNAV300W/13	GNAV400W/13	GNAV600W/13	GNAV1000W/13



Remotely controlled electric radiator heating element **with cover**. It has a built-in ambient temperature sensor. The heater is controlled in conjunction with the SmartLife or Tuya apps. An electric radiator equipped with this electric heating element meets the requirements of the Ecodesign Directive.

No	Color	300 W	400 W	600 W	1000 W
02	Chrome	GNAV300W/M/02	GNAV400W/M/02	GNAV600W/M/02	GNAV1000W/M/02
06	White	GNAV300W/M/06	GNAV400W/M/06	GNAV600W/M/06	GNAV1000W/M/06
13	Black	GNAV300W/M/13	GNAV400W/M/13	GNAV600W/M/13	GNAV1000W/M/13

ELECTRIC DRYER



An electric dryer, used in the summer to heat the bathroom. Equipped with three timers – 2, 4, or 6 hours. Stylish hangers are included. The dryer's operation is visualized using color LED technology (Color White). The dryer's surface temperature does not exceed 65°C.

Technical parameters:

- nominal supply voltage: ~230V, 50Hz,
- protection class: I,
- IP rating: IP44,
- LED signaling,
- 3 timers,
- connection: flush-mounted / external power cable L= 1.2m.



No	Color	85mm x 915 mm, 25W	85mm x 1515 mm, 39W
02	Chrome	SEASVT/02	SEALVT/02
21	Matt white	SEASVT/21	SEALVT/21
24	Matt black	SEASVT/24	SEALVT/24





PRIMARY COLORS delivery time 1-7 days




02
Chrome




06
White

We can manufacture
thermostatic heads
and valves in any color
from the RAL color palette

POWDER COLORS delivery time 1-7 days



05
Structural
graphite



07
Anthracite
Glossy graphite



09
Quartz I



10
Quartz II



12
Metallic
graphite




13
Glossy black



14
Structural
black



15
Dark structural
graphite



19
Structural
white




21
Matt white



24
Matt black



26
Deep matt black



30
Glossy gold

GALVANIZED COATINGS delivery time 4-6 weeks




03
Satin




08
Nickel-grinded



11
Antique brass



20
Galvanic gold



29
Matt brass